
JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.

(Public Sector Undertaking of the Government of Jammu and Kashmir) Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu Corporate Office: Opposite J&K Motor Garage Deptt near Hajj House Bemina Srinagar Telephone: 0191-2478842; 191-3510489 (Jammu), 0194-2490662 (Srinagar) email:mdjkmscl2@gmail.com; ismjkmscl2018@gmail.comwebsite: www.jkmsclbusIness.com



E-BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENTS

(REFERENCE NO: NIT/JKMSCL/M&E/2023/584 DATED: 05/06/2023

LAST DATE OF SUBMISSION OF ONLINE BIDS: 29-06-2023 upto 1600 hrs

Important Note: Each page of e-Bid should be properly page marked and indexed. Page Number should be reflected at the bottom of each page. All documents requested in "Annexure-II", should be reflected in the column mentioned against each (Page No. ___). Any deviation may result in rejection of the bid and the bidder shall be solely responsible for the same.

BIDDING DOCUMENT FOR PROCUMENT OFMACHINERY & EQUIPMENTS

S.No.	Section	Description	Pages
1.	NIL	Bid Submission Letter	
2.	NIL	Notice Inviting Bid for uploading on Websites	
3.	Ι	Instructions to Bidders	
4.	II	Bid Data Sheet	
5.	III	Evaluation and Qualification Criteria	
6.	IV	Bidding Forms (BF)	
7.	V	Schedule of Supply	
8.	VIA	General Conditions of Contract (GCC)	
9.	VIB	Special Conditions of Contract (SCC)	
10.	VIC	Contract Forms (CF)	

(To be submitted on letter head of Firm)

Bid Submission Letter (Declaration Form)

Sub: - Regarding Bid submission for NIT/JKMSCL/M&E/2023/ 584 DATED 05-06-2023

I/We...... (Name, Designation and Address of Bidder) having our office at...... (Address of Firm) do hereby declare that I/We have read all the terms & conditions of the bid document floated by JKMSCL and agree to abide by all the terms & conditions set forth therein.

I/We further declare that the rates offered by us shall remain valid for the period of 24 months extendable for a further period of three months and shall reduce the rates, if the rates are reduced by us for any other buyer during this period within Union of India. I/We have enclosed the documents as per details given in Annexure I of the NIB and other documents asked in NIT.

We further undertake to abide by all the terms & conditions of the NIB.

Dated

Name and signature of bidder with seal



JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.

(Public Sector Undertaking of the Government of Jammu and Kashmir)
 Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu
 Corporate Office: Opposite J&K Motor Garage Deptt near Hajj House Bemina Srinagar
 Telephone: 0191-2478842; 191-3510489 (Jammu), 0194-2490662 (Srinagar)
 email:mdjkmscl2@gmail.com; ismjkmscl2018@gmail.comwebsite: www.jkmsclbusIness.com

Tender No. NIT/JKMSCL/M&E/2023/584 Dated: 05/06/2023

NOTICE INVITING TENDER

On Behalf of Jammu & Kashmir Medical Supplies Corporation Limited, e-bid under two cover system (Technical bid in cover 1 and Financial bid in cover-2) is invited for the finalization of Rate Contract for the procurement of "Machinery & Equipment" from the Original manufacturers / Direct importers/ Authorized Representatives of the manufacturers/ direct importers. Detailed tender document may be downloaded at J&K Govt. Portal www.jktenders.gov.in, www.jkmsclbusiness.com,. The cost of the tender along with tender processing charges of Rs.10,000/- (Rupees Ten thousand only/-) i.e. Rs.1,000/- (Rupees one thousand only) as cost of tender & Rs.9,000/- (Rupees Nine thousand only) as tender processing charges shall have to be paid either through NEFT/RTGS only in the Corporation's Bank Account No. 0373040500000032 maintained at J&K Bank Limited, Branch Medical College Jammu, IFSC Code JAKA0MEDJAM or by depositing the amount directly into the above Account No. along with the submission of requisite valid documentary proof.

- IMPS mode of transfer is not verifiable and hence shall not be entertained as tender fee or tender processing charges. Bidders claiming to submit money through IMPS Mode shall be out-rightly rejected.
- DD as mode of payment for cost of tender/tender processing fees/Bid Security shall only be entertained if the same is deposited physically against proper receipt in the Corporate Office of JKMSCL, before the closing due date of e-bid.
- <u>Bid Security</u> Rs. 1,00,000.00 in the form of FDR/CDR/BG/RTGS/NEFT (FDR/CDR from scheduled/Nationalised Bank / BG from Nationalised Bank) with validity of 30 months. Bids submitted without sufficient bid security & validity shall be summarily rejected. Firms which are registered as (Micro and Small Enterprise) MSEs Unit(s) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) shall be considered for Exemption of bid security including tender fee of Rs. 1000/- as per provisions of MSME Policy. Tender Processing charges of Rs. 9000/- is to be paid by the MSE Unit(s) also.
- Physical hard copy of Bid Security in form of FDR/CDR/BG may be submitted to the Corporate Head Office before closing the due date of e-bid. Scanned copy of the same shall be uploaded along with Technical Bid, failing which bid shall be out rightly rejected.
- The bidders seeking EMD exemption must submit the valid supporting document for the relevant category. Under MSE category only manufacturers for goods and service providers for services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.
- Scanned copies of NEFT/RTGS/Bank Transfer/Receipt towards the cost of tender documents and tender processing charges shall have to uploaded along with Technical Bid, failing which bid shall be out rightly rejected.

Sd/-

Managing Director

Jammu and Kashmir Medical Supplies Corporation Ltd.

Note: The bidders who opt to bid for multiple manufacturer shall have to provide complete details of each manufacturers in a systemic way covering all documents asked in Cover-A. Separate sheet shall have to be attached for every individual item.



JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.

(Public Sector Undertaking of the Government of Jammu and Kashmir)
 Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu
 Corporate Office: Opposite J&K Motor Garage Deptt near Hajj House Bemina Srinagar
 Telephone: 0191-2478842; 191-3510489 (Jammu), 0194-2490662 (Srinagar)
 email:mdjkmscl2@gmail.com; ismjkmscl2018@gmail.comwebsite: www.jkmsclbusIness.com

BIDDING DOCUMENT FOR

Procurement of Machinery & Equipment

Tender No.NIT/JKMSCL/M&E/2023/584

Date of publication of e-bid Start date and time for download of bid document Last date and time for download of bid document Clarification start date

Clarification end date

Pre- bid conference

Start date and time for submission of online bids Last date and time for submission of online bids Date and time for online opening of technical bids Cost of tender document

Tender Processing charges

: 05-06-2023

: 05-06-2023 : 30-06-2023 : 06-07-2023 at 1600 hrs : 30-05-2023 at 1100 hrs : 13-06-2023 upto1400 hrs : 13-06- 2023 AT 11.00 A.M (at Corporate Office, Jammu/Srinagar) : 15.06-2023 at 1500 hrs : 29-06-2023 at 1600 hrs : 30-06-2023 at 1100 hrs : Rs. 1000/-: Rs. 9000/-

ADDRESS FOR COMMUNICATION: Managing Director or General Manager, J&K Medical Supplies Corporation Ltd,

Address: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar, Jammu Bemina Near Haj House- Srinagar (Kashmir)

Note: -

- 1. The bidder shall have to get themselves updated with the date & time fixed for Prebid as per the item list. After pre-bid meeting necessary changes in bid conditions shall be done with the recommendations of panel of technical experts drawn from the intending department after the approval of the competent authority. Bid should be submitted through e-portal <u>www.jktenders.gov.in</u> after pre-bid meeting including all the clarifications/ modifications/ amendments.
- 2. Corrigendum/addendum shall be the integral part of terms & conditions of bid which shall be duly signed and attached with the bid document by the bidder.
- 3. The JKMSCL is not bound to accept the lowest bid and may reject any/part thereof or all bids without assigning any reason thereof.
- 4. The bidders shall have to submit a GST No. and valid 'GST' clearance

certificate/returns submitted from the taxation department and the 'PAN' issued by income tax department.

- 5. It is clarified that the information required in bidding document should be submitted only in enclosed format bidding forms without any change or modification in its formats. Bids submitted with changed or modified annexure/ formats shall be rejected.
- 6. Information of award of contract shall be communicated to all participating bidders on the website <u>www.jktenders.gov.in</u>. <u>www.jkmsclbuisness.com</u>

Note: -

If any amendment/clarification is carried out in the technical specifications and bid terms & conditions following pre-bid meeting or any other information, the same shall also be uploaded on the websites mentioned above and the bidders shall keep themselves updated by regularly visiting the website/jk portal.

Important Note:

- 1. No representation shall be allowed, accepted and entertained after the Pre-bid meeting (i.e upto 4.00 P.M of Pre-bid date). Bidders are requested to submit their queries/clarifications by or before the date fixed (mentioned above), so that the same can be discussed and clarified during the Pre-bid meeting.
- 2. Mail id for pre bid queries: prebid.jkmscl@gmail.com
- 3. Google Code: meet.google.com/jep-svkz-nsu

S. No.	Item code	Name of the item	Average Annual turnover for last 03 years
1.	ME2328	Patient Transport Ventilator	05 Crore
2.	ME2329	Cell Saver Machine	05 Crore
3	ME2330	Temporary Dual Chamber Pacemaker	05 Crore
4	ME2331	Single Chamber Pacemaker	05 Crore
5	ME2332	Battery Operated Sternal Saw	05 Crore
6	ME2333	Electrocardiograph	05 Crore
7	ME2334	Xenon Surgical Head Light	05 Crore
8	ME2335	Motor Suction Pump	05 Crore
9	ME2336	Arterial Blood Gas Analyzer	05 Crore
10	ME2337	Blood warming and infusion Set	05 Crore
11	ME2338	C-ARM Mobile Image intensifier	05 Crore
12	ME2339	Multi Parameter Patient Monitor	05 Crore
13	ME2340	Fibreoptic bronchoscope with monitor and recording facility	05 Crore
14	ME2341	Pediatric High Resolution flexible fiberoptic bronchoscope	05 Crore
15	ME2342	Impulse Oscillometry	05 Crore
16	ME2343	Cardiopulmonary Exercise Testing System (CPET)	05 Crore
17	ME2344	FeNO Analyzer	05 Crore
18	ME2345	Thulium Fiber Laser System for Lithotripsy.	05 Crore
19	ME2346	Electro convulsive therapy (ECT) Machine	05 Crore
20	ME2347	Electro Encephalography Machine (EEG)	05 Crore
21	ME2348	PORTABLE OT Light.	05 Crore
22	ME2349	Rapid Cassette Autoclave	05 Crore

The Average Annual Turn Over required for the above items pertaining to Group "Procurement of Machinery & Equipment" is mentioned above. Only the bid(s) falling under the category as specified under Annual Turnover is accepted. The bid(s) not falling under the Annual Turnover clause shall be out rightly rejected. Only manufacturer(s) or Importer(s) fulfilling the turnover clause shall be eligible to participate the e.bid.

Note:

- 1. The catalogues/brochures of the item shall be submitted along with the EMD in separate envelopes, prior to submission of online bids. The catalogues/brochures pertaining to the equipment information should be signed by the authorized signatory of the manufacturer.
- 2. No minimum quantity is guaranteed and the bidder shall not claim any compensation from the Jammu & Kashmir Medical Supplies Corporation Ltd.

DISCLAIMER

The information contained in this bid document for proposed procurement or subsequently provided to the Bidder(s), in documentary or any other form by or on behalf of the Jammu and Kashmir Medical Supplies Corporation Itd. (procuring entity) or any of its employees or advisors, is provided to bidder(s) on the terms and conditions set out in this bid and such other terms and conditions subject to which such information is provided to the bidder.

Whilst the information in this bid has been prepared in good faith and contains general information in respect of the proposed procurement, the bid is not and does not purport to contain all the information which the bidder any require.

Jammu and Kashmir Medical Supplies Corporation Ltd., does not accept any liability or responsibility for the accuracy, reasonableness or completeness of, or for any errors, omissions or misstatements, negligent or otherwise, relating to the proposed procurement, or makes any representation or warranty, express or implied, with respect to the information contained in this bid or on which this bid is based or with respect to any written or oral information made or to be made available to any of the recipients or their professional advisers and liability therefore is hereby expressly disclaimed.

This document is neither an agreement and nor an offer or invitation by the Jammu and Kashmir Medical Supplies Corporation Limited, (hereinafter referred to as "procuring entity") to the prospective bidders or any other person. The purpose of the bid document is to provide interested parties with information to assist the formulation of their proposal/offer. The information contained in this bid document is selective and is subject to updating expansion, revision, and amendment. Each recipient must conduct its own analysis of the information contained in this bid document or to connect any inaccuracies therein that may be in this bid document and is advised to carry out its own investigation into the proposed procurement, the legislative and regulatory regime which applies thereto and by and all matters pertinent to the proposed procurement and seek its own professional advice on the legal, financial, regulatory and taxation consequences of the entering into any agreement or arrangement relating to the proposed procurement.

This bid document includes certain statements, estimates and targets with respect to the procurement. Such statements, estimates and targets reflect various assumptions made by the procuring entity, (and the base information on which they are made) which may or may not prove to be correct. No representation or warranty is given as to the reasonableness of forecasts or the assumptions on which they may be based and nothing in this bid document is, or should be relied on as, a promise, representation, or warranty. Bid document and the information contained therein is meant only for those applying for this procurement, it may not be copied or distributed by the recipient to third parties, or used as information source by the bidder or any other in any context, other than applying for this proposed procurement.

The procuring entity is, its employees and advisors make no representation or warranty and shall have no liability to any person, including any bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or

8 E BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2023)

otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this bid document or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the bid document and any assessment, assumption, statement or information contained therein or deemed to form part of this bid document or arising in any way for participation in this bidding process.

The procuring entity also accepts no liability of any nature whether resulting from negligence or otherwise howsoever caused arising from reliance of any bidder upon the statements contained in this bid document.

The procuring entity may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumptions contained in this bid document.

The issue of this bid document does not imply that the procuring entity is bound to select a bidder or to appoint the selected bidder or bidder, as the case may be, for the procurement and the procuring entity reserves the right to reject all or any of the bidders or bids at any point to time without assigning any reason whatsoever.

The bidder shall bear all its costs associated with or relating to the preparation and submission of its bid including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by the procuring entity or any other costs incurred in connection with or relating to its bid. All such costs and expenses shall remain with the bidder and the procuring entity shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a bidder in preparation or submission of the bid, regardless of the conduct or outcome of the bidding process.

Any information/documents including information/ documents pertaining to this bid or subsequently provided to bidder and/or selected bidder and information/documents relating to the bidding process; the disclosure of which is prejudicial and/or detrimental to, or endangers, the implementation of the procurement is not subject to disclosure as public information/documents.

> Managing Director Jammu and Kashmir Medical Supplies Corporation Ltd

Section-I Instruction To Bidders (ITB)

Before uploading bid, kindly go through the following instructions carefully so that your bid may not be considered invalid:

Clause No.	Description
1.	Go through the terms and conditions, annexure and other forms of the document carefully and meticulously & get your digital signatures available for uploading.
2.	Bid form must conform the terms & conditions of the bid documents and Technical Bid in Cover-'A' & Financial Bid in Cover-'B' to be uploaded on <u>www.jktenders.gov.in</u> . The receipt for cost of tender, tender processing fee and catalogues of the quoted items shall be submitted in the office of JKMSCL atleast one day prior to submission of online bids.
3.	It is expected from all bidders that CDR/FDR/BG in separate envelope shall be deposited with the authorised person of JKMSCL at reception against proper receipt from the concerned.
4.	Correspondences/Complaints lodged to JKMSCL should bear signature, name, I.D proof and mobile number of the complainant. Unauthenticated correspondence/complaints may not be acted upon. If any bidder intends to lodge a complaint or make a suggestion with regards to some bid condition, it shall be done in the Pre-bid conference, in the office of JKMSCL in writing. After the stipulated period as decided by the JKMSCL, no such complaint/ suggestion would normally be considered.
5	Certificates/Licenses/Documents which are required should be complete and updated. The bidder shall submit acceptance of terms and conditions of the tender document.
6	If there is any query in bid document/uploading process, bidder may contact JKMSCL office at Jammu/Srinagar during working hours i.e 1000 hrs to 1600 hrs on ph. 0191-2580842, 0194-2432008 or e-mail on <u>gmkjkmscl1@gmail.com/jkmsclepm@gmail.com</u> / <u>gmjjkmscl@gmail.com</u>
7.	In case a bidder is given any assurance what so ever of being provided with any advantage in JKMSCL by anybody or if a bidder is directly or indirectly threatened of being put to some deliberate disadvantage in the bidding process & in the bidder's subsequent association/ working with JKMSCL, it is requested that the concerned must immediately inform about the same to the Managing Director, JKMSCL/G.M-J(Adm), JKMSCL in writing or through e-mail or gmjjkmscl@gmail.com. It is advised that evidence of such unfair activity of such person, if available, is produced along with the complaint, so that action can be taken against such a person(s) and that their details can be put on the website so that other bidders can be forewarned in this regard.
8	The Bidders shall have to submit a GST No. & GST clearance certificate/return submitted from the concerned commercial taxes officer and the 'PAN' issued by income tax department.
9	It is clarified that the information required in bidding document should be uploaded as per enclosed bidding form without any change of modification in its formats. Bids submitted with changed or modified annexure/ formats shall out rightly be rejected.

10 E BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2023)

10	The declaration of technical bid in respect of responsive/non responsive
	bidders shall be uploaded on website <u>www.jktenders.gov.in</u> Similarly, information
	regarding financial bid (L-1) shall also be provided to bidders on above
	websites. Individual bidders shall not be informed separately.
11	No firm/bidder/manufacture/importer shall provide/supply any of the product
	item at the rate contract /approved by JKMSCL to any of the
	department/NGO/other procuring institute within or outside the Union Territory of
	J&K. In case any supply is made in violation to the said condition (or), the
	supplier/firm shall be liable to be penalised to the tune of 7.5% of order
	placed/blacklisting for a period not less than five years (or) both as deemed fit,
	to the competent/Tender Inviting Authority. However, JKMSCL can procure the
	items for any of the departments within /outside the Union Territory of J&K/after
	charging the administrative expenses.
12	The qualified bidders are required to submit the relevant documents and
	annexure uploaded with their e.bid in original along with catalogues at the time
	of issuance of LOI /execution of agreement before issuance of rate contract.
13	The bidder shall not under any circumstances quote "Zero" anywhere in the BOQ.
14	Important Instructions to bidders
	The bidders shall have to abide the clauses/restrictions in terms of Rule 144 (xi) of
	the General Financial Rules (GFRs) issued by the Ministry of Finance, Department of
	Expenditure, Public Procurement Division vide No. F.No.6/18/2019-PDD dated 23.07.2020.
	The bidders are required to submit a certificate/ declaration regarding their compliance with this order. If such certificate given by a bidder whose bid is
	accepted and is found to be false, it will be a ground for immediate termination &
	further legal action in accordance with law. Bidders are required to go through the
	said order & Office Memorandum (s) for the necessary compliance
	Model Certificate for tenders
	"I have read the clause regarding restrictions on procurement from a bidder
	of a country which shares a land border with India. I hereby certify that this
	border is not from such a country and is eligible to be considered."
	Model Certificate for Tenders
	"I have read the clause regarding restrictions on procurement from a bidder
	of a country which shares a land border with India; I certify that this bidder is
	not from such country or, if from such a country, has been registered with
1	the Competent Authority. I hereby certify that this bidder fullfills all
	the Competent Authority. I hereby certify that this bidder fullfills all requirements in this regard and is eligible to be considered (where
	requirements in this regard and is eligible to be considered (where
	requirements in this regard and is eligible to be considered (where applicable, evidence of valid registration by the competent Authority shall
	requirements in this regard and is eligible to be considered (where

Section-II: Bid Data Sheet (BDS) Table of Contents

S. No.	Description	Pages
1.	Introduction	
2.	Bidding Document	
3.	Preparation of Bids	
4.	Submission and Opening of Bids	
5.	Evaluation and Comparison of Bids	
6.	Award of Contract	
7.	Redressal of Grievances during Procurement Process	

Section III: Evaluation and Qualification Criteria

2. Qualification Criteria

The lowest evaluated bidder shall have the necessary qualifications to successfully fulfil its obligation under the contract. Minimum acceptable levels with regards to bidder's experience in supply of goods and related services with comparable technical parameters, its financial capability and other factors are defined.

Clause No.	Description
1.	Contractual experience:-
	The bidder shall be an original manufacturer; direct importer; (or) authorised representative of the original manufacturer/direct importer, who must have manufactured/imported, supplied and installed such equipments in India satisfactorily. The list of such installations may be asked from the bidder and the bidder should submit self attested copy of purchase order, indent and invoice (inclusive of quantity & rate).
2.	Technical experience:-
	Client Base on Letter Head of the Bidder / Manufacture/Indian Subsidiary of Principal Manufacturer with references of the supply orders, for any of the three years in last five years along with satisfactory performance certificate of minimum one installation (Copies of reference supply orders and satisfactory performance certificate need to be attached)
3.	Production capacity :
	The JKMSCL may fix the minimum supply and/ or production capacity required to assure that the bidder is capable of supplying the type, size and quantity of goods required. It should be dedicated quantity to JKMSCL on monthly and annual basis. Production capacity certificate be attached with uploaded document.
4.	Financial position:- The soundness of the bidders financial position showing long term profitability demonstrated through audited annual financial statement (balance sheet, income statement etc.) for last three years.
5.	Cash Flow capacity : The bidder should have sufficient availability of/ access to liquid assets, lines of credit and other finances to meet the possible cash flow requirement which may arise during the execution of the rate contract.
6.	Litigation history:-
	The information regarding all pending claims, arbitration, or other litigation is asked by the JKMSCL
7.	Tax clearance certificates:-
	The Latest GST returns and other tax clearance certificate (latest) or declaration to be submitted by the bidder. Bidders shall have to submit a valid & latest 'GST' clearance certificate/return submitted online as per GST rules along with GST No. and the 'PAN' issued by concerned department.
8.	Declaration regarding qualifications :-
	Declaration regarding qualifications of the bidder shall be given in specified format provided in bidding forms.

1. Evaluation Criteria

	Evaluation Criteria
Claus	Description
1.	Scope
1.1	Local handling and inland transportation:-The cost for Inland transportation, insurance, related services, installation, commissioning, demonstration and other incidental costs for delivery of goods, or port of entry, or supply point to consignee site, schedule of supply shall be quoted in price schedule.
1.2	Minor omission and missing items:- Pursuant to the relevant clauses, the cost of all quantifiable non-material non-conformities or omissions from the contractual and commercial conditions shall be evaluated. The procuring entity will make its own assessment of the cost of any non-material non-conformities and omissions for the purpose of ensuring fare comparison of bids.
2.	Technical Criteria: -The minimum technical level that the goods and related services shall have in order to comply with the Section V, schedule of supply are specified. These criteria are evaluated on a pass-fail system, with a minimum acceptable level for each criteria enumerated in technical specifications of item. However, a minor deficiency in technical compliance may not be cause for rejection of the bid.
3.	Economic Criteria: - The economic criteria are most important when evaluating a Bid. The price, however, may not be the only criterion, as there could be technical evaluation that may be expressed in mandatory terms <i>i.e.</i> cost per test etc. The following may be examples: - 3.1, 3.2
3.1	Adjustment for deviations in the delivery and completion schedule: - The deviation from the delivery and completion schedule specified in Section V, schedule of supply are permitted. No credit will be given for earlier completion.
3.2	Operation and maintenance cost: The operation and maintenance costs of equipments are taken into account for bid evaluation purposes. The methodology is elaborated at BOQ for determining lowest bid (L-1).
3.2	Spare parts: - Only those spare parts and tools which are specified on an item wise basis in the list of goods and related services, schedule of supply shall be taken in account in bid evaluation. Supplier recommended spare parts for specified operating requirement shall not be considered in bid evaluation. The price for evaluating L1 (as per BOQs) shall be decided on the basis of cumulative rates of Main item, Accessories (wherever asked) /Indian items (wherever asked) i.e cost of main item + cost of Accessories = Total cost of equipment.
3.3	Performance and productivity of goods:- The performance and productivity of the equipments shall be as per the reference value or norms specified in technical specification of an item and corresponding value guaranteed by the bidder in its bid.
4.	Price preference:-
4.1	The price preference shall be given in evaluation of bids and award of contract as per MSME Policy in vogue. Taxes as applicable, should be mentioned clearly and separately.
4.2	raxes as applicable, should be memioned cleany and separately.

Section IV: Bidding Forms

Table of Contents

S.No	Name of Bidding Forms		Pages
1	Bid security		
2	Bid / Tender charges (Incl. Tender proce	essing fee)	
3	List of Items Quoted	(Annexure I)	
4	Technical bid submission sheet	(Annexure II)	
5	Financial bid format (BOQ)	(Annexure III)	
6.	Declaration and undertaking	(Annexure IV)	
7	Client Base	(Annexure V)	
8	Authorisation from principal manufactu	irer (Annexure VI)	
9	Average Annual Turnover Statement	(Annexure VII)	

(Annexure I)

On Firm's letter head

LIST OF ITEMS QUOTED IN THE BID

S. No.	Ten der Sr.		By	σ	Quality Certification						
	Sr. No.	Code	Name of Item	Manufactured By	Imported by	Make & Model quoted/ offered	BIS License	ISO	CE	USFDA	Any Other

Seal & Signature (Authorised Signatory)

Annexure II

(To be submitted on Firms' letter head) Technical Bid Submission Sheet (Cover 'A')

Managing Director

Jammu & Kashmir Medical Supplies Corporation Ltd. J&K

We, the undersigned, declare that:

- 2. Our bid shall be valid for a period of minimum 120 working days from the date of technical bid opening in accordance with the bidding document, and it shall remain bidding upon us and may be accepted at any time before the expiration of that period. However, validity may also be extended with mutual consent;
- 3. If our bid is accepted, we commit to submit a performance security in the amount of 3% of the contract price or as specified in bid document for the due performance of the contract;
- 4. Our firm, including authorised representative for any part of the contract, have nationalities from the eligible countries;
- 5. I/We are not participating, as bidders, in more than one bid in this bidding process, in the bidding document;
- 6. Our firm, its affiliates or subsidiaries, including authorised representative has not been debarred by the Union Govt/any State Government or the procuring entity.
- 7. I/We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- 8. I/We agree to permit the JKMSCL to ask any relevant documents. I/We shall be bound to provide the said relevant document within the specified period.
- 9. My/our quoted items......fully comply with the technical specifications as per bid document Section V, schedule of supply.
- 10. The bidder shall ensure that the bid document sheet shall be properly filled with particulars, page numbering and tender document should be properly numbered.
- 11. I/We certify that I/We have annexed the following documents with particulars & page No. mentioned against each column :

S. No	Item	Particular	Manufacturer			
			M1	M2	M3	M4
1.	Bid security (as mentioned above)					
2.	Cost of Tender & Tender Processing charges					
3.	List of Items quoted by the Bidder mentioning name of manufacturer/ importer with make & model as per annexure.	Annexure I				
	17 E BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2	2023)				

	(self attested)		
5	Compliance Sheet for each equipment (self attested)		
6	Technical bid submission sheet duly filled	Annexure II	
7	Financial bid (To be uploaded in BOQ only)	Annexure III	
8	Declaration for Latest Non Conviction, non blacklisting on non judicial Stamp paper of Rs 100 furnished by the Principal Manufacturer / Sole Importer/ Indian Subsidiary as per proforma duly notarised.	Annexure IV A	
9	Declaration for Latest Non Conviction, non blacklisting on non judicial Stamp paper of Rs 100 furnished by the Bidder as per proforma duly notarised.	Annexure IV B	
10	Client Base on Letter Head of the Bidder / Manufacture/Indian Subsidiary of Principal Manufacturer with references of the supply orders, for any of the three years in last five years along with satisfactory performance certificate of minimum one installation (Copies of reference supply orders and satisfactory performance certificate need to be attached)	Annexure V	
11	1 1	Annexure VI	
	(On the letterhead of Principal manufacturer / Sole Importer) In case authorization to the bidder is furnished by the Sole Importer/Indian Subsidiary, document confirming authorization from foreign Principal Manufacturer in favour of Indian Subsidiary / Sole Importer is to be submitted (strictly as per annexure VI)		
12	Average Annual Turnover Statement for Last 3 financial Years of the Indian Subsidiary of Principal Manufacturer/ Sole Importer issued by Chartered Accountant/competent authority with UDIN. In case of foreign manufacturer the turnover of Indian Subsidiary/Sole Importer only shall be considered and not of the original manufacturer.	Annexure VII	
13	Copies of Audited Balance sheet & profit loss account for last three financial years certified by Chartered Accountant of the Importer/ Indian Subsidiary with UDIN. In case of foreign manufacturer the balance sheets of Indian Subsidiary/Sole Importer only shall be considered		
14	Nature of the Firm/Public Company / Private Company/ Partnership/ Proprietorship/any other	Annexure VIII	

	with Documentary proof.		
15	Self attested photocopy of IEC certificate and Permission/ Authorization for sale for sale from the foreign principle manufacturer (in case of imported product)	Annexure A (if applicable)	
16	Copy of GST Registration of the Bidder	Annexure B	
17	Latest GST Returns of the Bidder	Annexure C	
18	Copy of the PAN Card of the Bidder	Annexure D	
19	Quality Certifications on the products viz. ISI/CE/USFDA etc. whichever applicable.	Annexure E	
20	Name, photograph & specimen signature of the designated officer/ representative of the Bidder who is authorized to make correspondence with the JKMSCL, if any.	Annexure F	
21	Specify point of supply with full Address. NB: Specifying of point of supply does not means authorization to raise, invoice and receive payments on behalf of bidder(s)	Annexure G	
22	Declaration of bidder regarding acceptance Bid for terms & conditions	Annexure A1	

- details of each manufacturer in a systemic way, sequentially, covering all documents asked in Annexure "II".
- 2. Please Note the Annexure A"II" should be properly filled showing the page number when the asked document has been attached. All the documents attached with the technical bid should be properly page numbered.

I/we understand that our bid shall liable to be declared non responsive in case of any deficiency in fulfilment of above requirements on our part.

I/we accept all the terms, conditions and provisions of this bid document.

Name/Address.....

Dated.....e-mail:....

N.B : The original manufacturer/direct importer of the bidding items/their sole authorised representative shall execute tri-partite agreement with the Corporation i.e JKMSCL, inter-alia, stating that :

i. The invoice submitted by the authorised representative for such supplies shall be endorsed by the original manufacturer/direct importer of bidding items. Original copy of the delivery challan of the manufacturer towards authorised representative for such supplies shall be endorsed along with invoice submitted by Authorised representative.

ii. JKMSCL may secure confirmation/or authenticating of such supplies from manufacturer/direct importer before releasing the payment.

iii. No original manufacturer/direct importer shall be allowed to authorize more than one representatives to bid, to negotiate/to raise invoice or to receive payments & to enter into tripartite agreement with regard to business against this specific tender.

iv. In case, original manufacturer/direct importer wish to authorise any representative to bid, to negotiate, to raise invoice to receive payments on behalf of original manufacturer/direct importer/against invoice raised by representative, <u>Annexure All</u> duly filled shall need to be uploaded alongwith e.bid; otherwise no representation in this matter shall be entertained in the later stage.

Annexure III

ITEM WISE FINANCIAL BID (BOQ)

For Uploading Rates of Equipment Please read the amended BOQ as follows:

i) The rates shall be quoted in the BOQ as per format mentioned below.ii) The rates of the accessories, if any, shall be quoted cumulative as per NIT.iii) The rates of the India items, if any, shall be quoted cumulative as per NIT

S.		Í												
3. No.	ltem Description	Item Code	Unit	Qty	Currency type	Basic Equipment cost for one unit	Packing & forwarding charges/freight insurance charges	Indian Agency Commission for 1 unit in foreign	Custom Duty	SGST	CGST	IGST	Custom clearance in foreign	Total Amount including Taxes
1	2	3	4	5	6	7	8	9	10		11		12	13
1	Main item													
2	Access ories, if any.													
3	any. Indian items, if any													
5.	Option al Items, if any													
6.														
CMC Ist Ye	C for CN ear 2 nd	C for Year	CMC for 3 rd Yeo	or ar	CMC fo 4 th Yea	or CN r 5 th	IC for Year	Total	amou	int C	MC			
14	15		16		17	18								

Note: -

- 1. The rate quote should be as per BOQ.
- 2. CGST, SGST or IGST should be separately shown in absolute amount only.
- 3. Rate should be quoted only for packing units as mentioned in the bid
- 4. No quantity or cash discounts should be offered.
- 5. Read all the terms & conditions before filling the Annexure III.
- 6. Please quote rates in absolute amount only.
- 7. Please quote rates per unit only
- 8. The bidder shall not under any circumstances quoted "Zero" anywhere in the BOQ.
- 9. Finalization of the rates shall be made on the basis of price quoted in BOQ
- 10. Custom duty, if applicable shall be indicated separately.
- 11. The final rates quoted at Column No. 13 shall be considered as final rates and shall be considered for evaluating financial bid. L1 rate shall be finalised on the basis rate and taxes as applicable.

12. The price for evaluating L1 (as per BOQs) shall be decided on the basis of cumulative rates of Main item, Accessories (wherever asked) i.e cost of main item + cost of Accessories + Indian items = Total cost of equipment.

13. The rates quoted for the <u>CMC (Comprehensive Maintenance Contract)</u> and <u>Optional</u> <u>items</u> shall not be considered for finalizing/deciding L1 rates.

14. Warranty of 05 years shall be applicable.

The bidder may quote in foreign currency as per the BOQ uploaded in the e.portal on the following terms & conditions

(For Imported equipment)

100% payment shall be released against 20% Bank Guarantee valid for a period of 12 months, to be submitted by the bidder. The BG shall be released on successful installation of the Machinery

Letter of credit would be opened subject to following additional conditions :

- 1. At site LC would be opened.
- 2. A level vessel would be used for shipment of supplies which should not be more than 15 years old.
- 3. Supplies shall be insured vide comprehensive Insurance Policy including machine insurance by the OEM till the final delivery site shall also include "Force Majeure".
- 4. Pre-dispatch inspection shall be carried out by OEM by certified inspection agency before shipment of supply.
- 5. The CIF (cost insurance freight)/CIP (cost insurance price) upto New Delhi, should be in Foreign Currency, payable by the Principal company in that currency only as per the mode of L.C stipulations. The CIF prices shall be borne by the firm upto site.
- 6. The custom duty shall be paid as per actual on the production of documentary proof. No Custom duty exemption certificate shall be issued by JKMSCL to facilitate custom clearance on the concessional rates.
- 7. CIF price of optional accessories, if any, Percentage of Indian direct Importer/authorized representative's percentage (Indian agency commission), if any, on FOB (Freight on board) Price which shall be payable to the Indian direct Importer (Indian Agency) in Indian currency at the exchange rate as mentioned below. However local accessories, if quoted in Indian currency, GST shall be paid as admissible under rules.
- 8. The prices quoted should be as per the price of the manufacturer applicable in within India.
- 9. The L1 shall be calculated on the basis of conversion of currency as on date of opening of financial bid.

<u>Delivery Period</u> shall be 60 days for Indian Items and 90 days for Imported items.

PLEASE DON'T WRITE 00 AGAINST THE ITEMS FOR WHICH YOU DIDN'T WISH TO QUOUTE ; INSTEAD, LEAVE THE COLUMN BLANK" AGAINST THE SAID ITEM; AS THE SYSTEM TAKES RS. 00.00 AS L1.

Important Note : Besides custom duty, the firm shall also mention Health cess and Social Welfare cess amount as applicable. Demurrage charges or late fee will not be paid by JKMSCL.

Note: The L1 of the Instruments shall be ascertained as per the cumulative rates on complete set basis. No individual (instrument) L1 rates shall be considered. The bidders have to quote minimum 95% of the instruments for qualification in the complete set.

Only the Rates reflected in the comparative sheet in the BOQ (as per format uploaded) shall be considered for ascertaining L1. No Separate rates quoted by the bidders in the BOQ shall be accepted.

Annexure IV A

Declaration and Undertaking by the Bidder

(On Non Judicial Stamp Paper worth Rs. 100/- Attested by Notary Public and submitted with Cover-'A')

- 1. I/We..... (Name of firm) certify that the quoted model (of quoted item) is of latest technology and is not outdated.
- 2. I/We certify that the rates (of quoted item) are reasonable and not sold on lower rates to anyone than charged from JKMSCL.
- 3. I/We do hereby accept condition of warranty/guarantee period with spare parts of each quoted equipment as per terms & conditions and/or technical specifications. (From the date of installation/ demonstration).
- 4. (a) I/We do hereby undertake that our company/firm has not been black listed/banned/debarred/Convicted by Union Govt. or any State Govt. or their subordinate departments from participation in bidding.
 - (b) I/We do hereby declare that our company/firm has been black listed/banned/debarred/convicted

by..... (Name, Address of Govt./dept./State) and detailed information is as given below:

- (i) Cause of blacklisting/banning/debarring/conviction.
- (ii) For which item.....
- (iii) Period of black listing/banning/debarring/ conviction.
- (iv) Latest Status of black listing/banning/debarring/ conviction.
- 3. I/We hereby confirm that we have deposited all the GST/all applicable taxes as on date of submission of tender with the concerned authority/department. No GST/other taxes is due on the firm as on date of submission of tender.
- 4. I/we do hereby agree to the condition that JKMSCL may, if deemed fit go for the third party maintenance under Comprehensive equipment maintenance programme of Govt. of India.

VERIFICATION & DECLARATION

I/we	S/o	aqe
dyears residing at		
bidder/proprietor/partner/director of firr	m M/s	verify
and confirm that the contents of bidding	g documents , its bidding forms	s, Annexure
and other information submitted for bid	no.	

of my knowledge and nothing has been concealed therein.

In case, any variation/discrepancy/wrong declaration is found during scrutiny at later stages, I/We shall be held personally responsible & JKMSCL may take any action including blacklisting/debarring of my/our firm for a period not less than 05 years

Place :-Dated:- Signature of the Deponent Name : Designation

Annexure IV B

Declaration of Manufacturer/Direct Importer/Indian Subsidiary To be submitted on non judicial stamp paper of Rs. 100 duly notarised

Date:______ NIB No.:_____

I/we further declare that:-

- 1. The items (Name of item) is/ are (manufactured/imported) at our premises at (Address of factory & office).
- 2. I/We..... (Name of firm) certify that the quoted model (of quoted item) is of latest technology and is not outdated.
- 3. I/We do hereby accept condition of guarantee period with spare parts of each quoted item as per terms & conditions or technical specifications. (From the date of installation/demonstration).
 - a. Our company/firm has not been black listed/ banned/ debarred/convicted by Union Govt. or any State Govt. or their subordinate departments from participation in bidding.
 - b. Our company/firm has been black listed/banned/debarred/ convicted by (Name, Address of Govt./dept./State) and detailed information is as given below:
 - (i) Cause of black listing/banning/debarring/ conviction.
 - (ii) For which item.....
 - (iii) Period of black listing/banning/debarring/ conviction.
 - (iv) Latest Status of black listing/banning/debarring/ conviction.
- 4. I/We hereby confirm that we have deposited all the GST/all applicable taxes up to the date of submission of tenders with the concerned authority/department. No GST/other taxes is due on the firm as on date.
- 5. We undertake that in case of change of dealership, we shall be responsible for providing preventive services and maintenance of the equipment free of cost during the warranty period.
- 6. We fully qualify the laid down terms & conditions of the NIB including Turnover class.

VERIFICATION & DECLARATION

I/we.....aged.....years residing ataged.....years partner/director of firm M/s.....verify and confirm that the contents of bidding documents, its bidding forms Annexure I to Annexure VIII and other information submitted for bid no.are true and correct to the best of my knowledge and nothing has been concealed therein.

In case, any variation/discrepancy/wrong declaration is found during scrutiny at later stages, I/We shall be held personally responsible & JKMSCL may take any action including blacklisting/debarring of my/our firm for a period not less than 05 years

Place :-Dated:- Signature of the Deponent Name : Designation

Client Base (Item wise)

On letter Head of Bidder / Manufacture/Indian Subsidiary of Principal Manufacturer

I/We......) do hereby certify that our client base for the offered equipments are as under {Client Base of the Bidder/Manufacturer/Indian Subsidiary of Principal Manufacturer with reference of the supply orders, for any of three years in last five years along with satisfactory performance certificate of minimum one installation. (Copies of reference supply orders and satisfactory performance certificate need to be attached)}:-

Item Code	Name of the Item	Client list	Reference to supply order

- 1. It shall be submitted with technical bid and the above information should be verifiable from relevant documents of the bidder.
- 2. Firm should have market standing of the quoted product as mentioned above.
- 3. The different variants of same equipment may be considered.
- 4. In case of supply of imported item(s), the suppliers may be asked to furnish a certificate and other information to the effect that the firm has completed all the formalities including bill of entries in custom in connection with import of the item in question.

Place: Date :

Signature of bidder with Seal.

Annexure VI

AUTHORISATION from principal manufacturer/importer/Indian Subsidiary

(On the letterhead of Principal manufacturer / Sole Importer/Indian Subsidiary) In case authorization to the bidder is furnished by the Sole Importer/Indian Subsidiary, document confirming authorization from foreign Principal Manufacturer in favour of Indian Subsidiary / Sole Importer is to be submitted.

The Managing Director Jammu and Kashmir Medical Supplies Corporation Limited J&K

Subject: Regarding authorisation for our products. Ref.: Your NIB no.dated.....

Name of items.....

Dear Sirs,

I/we.....(Name) for M/S.....(Name of firm) who are proven and reputable manufacturers(Name of item) having factory at(Address of Factory and Office) hereby authorize M/S....... (Name of Bidder firm) to submit a bid, process the same further and enter into a contract with you against your requirement as contained in the above referred bid documents/NIB for the above goods manufactured / imported by us.

I/we further confirm that no supplier or firm or individual other than M/S...... (Name of bidder firm), is authorised to submit a Bid, process the same further and enter into a contract with you against your requirement as contained in the above referred bid documents for the above goods manufactured by us.

I/we also hereby extend our full guarantee, as applicable as per bid conditions of contract, read with modifications/addendum, if any, in the general/special conditions of contract for the goods and services offered for supply by the above firm against this bid document.

I/we also hereby confirm that we shall also be responsible for the satisfactory execution of contract placed on the authorized Firm. In case of default of authorised representative (or) otherwise, we shall also be responsible for the satisfactory execution of contract placed on the authorized Firm & penalty, if any, for nonexecution of contract by the authorised representative shall be borne by us.

This authorization shall be valid till the completion of rate contract period and related services i.e. guarantee and comprehensive maintenance obligations, etc., whichever is later.

Yours faithfully,

(Name & Signature)	verification and signature by bidder
For M/s	Seal and address of bidder
AUTHORISED SIGNATORY	

Accepted by the authorized Bidder Mr..... (Signature, Name & Address).....

26 E BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2023)

Annexure VII

Lakhs

((On letter head of Chartered Accountant)) ANNUAL TURN OVER STATEMENT

The average annual turnover of M/S..... (Name of Firm)...... and address

..... for the past three years are given below and certified that the statement is true and correct:-

It is further certified that the Annual Turnover Statement has been prepared strictly as per returns filed with Taxation Department for the year 1st year, 2nd year & 3rd year and shall be responsible, if any variation/discrepancy is found during evaluation /later stage.

SI. No.	Financial Years	Turnover in Lakhs (Rs.)
1.	1 st year	
2.	2 nd year	
3.	3 rd year	
	Total -	Lakhs

Average gross annual turnover

Note :

- 1. To be prepared strictly as per returns filed with Taxation Department & the stamen should be supported with returns filed for the last three financial years.
- 2. The turnover should be supported by the balance sheets of the respective years.
- 3. The Certificate issued by Taxation Department shall also be considered for turn over certification.
- 4. The Average Annul Turn Over required for the item(s) pertaining to the Group "Procurement of Machinery & Equipment" is as per Table 1. Only the bid(s) falling under the category as specified under Annual Turnover is accepted. The bid(s) not falling under the Annual Turnover clause shall be out rightly rejected.

Date	Signature of the bidder	Signature of Auditor/Seal			
		Chartered Accountant			
		(Name & Address.)			
		Tel. No.			
		UDIN NO.			
27 E BID FOR THE	PROCUREMENT OF MACHINERY & EQUIPMENT (2023)				

	(On Firm's letter head) Memorandum of Appeal
	Appeal no of Before the (appellate authority)
1.	Particulars of appellant: (i) Name of the appellant: (ii) Official address, if any: (iii) Residential address:
2.	Name and address of the respondent(s): (i) (ii) (iii)
3.	Number and date of the order appealed against and name and designation of the officer/ authority that passed the order (enclose copy), or a statement of a decision, action or omission of the procuring entity in contravention to the provisions of the Act by which the appellant is aggrieved:
4.	If the appellant proposes to be represented by a representative, the name and postal address of the representative:
5.	Number of affidavits and documents enclosed with the appeal:
6.	Ground of appeal:
7.	
	nand Draft of Rsdated
	Place Dated
28	E BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2023)

Section V: Schedule of Supply

Table of Contents

S. No.	Description	Pages
1.	List of goods and related services	
2.	Delivery and completion schedule	
3.	Technical specifications	
4.	Drawings	
5.	Inspections and tests	

Section V: Schedule of Supply

Clause No.	Description
1	List of goods and related services
1.1	Name of item
1.2	Related services are delivery, local transportation, installation, commissioning, demonstration and training etc.
1.3	Guarantee/Warranty period starts from the date of successful installation for a period of Five years.
1.4	JKMSCL may, if deemed fit, enter into third party agreement under comprehensive equipment maintenance programme, Govt. of India.
2	Delivery and completion schedule
2.1	SUPPLY ORDERS AND SUPPLY SCHEDULE:
2.1.1	Supply order shall be placed through registered post/e-mail/any communication medium by the JKMSCL. The date of receipt of e mail/fax/other communication shall be treated as the date of order for calculating the period of execution of order. The successful bidder shall execute the orders within a delivery period of 60 days or as specified in the supply order from the date of issuing supply order and handing over of space with the availability of power & other requisite installations by the end users.
2.1.2	In case of imported items, 30 days will be given in addition to above mentioned period, as mentioned in condition No. 2.1.1 above.
2.1.3 The successful bidder shall acknowledge the receipt of ord within 7 days from the date of dispatch of order, failing procuring entity may be at liberty to initiate action to purchas on risk & cost purchase provision. However finalization of a contract does not mean mandatory issuance of supply order. S shall be as per the requirements of items at various end-users.	
2.1.4	The Site of delivery shall be Drug ware House of JKMSCL or as per the requirement of the Department. The bidders can visit the site after seeking permission from the competent authority before quoting their rates.
2.1.5	To ensure sustained supply without any interruption, the JKMSCL reserves the right to have more than one approved supplier from amongst the qualified bidders on L1 matched rates only. In such a case, the requirement may be met by dividing be quantity among the R/C holders considering the quantity required and dedicated capacity of the successful bidders.
2.1.6	The ready stock position of the item, if provided by the firm, may be considered by the corporation for the placement of supply orders.
2.1.7	It may be noted that the JKMSCL does not undertake to assist in the procurement of raw material, whether imported or controlled or restricted, and as such the bidders must offer their rates to supply the specific items from own quota of raw material stock by visualizing the prospect of availability and requirement. Any of the above points if taken,

	as argument for non-supply/delayed supply will not be entertained.
2.1.8	The figures indicated, if any, do not constitute any commitment on the part of JKMSCL to purchase any of the articles and the quantities shown therein against each or in any quantity whatsoever and no objection against the quantity of the indent of approved item being more or less than the indicative quantity will be entertained and shall not be acceptable as a ground for non supply of the quantity indented.
2.2	PROCURING ENTITY'S RIGHT TO VARY QUANTITY:
2.2.1	If the JKMSCL procures less than the quantity indicated in the bidding documents (if asked) the bidder shall not be entitled for any claim or compensation except otherwise provided in the conditions of contract.
2.2.2	If the bidder fails to supply, the JKMSCL shall be free to arrange , procure the item(s) from other sources and the extra cost incurred shall be recovered from the supplier.
2.3	SUBMISSION OF CONTRACT COMPLETION REPORT
2.3.1	Firms shall have to submit consolidated statement in duplicate at the end of rate contract as well as after expiry of equipment / instrument guarantee period (as provided in guarantee clause of the contract) to enable the corporation to examine the case for refund of performance security.
2.3.2	The consignee shall intimate the contract /supplier about the defect (s) at once in such a manner, so as to reach the office of the firm immediately and before completion of guarantee period. It shall be the responsibility of the consignee to get the complaint of guarantee period. It shall be the responsibility of the consignee to get the complaint of defective equipment of defective performance registered immediately with the office of JKMSCL.
2.5	PACKING & INSURANCE:
2.5.1	The good shall be delivered at the destination in perfect condition. The firm if so desires may insure valuable goods against loss by theft, destruction or damages by fire, flood, under exposure to weather of otherwise in any situation. The insurance charges will have to be borne by the supplier and the corporation shall not be required to pay any such charges, if incurred.
2.5.2	The firm shall be responsible for the proper packing so as to avoid damages under normal conditions of transport by sea, rail, road or air and delivery of material in good condition to the procurement officer's store. In the event of any loss, damage, breakage or leakage or any shortage the firm shall be liable to make good such loss and shortage found at destination after the checking/inspection of material by the consignee. No extra cost on such account shall be admissible. The firm may keep its representative to verify any damage or loss discovered at the consignee's store, if it so likes.
2.5.3	The material received with damaged packing (or) without packing as per terms & conditions of NIT (or) in damaged state, shall be liable to the minimum penalty of 2% of the value of the damaged item (or) quantity received with damaged packing. Further packing, cases, containers and

٦

31 E BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2023)

	otherwise specified by the firm(s) and agreed by the corporation and the
0.5.4	same shall not be returned to him.
2.5.4.	Packing specifications
	Schedule for packing – General specifications
	 All items should be packed only in first hand boxes only. Label: Every box should carry a large outer label clearly indicated
	that the product is for "JKMSCL Supply" for the year, "Not for Sale
	and it should carry the correct technical name, strength or the
	product, date of manufacturing, date of expiry, quantity packet
	and net weight of the box in bold letters.
	Note: The weight/size of the box for packing the item may vary for the
	safe delivery/installation of equipment. Any deviation in the packing,
	necessary shall be made after getting permission from JKMSCL.
2.6	REJECTION OF GOODS:
2.6.1	Articles not as per specification/ or not approved shall be rejected by th
	corporation / consignee and will have to be replaced by the supplier firr
	at its own cost within 15 days or with time limit fixed by the corporation.
2.6.2	All the stores supplied shall be of the best quality and conforming t
	the specification, trademark laid down in the schedule attached t
	agreement and in strict accordance with and equal to the approved
	standard/specifications/ samples. In case of any material of which ther
	are no standards or approved samples, the supply shall be of the be-
	quality to be substantiated by documents/specifications. The decision of
	JKMSCL as to the quality of stores is final and binding upon the bidder. I
	case any of the articles supplied are not found as per specification of
	declared sub-standard, that shall be liable to be rejected and an
	expenses of loss caused to the supplier as a result of rejection of supplies shall be entirely at his account.
2.6.3	The rejected item must be removed by the firm, within 15 days of th
2.0.5	date of intimation of rejection. The officials concerned shall tak
	reasonable care of such material upto 15 days from the date of intimatio
	only but in no case shall be responsible for any loss, damage, shortag
	that may occur while it is in their premises. In case firm fails to remove th
	items within fifteen days, JKMSCL shall have full right to get the said item (
	removed & destroyed at the cost & risk of supplier/bidder, without an
	further correspondence. The destroying charges as per the actual plus 19
	penalty shall be deducted from any amount payable to the firm.
2.6.4	No payment shall be made for defective/incorrect items.
2.6.5	In case firm wants to take back item to their service station f
	rectification then firm has to deposit payment received against suc
	defective supplies. In case supplier has not received any payment the
	material be returned to supplier firm for rectification. In no case the
a · -	defective equipment is allowed to be installed after rectification.
2.6.7	The bidder shall be responsible for the proper packing and delivery
	the material to the consignee. In the event of any loss, damage,
	breakage, leakage or shortage in transit, the bidder shall be responsible
	No extra cost on such account shall be admissible.

2.7	Payment Terms (For items quoted in foreign currency)
2.7.1	 For Payment through Letter of Credit (for imported items only) 100% payment shall be released against 20% Bank Guarantee valid for a period of 12 months, to be submitted by the bidder. The BG shall be released on successful installation of the Machinery. Letter of credit would be opened subject to following additional conditions:- At site LC would be opened. In case of supply through sea, LLOYD A level vessel would be used for shipment of supplies which should not be more than 15 years old. Supplies shall be insured by the OEM till the final delivery site shall also include "Force Majeure" Pre-dispatch inspection shall be carried out by OEM by certified inspection agency before shipment of supply. The product shall be comprehensively insured upto site of installation for all type of insurance. The charges of the LC charged by the Govt. shall be borne by the firm.
2.7.2	Payment shall be made by RTGS. Expenses on this account, if any, shall be borne by the firm.
2.7.3	Payment to the authorised representative shall be made as per the tripartite agreement with the Corporation i.e JKMSCL on the basis of Annexure All to e uploaded along with e.bid.
2.7.4	No advance payments towards cost of items shall be made to the bidder.
2.7.5	If at any time during the period of contract, the price of bid items is reduced or brought down by any law or Act of the Central or State Government or by the bidder himself, the bidder shall be bound to inform Managing Director JKMSCL immediately about it. Purchasing authority shall be empowered to unilaterally effect such reduction as is necessary in rates in case the bidder fails to notify or fails to agree for such reduction of rates. In case this reduction of rates comes to the knowledge of JKMSCL in later stage, additional payment made w.e.f of the details of rates shall be charged from the firm with 1.5% monthly interest from the date/till rates have been reduced besides action as desired fit by JKMSCL which may be debarring/any other penalty as per penalty clause.
2.7.6	In case of any enhancement in taxes/duty due to notification of the Government after the date of submission of bids and during the bid period, the quantum of additional taxes/duty so levied shall be allowed to be charged extra as a separate item without any change in the basic price structure of the items approved under the bid. For claiming the additional cost on account of the increase in tax/ duty, the bidder should produce a letter from the concerned authorities for having paid additional tax/duty on the goods supplied to ordering authority and also must claim the same in the invoice separately. Similarly if there is any reduction in the rate of taxes/duty of items, as notified by the

T

	Government, after the date of submission of bid, the quantum of the price to the extent of reduction of taxes/duty of items will be deducted without any change in the basic price structure of the items approved under the bidder.		
2.7.7	In case of successful bidder has been enjoying exemption on any criteria, such bidder will not be allowed to claim taxes/duty at later point of time during the tenure of contract, if the taxes/ duty become chargeable on goods manufactured due to any reason.		
2.7.8	If there is any hindrance by the consignee to provide the required site for installation the part payment of equipment shall be made / decided by JKMSCL. In that case, the firm has to inform JKMSCL immediately.		
2.8	LIQUIDATED DAMAGES:		
2.8.1	The time specified for delivery in the bid form shall be deemed to be the essence of the contract a nd the successful bidder shall arrange supplies within the period on receipt of order from the purchasing officers.		
2.8.2	In case of extension in the delivery period with liquidated damages, recovery of liquidated damages shall be made at the rate of 0.25% per day for every day of delay subject to maximum of 10%. Rest of the terms and conditions of SPP with regard to penalty clause shall remained unchanged Penalty shall not be imposed if claim with regard to any supply i.e. Drugs/Equipment is complete in all respects i.e. QC verification/Board verified etc. is not cleared by the JKMSCL within a period of 60 days		
2.8.3	If the supplier requires an extension of time in completion of contractual supply on account of occurrence of any hindrances, he shall apply in writing to Managing Director JKMSCL, J&K, for the same immediately on occurrence of the hindrances but not after the stipulated date of completion of supply. The firms shall ensure extension of delivery period for delayed supplies. The payment shall only be released by corporation after sanction of extension in delivery period.		
2.8.4	Delivery period may be extended with or without liquidated damages. If the delay in the supply of goods is on account of force majeure i.e., which is beyond the control of the bidder, the extension in delivery period may be granted without liquidated damage.		
2.8.5	If the bidder is unable to complete the supply within the specified or extended period, the corporation shall be entitled to purchase the goods or any part thereof from elsewhere without notice to the bidder on his (i.e., bidders) account at his cost and risk, with the prior approval of Managing Director JKMSCL, J&K. The bidder shall be liable to pay any loss or damage which the purchasing officer may sustain by reasons of such failure on the part of the bidder. The bidder shall not be entitled to any gain on such purchases made		
	against default. The recovery of such loss or damage shall be made from any sums accruing to the bidder under this or any other contract with the corporation/government. If recovery is not possible from the bill and the bidder fails to pay the loss or damage within one month of the demand, the recovery of such amount or sum due from the bidder shall be made		
34 E BID FO	34 E BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2023)		

	from the bidder. In case supplier fails to deliver ordered goods, the risk purchases may be made at market rate from any other firm. It is mandatory for the approved supplier to acknowledge receipt of orders within seven days from the date of dispatch of order, failing which the procuring entity will be at liberty to initiate action to purchase the items on risk purchase provision at the expiry of the prescribed supply period.
2.8.6	LD for damaged packing or loose packing equivalent to 2 % of the value of the products received with damaged packing or in loose packing or with packing not conforming to the terms and conditions, specified in the tender document.
2.9	RECOVERIES:-
2.9.1	Recoveries of liquidated damages, short supplies, breakage, rejected articles shall ordinarily be made from bills. Such amount may also be recovered from any other untied dues & security deposits available with the JKMSCL. In case recovery is not possible, action will be taken as per prevailing Acts/rules in J&K State.
2.9.2	Any recovery on account of liquidated damage charges/risk & cost charges in respect of previous rate contracts/supply orders placed on them by the JKMSCL can also be recovered from any sum accrued against this bid after accounting for untied sum or due payment lying with JKMSCL against previous rate contracts/supply orders. Firm shall submit details of pending amount lying with JKMSCL but decision of Managing Director JKMSCL, J&K regarding authenticity of sum payable shall be final.
2.9.3	Testing & Handling Charges : the testing and handling charges to the tune of 1.5% of total cost shall be deducted from the invoices raised by the approved bidder against the supply orders placed from time to time.

3. Technical Specifications:

Annexure: A-III (technical specifications attached for Table I)

General features:

- i. Bidders are requested to send printed descriptive literature/catalogue of the quoted items duly sealed by MD/Chairman/authorised signatory of the firm/bidder in the office of Jammu and Kashmir Medical Supplies Corporation Ltd. one day prior to last day of uploading of the bid. The catalogues along with compliance sheets should also be uploaded with the technical bid.
- ii. If bidder supplied to or have rate contract of quoted items with any other Govt. institutions within one year, he may be asked to provide copies of purchase orders, invoices and rate contract.

4) .Drawings if any to be attached with the technical bid.

5. Inspection and Tests

Clause No.	Description	
5.1	INSPECTION OF EQUIPMENTS AND INSTRUMENTS:-	
5.2	The equipments supplies shall be according to technical specifications and shall be inspected by the committee constituted by JKMSCL as mentioned in the supply order or amended thereafter by competent authority. In case of BIS Items, inspection shall be strictly as per relevant BIS specifications with latest amendments and have been made applicable by B.I.S. at the time of inspection. The inspection and testing of the material may be got done by any inspecting Agency/team of experts at site of installation/commissioning. The supplier shall provide all facilities for inspection/testing free of cost.	
5.3	Notwithstanding the fact that the authorized inspecting team had inspected and/or has approved the stores/articles, any officer(s)/team of officer nominated by the corporation may inspect the item/material as soon as it is received in the stores to ensure that the supply is in accordance with the specifications laid down in rate contract/supply order.	
5.4	In case of doubts in inspection/ test, same may be got inspected or tested in any laboratory. If the material is not found as per specifications or defective, consignee shall not accept the material and shall inform the corporation within 3 days. Consignee may also simultaneously ask the firm for removal of defect/replacement. The firm shall be bound to replace the defective equipment/item within 15 days of receipt of intimation from the consignee/corporation. However, the date of delivery, in case of defective item shall be taken as the date on which the JKMSCL accepts the item after replacement of defective material/removal of defects as the case may be. Wherever defective item is replaced, the inspection/testing charges, if any, shall be borne by the supplier.	
5.5	The corporation/technical expert or team shall match the specification with available reserved sample with the corporation which is submitted by the firm/supplier at the time of technical approval before release to end user.	
5.6	In case of imported item, the supplier shall ensure that the item shall be inspected by the third party inspection agency before dispatched to the consignee. In case any un-inspected item has been found in the item received by consignee, the firm shall be solely responsible for it and the JKMSCL shall be free to take suitable necessary action as per terms and conditions of bid documents/agreement against the firm.	
36 E BID F	E BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2023)	

Section VI A: - General Conditions of Contract (GCC)

Table of Contents

S. NO.	DESCRIPTION
1.	DEFINITIONS
2.	GENERAL TERMS
3.	BID SECURITY
4.	FORFEITURE OF BID SECURITY
5.	GAURANNTY CLAUSE
6.	MARKING
7.	APPLICABILITY OF RATES
8	COMPARISON OF RATES
9.	SUBMISSION OF SAMPLES AND DEMONSTRATION
10	PERFORMANCE SECURITY (P.S.) AND AGREEMENT
11.	SUPPLY ORDERS
12	SUBMISSION OF CONTRACT COMPLETION REPORT
13.	TERMS OF PAYMENT
14.	LIQUIDATED DAMAGES
15	RECOVERIES
16	INSPECTION
17	PACKING & INSURANCE
18	REJECTION
19	CORRECTION OF ARITHMETIC ERRORS
20	PROCURING ENTITY'S RIGHT TO VARY QUANTITY
21	PARALLEL RATE CONTRACT
22	VALIDITY OF BID
23	PRICE ESCALATION
24	SUBLETTING OF CONTRACT
25	FALL CLAUSE
26	GRIEVANCE REDRESSAL DURING PROCUREMENT PROCESS
27	COMPLIANCE WITH THE CODE OF INTEGRITY AND NO CONFLICT OF
	INTEREST
28	DISPUTE SETTLEMENT MECHANISM
29	OTHER CLAUSES
31	JURISDICTION

SECTION VIA: - GENERAL CONDITIONS OF CONTRACT (GCC)

Bidder should read these terms & conditions carefully and comply strictly while submitting their bids. If a bidder has any doubt regarding the terms & conditions and specifications mentioned in the bid notice/ catalogue, he should refer these to the Jammu and Kashmir Medical Supplies Corporation, J&K, before submitting bids and obtains clarifications. The decision of the Managing Director Jammu and Kashmir Medical Supplies Corporation, J&K, shall be final and binding on the bidder. The clauses of terms & conditions are as follows:-

Clause No.	Description
1.	Definitions
	The following words and expressions shall have the meanings hereby assigned to them:
	'Act/Rules' means Acts & rules prevailing in J&K Union Territory in terms of procurement.
	'Completion' Means the fulfilment of the supplies and Related Services by the supplier in accordance with the terms and conditions set forth in the contract.
	"Contract" Means the Agreement entered into between the procuring entity and supplier, together with the contract documents referred to therein, including all attachments, appendices, specifications and codes and all documents incorporated by reference therein. "Contract Documents" Means the documents listed in the agreement,
	including any amendments thereto. "Contract Price/Rate" Means the price payable to the supplier as specified in the agreement, subject to such additions and adjustments thereto or
	 deductions there from, as may be made pursuant to the contract. "Day" Means calendar day. "Delivery" Means the transfer of the goods from the supplier to the procuring entity in accordance with the terms and conditions set forth in the contract.
	the contract. "GCC" Means the general conditions of rate contract. "SCC' Means the special conditions of rate contract".
	"Goods" Means all of the commodities, raw material, machinery and equipment, documents, warrantees and /or other materials that the supplier is required to supply to the Procuring Entity under the Contract. "Procuring Entity" Means the entity purchasing the goods and related services, Managing Director Jammu and Kashmir Medical Supplies Corporation, J&K, or as specified in the special conditions of the contract (SCC).
	"Related Services" Means the services incidental to the supply of the goods, such insurance, installation, training and initial maintenance, commissioning of equipment or machinery and other similar obligations of the supplier under the contract. "Subcontractor" Means any natural person, private or government entity, or a combination of the above, including its legal successors or permitted assigns, to whom any part of the goods to be supplied is subcontracted by the supplier.

	"Supplier" Means the natural person, private or government entity, or a combination of the above, whose bid to perform the contract has been accepted by the procuring entity and is named as such in the agreement, and includes the legal successors or permitted assigns of the supplier. Authorised representative : Means the natural person, proprietor or Govt entity, duly authorised by the Managing Director/Prop/Chairman/Board of Director of original manufacturer/direct importer under their seal signatures duly notarized ; to bid, negotiate, raise the invoice, receive the payment against the supplies made, enter into tripartite agreement within the Corporation i.e JKMSCL, inter-alia. Authorised signatory : Means the natural person authorised by the proprietor, Managing Director/Chairman/Board of Director of original manufacturer/direct their seal signatures duly notarized importer under their seal signatures the proprietor. Managing Director/Chairman/Board of Director of original manufacturer/direct importer under their seal signatures duly notarized to sign on behalf of the company. "The Site" where applicable, means the place of delivery, installation, testing/ commissioning of the goods /equipment or machinery or as mentioned in the supply order. "Consignee" Means the receiver of the stores as mentioned in supply order.
2.	General terms
2.1	Bids are invited from original manufacturers /direct importers/authorized representative of the original manufacturer/direct importer.
2.2	Bid shall have to uploaded as per schedule, to JK e-portal : www.jktenders.gov.in. At any time prior to the date of uploading of bid, bid inviting authority may, for any reason, whether on his own initiative or in response to a clarification requested by a prospective bidder, modify the condition in bid document by an amendment. In order to provide reasonable time to take the amendment into account in preparing their bid, bid inviting authority may at his discretion, extend the date and time for submission of bid. Interested eligible bidders may obtain further information in this regard from the office of the bid inviting authority.
2.3	Supplies shall be made directly by the bidder to be called as "Supplier" after finalization of rate contract, and suppliers. Manufacturer bidder should have permission to manufacture the item quoted as per specification given in the bid from the competent authority.
2.4.1	Direct importer should authenticate import/sale license for the product quoted in the bid issued by the competent authority.
2.4.2	In case, the item/product is supplied through authorised representative, product manufacturing permission, import/sale license of the principal manufacturer (s) direct importer (s) shall have to be uploaded along with technical bid.
2.5	Bid shall be have to be loaded on e-portal i.e <u>www.jktenders.gov.in</u> submitted to Managing Director, Jammu and Kashmir Medical Supplies Corporation, J&K

2.6	The bidder shall also submit the following documents and certificates along with the bid as per technical bid submission letter :-	
	(i) A combined undertaking/declaration regarding that the quoted item :	
	a. Model is of latest technology, the item has not become outdated, that the rate quoted is not more than the rate charged from anyone else,	
	b. That the bidder is not black listed or banned or debarred by central or any state government or its append gages,	
	c. Availability of spare parts and consumables for the quoted equipment for at least 10 years/life of the item, from the date of installation.	
	Note : Bid should not be submitted for the quoted item(s) for which the bidder has been blacklisted/banned/debarred either by bid inviting authority or Govt. of J&K or by any other State/Central Govt. and its agencies. This also applies to the bidder for its sister/ allied firm(s)/ unit(s).	
	(ii) The bidder, in case of representative of the manufacturer/direct importer shall submit fresh authorization of the manufacturer/direct importer duly authenticated and notarized.	
	PLEASE ALSO NOTE THAT: -	
	(A)All attested documents must be submitted in English language. If the documents are not in English, translated version of the same, in English, duly signed and attested by authorized translator must be submitted along with copy of original document.	
	(B) All the above mentioned documents should be under the name and address of the premises where the quoted items are actually manufactured/ stored for supply.	
2.7	Financial Bid duly filled in (Annexure III/BOQ) giving the rates for quoted items should be uploaded through e portar <u>www.jktenders.gov.in</u> . The rate should not be disclosed/uploaded in the technical bid. Rates uploaded along with technical bid shall means ou rightly rejection of bid of the concerned person.	
2.8	The required amounts towards cost of bid document and tender processing charges shall be deposited as mentioned at page 5, 01 day before the last date and time of bid submission.	
	All bids received will be opened in the presence of bidders, who choose to be present. Financial bid will be opened only for those bidders, who satisfy the criteria laid down by the JKMSCL on the details furnished by the bidder in technical bid in compliance of terms & conditions of the bid.	
2.9	 (i) In case of the bid being submitted by a proprietary firm, the bid must be signed by the sole proprietor. In case of a partnership firm, bid must be signed on behalf of the firm by a person authorized, holding a 	
_		

E BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2023)

power of attorney in his favour to do so; and in the case of a company, the bid must be signed by an authorized signatory, in the manner laid down in the articles of association of the bidder company. Any change in the constitution of the firm/ company shall be notified forthwith by the bidder/contractor in writing to the Jammu and Kashmir Medical Supplies Corporation, J&K and such change shall not relieve any former member of the firm/ company from the liability under the conditions of the bid/contract. No new partner / partners shall be paccepted in the firm by the bidder/contractor in respect of the bid/contract unless he/ they agree to abide by all its terms and conditions and submit a written agreement to this effect. The
forthwith by the bidder/contractor in writing to the Jammu and Kashmir Medical Supplies Corporation, J&K and such change shall not relieve any former member of the firm/ company from the liability under the conditions of the bid/contract. No new partner / partners shall be accepted in the firm by the bidder/contractor in respect of the bid/contract unless he/ they agree to abide by all its terms and conditions and submit a written agreement to this effect. The
bidder's/contractor's receipt for acknowledgement or date of any new bartner subsequently inducted, as above, shall bind all of them and will be a sufficient discharge for any of the purposes of the contract.
ECURITY:
Bid shall have to be accompanied with a scanned copy of FDR/CDR/BG/NEFT/RTGS as bid security. The bid security shall have to be submitted before the opening of technical bid with a validity of 30 months. Bids submitted without sufficient bid security & validity shall be summarily rejected. The bid security of bidder shall be refunded after the earliest of the following events, namely:-
 (a) the expiry of validity of bid security; (b) the cancellation of the procurement process; or (c) the withdrawal of bid prior to the deadline for presenting bids, unless the bidding documents stipulate that no such withdrawal is permitted.
The bid security lying with the JKMSCL in respect of other bids awaiting approval or rejection or on account of contracts being completed shall not be adjusted towards bid security for the fresh bids. The bic security may, however, be taken into consideration in case bids are re- nvited for the same item.
n case any document submitted by the bidder or by his authorized representative is found to be forged, false or fabricated, the bid shall be rejected and bid security may be forfeited. Bidder/his representative may also be banned / debarred. Report with police station may also be riled against such bidder/his representative.
EITURE OF BID SECURITY: -
bid security shall be forfeited if: The bidder withdraws or modifies the offer after opening of financial bid, but before acceptance of bid, The bidder does not execute the agreement, if any, prescribed within the specified time or extended time by competent authority (on the request of the bidder), The bidder does not deposit the 'performance security' after the supply order is placed/requested for signing the agreement, The bidder fails to commence the supply of the items as per supply
Г

	order within the time prescribed, (v) The bidder fails to submit samples/demonstration of quoted item on demand (vi) The bidder violates any of the terms & conditions of the bid
5	document. WARRANTY CLAUSE:-
	(i) The bidder would guarantee that the subject matter of procurement would continue to conform to the description and quality as per technical specifications and performs as per descriptions, from the date of delivery/ installation of the said subject matter of procurement. Notwithstanding the fact that the purchaser may have inspected and/or approved the said subject matter of procurement is discovered not to conform to the description and quality as aforesaid or not performing, as described, the procuring entity will be entitled to reject the said subject matter of procurement or such portion thereof as may be discovered not to conform to the conform to the said description and quality or not performing as described. On such rejection, the subject matter of procurement will be at the seller's risk and all the provisions relating to rejection of goods, etc., shall apply. The successful bidder shall, if called upon to do so, replace the goods etc. or such portion thereof, as rejected by the procuring entity. Otherwise, the bidder shall pay such damages, as may arise by reason of such breach of the condition herein contained. Nothing herein contained shall prejudice any other right of the procuring entity in that behalf under this contract or otherwise.
	(ii) The bidder shall, during the Guarantee period appearing in the contract, replace the whole subject matter of procurement or part(s), if any, and remove the manufacturing defects, if found during the above period so as to make the machinery and equipment/ordered items operative.
	(iii) In case of the machinery or equipment/ordered items, the successful bidder shall be responsible for carrying out annual maintenance and repairs on the terms & conditions, as agreed. The bidder shall have to ensure that consumables required for the maintenance of machine/equipment are being supplied free of cost during warranty period. The adequate regular supply of spare parts and consumables per incident for the machinery or equipment, whether under their annual maintenance and repairs contract or otherwise shall be ensured. In case of change of model the bidder shall notify the procuring entity sufficiently in advance, to facilitate procurement of sufficient quantity of consumables/ spare parts from the bidder to maintain the machinery or equipment. In case, any item supplied by the successful bidder does not conform to the supplier, shall have to be refunded to the Jammu and Kashmir Medical Supplies Corporation, J&K along with interest to the tune of

T

	1.5% per month from the date of release of payment. The supplier will not have any rightful claim to the payment of cost for substandard supplies, which may have been consumed, either in part or whole, pending receipt of laboratory test / inspection report, wherever required. Supply of goods less in weight and volume than those mentioned on the label of the container, the same will be dealt with in the manner prescribed under rules.
6	MARKING
	All items and accessories supplied should bear marking "JKMSCL SUPPLY (engraved or non removable material) "NOT FOR SALE" or as mentioned in supply order in English, without which the supply will not be entertained. JKMSCL may ask change in art work to be printed on the item at any stage of the contract.
	JKMSCL
	JKMSCL SUPPLY () NOT FOR SALE
7	COMPARISON OF RATES:
	(i) Only net rates should be quoted. No separate free goods or cash discounts should be offered. Rates must be valid for the entire period of contract.
	(ii) Consignee may be located at a district headquarter (except equipment/ machinery requiring installation and commissioning, the place may be any other station) or as directed by Jammu and Kashmir Medical Supplies Corporation Limited, J&K and the rates must be quoted accordingly. No cartage or transportation charges shall be payable.
	(iv) The net rate must be inclusive of all charges by way of packing, forwarding, incidental or transit charges, including transit insurance, and any other levies or duties etc. on the subject matter of procurement.
	(v) In the event of any subsequent variation (increase or decrease) in the rate of GST or any other taxes by the government (state /UT or central), the same will be admissible accordingly.
	(vi) If the rates of item quoted are found same from two for more bidders, then the bidders shall be asked to submit revised financial bid, containing reduced rates within given time by Managing Director, Jammu and Kashmir Medical Supplies Corporation Limited, J&K.
	(vii) The bidder will exercise all due diligence at their own level regarding applicability of other taxes, duties and fees etc. for the unit of supplies as specified in the bid document and accordingly include the same in their quotes. Any additional/extra claims over

	and above the rates agreed pertaining to taxes, duties and fees e will not be entertained later on any account.
	(viii) No part of the bid document should be detached / deleted.
8	SUBMISSION OF SAMPLES/CATALOGUES AND DEMONSTRATION
	 (i) Catalogues/samples of the quoted item(s) must be sent free of cost JKMSCL even though the specifications or description etc. c mentioned in the bid form are complied.
	(ii) Samples of items(s) should be collected back from the JKMSCL, Jawithin 15 days from the date of finalization of list of success bidder/demonstration of product before the expert panel. The corporation shall not be responsible for any damage, wear and tear loss during the course of testing / examination, etc. The corporation may retain the sample of approved item for one month beyond export of contract. The corporation shall not be responsible for any damage wear and tear arrangement for return of samples even if the bidder agrees to pay the cost of transportation.
	(iii) The bidder may be asked to demonstrate the technique, procedu and utility of item as per specifications given in the bid docume before the technical committee constituted by the Corporation for the purpose. In case of heavy equipment, the demonstration may be carried out at the nearby place where the equipment has been installed by the bidder. In that case, the decision of the technic committee shall be final. The firm shall keep ready the quoted ite and arrange all logistics within the time frame as and when asked the JKMSCL. After the due date, no request of the bidder/firm shall be entertained for demonstration.
	 (iv) Sample should be strictly according to the item quoted in the bid for failing which the bid will not be considered. Sample must be submitted duly sealed and marked suitably either by writing on the sample or or a slip or durable paper securely fastened to the sample with the particulars as mentioned below: a. Name and full address of the firm b. Catalogue no. and name of the item c. Name of section d. Name of manufacturer e. Brand
	(v) No change in marking on sample will be allowed after the submission of the sample.
10	PERFORMANCE SECURITY (P.S.) AND AGREEMENT:
	(i) The successful bidder shall submit the original copy of Bid docume signed on each page at the time of agreement. However, whe uploading the technical bid, only the declaration regards acceptance of terms & conditions shall be uploaded.

(ii)	The period of rate contract shall be 24 months from the date of issuance of rate contract. The Managing Director, JKMSCL can extend the original rate contract subject to original terms and conditions for a period deemed fit by them, but not exceeding three months, for which the bidder shall abide.
(iii)	Successful bidders, whose offers are accepted, shall have to deposit performance security @ 3% of the value of the supply order in favour of Chief Accounts Officer, JKMSCL within 15 days from the date of issuance of letter of intent. The performance security shall be deposited in the form of FDR/CDR/B.G (Bank Guarantee)/NEFT/RTGS. However, the bank guarantee shall be for a validity period of six months, beyond the guarantee period sought for the item.
(iv)	In case of successful bidder(s), the amount of bid security shall be adjusted for performance security for the supply order placed to the firms/bidders. The amount of performance security, if exceeds the bid security, it shall be deposited by the firm against the supply orders issued from time to time.
(∨)	The firm may submit bank guarantee issued by any scheduled/nationalised bank. The minimum validity of bank guarantee should be six months after completion of guarantee period for the item.
(vi)	The Performance Security: The Performance Security (P.S.) shall be 3% of the total value of stores ordered for supply. The payment shall not be released against supplies untill the additional Performance Security due is deposited by the supplier or additional.
(∨ii)	The performance security shall be refunded after six months after satisfactory completion of contract and after satisfying that there are no dues outstanding against the bidder subject to guarantee provisions.
(∨iii)	It is to be noted that earlier year's bid security and performance security, even if lying in the JKMSCL shall not be considered towards this contract and therefore fresh bid security/performance security shall be deposited. The JKMSCL shall pay no interest on bid security or performance security amount.
(ix)	Successful bidders shall have to execute an agreement on a Non- Judicial stamp paper of an amount mentioned in the offer letter, in the prescribed form with the JKMSCL and deposit performance security within 15 days from the date of acceptance of the bid is communicated to him. However, Managing Director JKMSCL, J&K may condone the delay in execution of contract by the bidder. The expenses in this regard shall be borne by the successful bidder. The validity of contract under this agreement shall be for a period as mentioned.
(x)	The bidder shall furnish the following documents at the time of

E BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2023)

 (i) Attested copy of partnership deed in case of partnership firms. (ii) Registration number and year of registration, in case partnership firm is registered with registrar of firms; (xi) Address of residence and office, telephone numbers, in case of sole proprietorship with : 		1	
 (ii) Registration number and year of registration, in case partnership firm is registered with registrar of firms; (xi) Address of residence and office, telephone numbers, in case of sole proprietorship with : (i) Registration issued by registrar of companies under Registrar of companies Act 1956, in case of company. (xiv) In case of breach of any terms and conditions of the contract or on unsatisfactory performance, the amount of performance security shall be liable to forfeiture by JKMSCL, J&K and decision of Managing Director JKMSCL J&K shall be final. (xv) The rate contract can be repudiate/rejected at any time by the Managing Director JKMSCL J&K if the supplies are not made to his satisfaction after giving an opportunity to the bidder of being heard and after reasons for repudiation being recorded by him in writing. However, Managing Director JKMSCL, J&K may terminate the agreement of contract at any time without notice/intimation to the successful bidder. 11 SUPPLY ORDERS: (i) Supply order shall be placed through registered post/e-mail/any communication medium by the JKMSCL. The date of receipt of letter of communication date will be treated as the date of order for calculating the period of execution date. The successful bidder will execute the orders within a period 64 days or as specified in the supply order. (ii) The successful bidder acknowledge receipt of orders within 7 days from the date of dispatch of arder, failing which the procuring entity may be at liberly to initiate action to purchase the items on isk & cost purchase provision. (iii) In case of imported items, 30 days shall be given in addition to above mentioned period. (v) To ensure sustained supply without any interruption, the Managing Director, JKMSCL. (v) To ensure sustained supply without any interruption, the Managing Director JKMSCL. (v) To ensure sustained supply without any interruption, the Managing Director			execution of agreement:-
 (xi) Address of residence and office, telephone numbers, in case of sole proprietorship with: (i) Registration issued by registrar of companies under Registrar of companies Act 1956, in case of company. (xiv) In case of breach of any terms and conditions of the contract or on unsatisfactory performance, the amount of performance security shall be liable to forfeiture by JKMSCL J&K and decision of Managing Director JKMSCL J&K shall be final. (xv) The rate contract can be repudiate/rejected at any time by the Managing Director JKMSCL J&K if the supplies are not made to his satisfaction after giving an opportunity to the bidder of being heard and after reasons for repudiation being recorded by him in writing. However, Managing Director JKMSCL, J&K may terminate the agreement of contract at any time without notice/intimation to the successful bidder. 11 SUPPLY ORDERS: (i) Supply order shall be placed through registered post/e-mail/any communication medium by the JKMSCL. The date of receipt of letter of communication for order. The successful bidder will execute the orders within a period of 60 days or as specified in the supply order. (ii) The successful bidder acknowledge receipt of orders within 7 days from the date of dispatch of order, faling which the procuring entity may be at liberly to initiate action to purchase the items on its & cost purchase provision. (iii) In case of imported items, 30 days shall be given in addition to above mentioned period, (iv) Except, for equipments / machinery, which requires installation / commissioning, all other supplies shall have to be to FOR district drug warehouse only. In case of non-viable size of order for supplies, the corporation shall take appropriate decision on representation from the supplier on case to case basis. The consignee for supplies shall be J			
 proprietorship with : (i) Registration issued by registrar of companies under Registrar of companies Act 1956, in case of company. (xiv) In case of breach of any terms and conditions of the contract or on unsatisfactory performance, the amount of performance security shall be liable to forfeiture by JKMSCL, J&K and decision of Managing Director JKMSCL, J&K if the supplies are not made to his satisfaction after giving an opportunity to the bidder of being heard and after reasons for repudiation being recorded by him in writing. However, Managing Director JKMSCL, J&K may terminate the agreement of contract at any time without notice/intimation to the successful bidder. 11 SUPPLY ORDERS: (i) Supply order shall be placed through registered post/e-mail/any communication medium by the JKMSCL. The date of receipt of letter of communication date will be treated as the date of order for calculating the periad of execution of order. The successful bidder will execute the orders within a period of 60 days or as specified in the supply order. (ii) The successful bidder acknowledge receipt of orders within 7 days from the date of dispatch of order, folling which the procuring entity may be at liberty to initiate action to purchase the items on risk & cost purchase provision. (iii) In case of imported items, 30 days shall be given in addition to above mentioned period. (iv) Except, for equipments / machinery, which requires installation / commissioning, all other supplies shall have to be to FOR district drug warehouse only. In case of non-viable size of order for supplies, the corporation shall take appropriate decision on representation from the supplier on case to case basis. The consignee for supplies shall be JKMSCL. (v) To ensure sustained supply without any interruption, the Managing Director, JKMSCL reserv			
 companies Act 1956, in case of company. (xiv) In case of breach of any terms and conditions of the contract or on unsatisfactory performance, the amount of performance security shall be liable to forfeiture by JKMSCL, J&K and decision of Managing Director JKMSCL J&K shall be final. (xv) The rate contract can be repudiate/rejected at any time by the Managing Director JKMSCL, J&K if the supplies are not made to his satisfaction after giving an opportunity to the bidder of being heard and after reasons for repudiation being recorded by him in writing. However, Managing Director JKMSCL, J&K may terminate the agreement of contract at any time without notice/intimation to the successful bidder. SUPPLY ORDERS: (i) Supply order shall be placed through registered post/e-mail/any communication medium by the JKMSCL. The date of receipt of letter of communication adte will be treated as the date of order for calculating the period of execution of order. The successful bidder will execute the orders within a period of 60 days or as specified in the supply order. (ii) The successful bidder acknowledge receipt of orders within 7 days from the date of dispatch of order, failing which the procuring entity may be at liberly to initiate action to purchase the items on risk & cost purchase provision. (iii) In case of imported items, 30 days shall be given in addition to above mentioned period. (iv) Except, for equipments / machinery, which requires installation / commissioning, all other supplies shall have to be to FOR district drug warehouse only. In case of non-viable size of order prospeties that be supplier on case to case basis. The consignee for supplies shall be JKMSCL. (v) To ensure sustained supply without any interruption, the Managing Director, JKMSCL reserves the right to have more than one approved supplier from amongst the quolified bidders constact ho		(xi)	·
 unsatisfactory performance, the amount of performance security shall be liable to forfeiture by JKMSCL, J&K and decision of Managing Director JKMSCL J&K shall be final. (xv) The rate contract can be repudiate/rejected at any time by the Managing Director JKMSCL, J&K if the supplies are not made to his satisfaction after giving an opportunity to the bidder of being heard and after reasons for repudiation being recorded by him in writing. However, Managing Director JKMSCL, J&K may terminate the agreement of contract at any time without notice/intimation to the successful bidder. SUPPLY ORDERS: (i) Supply order shall be placed through registered post/e-mail/any communication medium by the JKMSCL. The date of receipt of letter of communication date will be treated as the date of acluditing the period of execution of order. The successful bidder will execute the orders within a period of 60 days or as specified in the supply order. (ii) The successful bidder acknowledge receipt of orders within 7 days from the date of dispatch of order, failing which the procuing entity may be at liberty to initiate action to purchase the items on risk & cost purchase provision. (iii) In case of imported items, 30 days shall be given in addition to above mentioned period. (iv) Except, for equipments / machinery, which requires installation / commissioning, all other supplies shall have to be to FOR district drug warehouse only. In case of non-viable size of order for supplies, the corporation shall take appropriate decision on representation from the supplier on case to case basis. The consignee for supplies shall be JKMSCL. (v) To ensure sustained supply without any interruption, the Managing Director, JKMSCL reserves the right to have more than one approved supplier from amongst the qualified bidders as matched L1 supplied at matched L1 rates. In such a case, the requirement may			
 Managing Director JKMSCL, J&K if the supplies are not made to his satisfaction after giving an opportunity to the bidder of being heard and after reasons for repudiation being recorded by him in writing. However, Managing Director JKMSCL, J&K may terminate the agreement of contract at any time without notice/intimation to the successful bidder. SUPPLY ORDERS: (i) Supply order shall be placed through registered post/e-mail/any communication medium by the JKMSCL. The date of receipt of letter of communication date will be treated as the date of order for calculating the period of execution of order. The successful bidder will execute the orders within a period of 60 days or as specified in the supply order. (ii) The successful bidder acknowledge receipt of orders within 7 days from the date of dispatch of order, failing which the procuring entity may be at liberty to initiate action to purchase the items on risk & cost purchase provision. (iii) In case of imported items, 30 days shall be given in addition to above mentioned period, (iv) Except, for equipments / machinery, which requires installation / commissioning, all other supplies shall have to be to FOR district drug warehouse only. In case of non-viable size of order for supplies, the corporation shall take appropriate decision on representation from the supplier on case to case basis. The consignee for supplies shall be JKMSCL. (v) To ensure sustained supply without any interruption, the Managing Director, JKMSCL reserves the right to have more than one approved supplier from amongst the qualified bidders as matched L1 supplied at matched L1 rates. In such a case, the requirement may be met by dividing be quantity required and dedicated capacity of the successful bidders. (vi) The ready stock position of the item, if provided by the firm, may be 		(xi∨)	unsatisfactory performance, the amount of performance security shall be liable to forfeiture by JKMSCL, J&K and decision of
 (i) Supply order shall be placed through registered post/e-mail/any communication medium by the JKMSCL. The date of receipt of letter of communication date will be treated as the date of order for calculating the period of execution of order. The successful bidder will execute the orders within a period of 60 days or as specified in the supply order. (ii) The successful bidder acknowledge receipt of orders within 7 days from the date of dispatch of order, failing which the procuring entity may be at liberty to initiate action to purchase the items on risk & cost purchase provision. (iii) In case of imported items, 30 days shall be given in addition to above mentioned period, (iv) Except, for equipments / machinery, which requires installation / commissioning, all other supplies shall have to be to FOR district drug warehouse only. In case of non-viable size of order for supplies, the corporation shall take appropriate decision on representation from the supplier on case to case basis. The consignee for supplies shall be JKMSCL. (v) To ensure sustained supply without any interruption, the Managing Director, JKMSCL reserves the right to have more than one approved supplier from amongst the qualified bidders as matched L1 supplied at matched L1 rates. In such a case, the requirement may be met by dividing be quantity among the rate contract holders considering the quantity required and dedicated capacity of the successful bidders. (vi) The ready stock position of the item, if provided by the firm, may be 		(×v)	Managing Director JKMSCL, J&K if the supplies are not made to his satisfaction after giving an opportunity to the bidder of being heard and after reasons for repudiation being recorded by him in writing. However, Managing Director JKMSCL, J&K may terminate the agreement of contract at any time without notice/intimation to
 communication medium by the JKMSCL. The date of receipt of letter of communication date will be treated as the date of order for calculating the period of execution of order. The successful bidder will execute the orders within a period of 60 days or as specified in the supply order. (ii) The successful bidder acknowledge receipt of orders within 7 days from the date of dispatch of order, failing which the procuring entity may be at liberty to initiate action to purchase the items on risk & cost purchase provision. (iii) In case of imported items, 30 days shall be given in addition to above mentioned period, (iv) Except, for equipments / machinery, which requires installation / commissioning, all other supplies shall have to be to FOR district drug warehouse only. In case of non-viable size of order for supplies, the corporation shall take appropriate decision on representation from the supplier on case to case basis. The consignee for supplies shall be JKMSCL. (v) To ensure sustained supply without any interruption, the Managing Director, JKMSCL reserves the right to have more than one approved supplier from amongst the qualified bidders as matched L1 supplied at matched L1 rates. In such a case, the requirement may be met by dividing be quantity among the rate contract holders considering the quantity required and dedicated capacity of the successful bidders. (vi) The ready stock position of the item, if provided by the firm, may be 	11	SUPPL	Y ORDERS:
 date of dispatch of order, failing which the procuring entity may be at liberty to initiate action to purchase the items on risk & cost purchase provision. (iii) In case of imported items, 30 days shall be given in addition to above mentioned period, (iv) Except, for equipments / machinery, which requires installation / commissioning, all other supplies shall have to be to FOR district drug warehouse only. In case of non-viable size of order for supplies, the corporation shall take appropriate decision on representation from the supplier on case to case basis. The consignee for supplies shall be JKMSCL. (v) To ensure sustained supply without any interruption, the Managing Director, JKMSCL reserves the right to have more than one approved supplier from amongst the qualified bidders as matched L1 supplied at matched L1 rates. In such a case, the requirement may be met by dividing be quantity among the rate contract holders considering the quantity required and dedicated capacity of the successful bidders. (vi) The ready stock position of the item, if provided by the firm, may be 			ommunication medium by the JKMSCL. The date of receipt of letter of ommunication date will be treated as the date of order for calculating the eriod of execution of order. The successful bidder will execute the orders
 mentioned period, (iv) Except, for equipments / machinery, which requires installation / commissioning, all other supplies shall have to be to FOR district drug warehouse only. In case of non-viable size of order for supplies, the corporation shall take appropriate decision on representation from the supplier on case to case basis. The consignee for supplies shall be JKMSCL. (v) To ensure sustained supply without any interruption, the Managing Director, JKMSCL reserves the right to have more than one approved supplier from amongst the qualified bidders as matched L1 supplied at matched L1 rates. In such a case, the requirement may be met by dividing be quantity among the rate contract holders considering the quantity required and dedicated capacity of the successful bidders. (vi) The ready stock position of the item, if provided by the firm, may be 		do	ate of dispatch of order, failing which the procuring entity may be at liberty
 commissioning, all other supplies shall have to be to FOR district drug warehouse only. In case of non-viable size of order for supplies, the corporation shall take appropriate decision on representation from the supplier on case to case basis. The consignee for supplies shall be JKMSCL. (v) To ensure sustained supply without any interruption, the Managing Director, JKMSCL reserves the right to have more than one approved supplier from amongst the qualified bidders as matched L1 supplied at matched L1 rates. In such a case, the requirement may be met by dividing be quantity among the rate contract holders considering the quantity required and dedicated capacity of the successful bidders. (vi) The ready stock position of the item, if provided by the firm, may be 		• •	
 Director, JKMSCL reserves the right to have more than one approved supplier from amongst the qualified bidders as matched L1 supplied at matched L1 rates. In such a case, the requirement may be met by dividing be quantity among the rate contract holders considering the quantity required and dedicated capacity of the successful bidders. (vi) The ready stock position of the item, if provided by the firm, may be 			ommissioning, all other supplies shall have to be to FOR district drug arehouse only. In case of non-viable size of order for supplies, the orporation shall take appropriate decision on representation from the pplier on case to case basis. The consignee for supplies shall be
		Di su m di	rector, JKMSCL reserves the right to have more than one approved pplier from amongst the qualified bidders as matched L1 supplied at atched L1 rates. In such a case, the requirement may be met by viding be quantity among the rate contract holders considering the

 (vi) It may be noted that the JKMSCL does not undertake to assist in the procurement of raw material, whether imported or controlled or restricted, and as such the bidders must offer their rates to supply the specific items from own quota of raw material stock by visualizing the prospect of availability and requirement. Any of the above points if taken, as argument for non-supply/delayed supply will not be entertained. SUBMISSION OF CONTRACT COMPLETION REPORT Firms shall have to submit consolidated statement in duplicate at the end of rate contract well as after expiry of equipment / instrument guarantee period (as provided in guarantee clause of the contract) to enable JKMSCL to examine the case for refund of performance security. The end user shall intimate the complaint/defect arise immediately to the manufacturer/importer/representative with copy to JKMSCL for further follow up II CUUIDATED DAMAGES: I. The time specified for delivery in the tender form shall be deemed to be the essence of the contract and the successful Bidder shall arrange supplies within the period on receipt of order from the Purchasing Officers. II. In case of extension in the delivery period with liquidated damages, recovery of liquidated damages shall be made at the rate of 0.25% per day for every day of delay subject to maximum of 10%. Delay beyond 120 (for Indian products) and 150 days (for imported products) shall be treated as unexecuted and attract penalty @20%. III. Penalty shall not be imposed if claim with regard to any supply i.e. Drugs/Equipment is complete in all respects i.e. QC verification/Board 		
 12.1 Firms shall have to submit consolidated statement in duplicate at the end of rate contract well as after expiry of equipment / instrument guarantee period (as provided in guarantee clause of the contract) to enable JKMSCL to examine the case for refund of performance security. 12.2 The end user shall intimate the complaint/defect arise immediately to the manufacturer/importer/representative with copy to JKMSCL for further follow up 13 LIQUIDATED DAMAGES: I. The time specified for delivery in the tender form shall be deemed to be the essence of the contract and the successful Bidder shall arrange supplies within the period on receipt of order from the Purchasing Officers. II. In case of extension in the delivery period with liquidated damages, recovery of liquidated damages shall be made at the rate of 0.25% per day for every day of delay subject to maximum of 10%. Delay beyond 120 (for Indian products) and 150 days (for imported products) shall be treated as unexecuted and attract penalty @20%. 		procurement of raw material, whether imported or controlled or restricted, and as such the bidders must offer their rates to supply the specific items from own quota of raw material stock by visualizing the prospect of availability and requirement. Any of the above points if taken, as argument for non-supply/delayed supply will not be
rate contract well as after expiry of equipment / instrument guarantee period (as provided in guarantee clause of the contract) to enable JKMSCL to examine the case for refund of performance security. 12.2 The end user shall intimate the complaint/defect arise immediately to the manufacturer/importer/representative with copy to JKMSCL for further follow up 13 LIQUIDATED DAMAGES: I. The time specified for delivery in the tender form shall be deemed to be the essence of the contract and the successful Bidder shall arrange supplies within the period on receipt of order from the Purchasing Officers. II. In case of extension in the delivery period with liquidated damages, recovery of liquidated damages shall be made at the rate of 0.25% per day for every day of delay subject to maximum of 10%. Delay beyond 120 (for Indian products) and 150 days (for imported products) shall be treated as unexecuted and attract penalty @20%. III. Penalty shall not be imposed if claim with regard to any supply i.e.	12	SUBMISSION OF CONTRACT COMPLETION REPORT
manufacturer/importer/representative with copy to JKMSCL for further follow up 13 LIQUIDATED DAMAGES: I. The time specified for delivery in the tender form shall be deemed to be the essence of the contract and the successful Bidder shall arrange supplies within the period on receipt of order from the Purchasing Officers. II. In case of extension in the delivery period with liquidated damages, recovery of liquidated damages shall be made at the rate of 0.25% per day for every day of delay subject to maximum of 10%. Delay beyond 120 (for Indian products) and 150 days (for imported products) shall be treated as unexecuted and attract penalty @20%. III. Penalty shall not be imposed if claim with regard to any supply i.e.	12.1	rate contract well as after expiry of equipment / instrument guarantee period (as provided in guarantee clause of the contract) to enable JKMSCL to
 The time specified for delivery in the tender form shall be deemed to be the essence of the contract and the successful Bidder shall arrange supplies within the period on receipt of order from the Purchasing Officers. In case of extension in the delivery period with liquidated damages, recovery of liquidated damages shall be made at the rate of 0.25% per day for every day of delay subject to maximum of 10%. Delay beyond 120 (for Indian products) and 150 days (for imported products) shall be treated as unexecuted and attract penalty @20%. Penalty shall not be imposed if claim with regard to any supply i.e. 	12.2	manufacturer/importer/representative with copy to JKMSCL for further follow
 the essence of the contract and the successful Bidder shall arrange supplies within the period on receipt of order from the Purchasing Officers. II. In case of extension in the delivery period with liquidated damages, recovery of liquidated damages shall be made at the rate of 0.25% per day for every day of delay subject to maximum of 10%. Delay beyond 120 (for Indian products) and 150 days (for imported products) shall be treated as unexecuted and attract penalty @20%. III. Penalty shall not be imposed if claim with regard to any supply i.e. 	13	LIQUIDATED DAMAGES:
 day for every day of delay subject to maximum of 10%. Delay beyond 120 (for Indian products) and 150 days (for imported products) shall be treated as unexecuted and attract penalty @20%. III. Penalty shall not be imposed if claim with regard to any supply i.e. 		the essence of the contract and the successful Bidder shall arrange supplies within the period on receipt of order from the Purchasing Officers.II. In case of extension in the delivery period with liquidated damages,
		day for every day of delay subject to maximum of 10%. Delay beyond 120 (for Indian products) and 150 days (for imported products) shall be treated as unexecuted and attract penalty @20%.
verified etc. is not cleared by the JKMSCL within a period of 60 days.		Drugs/Equipment is complete in all respects i.e. QC verification/Board
IV. Fraction of a day in reckoning the period of delay in supplies shall be eliminated if it is less than half a day.		
V. The maximum amount of agreed liquidated damage shall be 20%.		V. The maximum amount of agreed liquidated damage shall be 20%.
VI. If the supplier requires an extension of time in completion of contractual supply on account of occurrence of any hindrance, he shall apply in writing to M.D, JKMSCL, Jammu / Srinagar (J&K), which has placed the supply order, for the same immediately on occurrence of the hindrance but not after the stipulated date of completion of supply. The firms shall ensure extension of delivery period for delayed supplies. The payment shall only released by purchase officer after sanction of extension in delivery period by M.D., JKMSCL.		supply on account of occurrence of any hindrance, he shall apply in writing to M.D., JKMSCL, Jammu / Srinagar (J&K), which has placed the supply order, for the same immediately on occurrence of the hindrance but not after the stipulated date of completion of supply. The firms shall ensure extension of delivery period for delayed supplies. The payment shall only released by purchase officer after sanction of extension in delivery
VII. Delivery period may be extended with or without liquidated damages. If the delay in the supply of goods is on account of hindrances beyond the control of the Bidder, the extension in delivery period may be granted 47 E BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2023)		the delay in the supply of goods is on account of hindrances beyond the control of the Bidder, the extension in delivery period may be granted

without Liquidated Damage.

VIII.

If the Bidder is unable to complete the supply within the specified or extended period, the purchasing officer (JKMSCL) shall be entitled to purchase the goods or any part thereof from elsewhere without notice to the Bidder on his (i.e. Bidders) account and risk only with the prior approval from M.D., JKMSCL, Jammu / Srinagar (J&K). The Bidder shall be liable to pay any loss or damage which the purchasing officer may sustain by reasons of such failure on the part of the Bidder. The Bidder shall not be entitled to any gain on such purchases made against default. The recovery of such loss or damage shall be made from any sums accruing to the Bidder under this or any other contract with the government. If recovery is not possible from the bill and the Bidder fails to pay the loss or damage, within one month of the demand, the recovery of such amount or sum due from the Bidder shall be made under the law for the time being in force. In case more than one supplier has been approved for any item under the approved list circulated to the purchasing officers, the risk purchases may be made at a higher rate from any other firm whose rate is duly approved. It is mandatory for the approved supplier to acknowledge receipt of orders with in fifteen days from the date of dispatch of order, failing which the purchasing officer will be at liberty to initiate action to purchase the items on risk purchase system at the expiry of the prescribed supply period, after taking required approval from M.D., JKMSCL (J&K).

- IX. If the bidder is unable to complete the supply within the specified or extended period, the purchasing officer shall be entitled to purchase the goods or any part thereof from elsewhere without notice to the bidder on his (i.e., bidders) account at his cost and risk, with the prior approval from JKMSCL. The bidder shall be liable to pay any loss or damage which the purchasing officer may sustain by reasons of such failure on the part of the bidder. The bidder shall not be entitled to any gain on such purchases made against default. The recovery of such loss or damage shall be made from any sums accruing to the bidder under this or any other contract with the corporation/government. If recovery is not possible from the bill and the bidder fails to pay the loss or damage within one month of the demand, the recovery of such amount or sum due from the bidder shall be made or any other law for the time being in force. In case supplier fails to deliver ordered goods, the risk purchases may be made at market rate from any other firm. It is mandatory for the approved supplier to acknowledge receipt of orders within seven days from the date of dispatch of order, failing which the procuring entity will be at liberty to initiate action to purchase the items on risk purchase provision at the expiry of the prescribed supply period.
- X. In case of wrong quoting, (or) if successful bidder refuses (or) fails to execute the supplies on the basis of wrong quoting of rates, the bidder shall be penalized with forfeiting of amount equivalent to the Performance security for the said product (or) debarring/ blacklisting of firm for that particular product(s) for a period not less than 02 years (or) both as deemed fit by TIA i.e. MD, JKMSCL.
- 14
- (i) JKMSCL shall procure the machinery & equipment for the Health & Medical Education Institutes of UT of J&K inter-alia.

	(ii) The funds shall be transferred to JKMSCL with indent form and supply
15	orders shall be placed by JKMSCL to suppliers. RECOVERIES
	 (i) Recoveries of liquidated damages, short supplies, breakage, rejected articles shall ordinary be made from bills. Such amount may also be recovered from any other untied dues & security deposits available with Corporation. In case recovery is not possible, recourse will be taken under law in force. (ii) Any recovery on account of L.D. charges/risk & cost charges in respect of previous rate contracts/ supply orders placed on them by the corporation can also be recovered from any sum accrued against this tender after accounting for untied sum or due payment sum lying with corporation against previous rate contracts/supply orders. Firm shall submit details of pending amount lying with corporation but decision of M.D., JKMSCL, J&K regarding authenticity of sum payable shall be final.
16	INSPECTION:-
	(i) The equipments supplied shall be according to specifications provided at Section IV (3) schedule of supply and may be inspected by the technical panel/team constituted for the purpose by JKMSCL deemed fit on the site of manufacturer (in case of Indian manufacturer)/ importer (importer site). The manufacturer/importer shall facilitate the demonstration of the said machine/equipment/on the site only. After the receipt of "Certificate of satisfaction" from the technical panel, the supply order shall placed. In case of BIS Items, inspection shall be strictly as per relevant BIS specifications with latest amendments and have been made applicable by B.I.S. at the time of inspection. The machine/equipment shall be further inspected at the time of installation/commissioning at site i.e the end user site. The supplier shall provide all facilities for inspection/testing free of cost.
	(ii) Notwithstanding the fact that the authorized inspecting agency had inspected and/or has approved the stores/articles, the procurement officer or his representative may inspect the item/material as soon as it is received in the stores to ensure that the supply is in accordance with the specifications laid down in rate contract.
	(iii) In case of doubts in inspection/ test, same may be got inspected or tested in any laboratory. If the material is not found as per specifications or defective, consignee will not accept the material and shall inform the JKMSCL, J&K within 3 days. Consignee may also simultaneously ask the firm for removal of defect/replacement. The firm shall be bound to remove the defect or replace the defective equipment/item within 15 days of receipt of intimation from the consignee. However, the date of delivery, in case of defective item shall be taken as the date on which the JKMSCL accepts the item after replacement of defective material/removal of defects as the case may be. Wherever defective item is replaced, the inspection /

		testing charges, if any, shall be borne by the supplier.
	(iv)	If required, the consignee may refer inspection committee to match the specification with available reserved sample with the corporation which is submitted by the firm/supplier at the time of technical approval.
	(∨)	In case of imported item, the supplier shall ensure that the item shall be inspected by the third party inspection agency before dispatched to the consignee. In case any un-inspected item has been found in the item received by consignee, the firm shall be solely responsible for it and the JKMSCL shall be free to take suitable necessary action as per terms and conditions of bid documents/agreement against the firm.
17	17 PACKING AND INSURANCE	
	(i)	The goods will be delivered at the destination in perfect condition. The firm if so desires may insure valuable goods against loss by theft, destruction or damages by fire, flood, under exposure to weather of otherwise in any situation. The insurance charges will have to be borne by the supplier and the corporation shall not be required to pay any such charges, if incurred.
	(ii)	The firm shall be responsible for the proper packing so as to avoid damages under normal conditions of transport by sea, rail, road or air and delivery of material in good condition to the procurement officer's store. In the event of any loss, damage, breakage or leakage or any shortage the firm shall be liable to make good such loss and shortage found at destination after the checking/inspection of material by the consignee. No extra cost on such account shall be admissible. The firm may keep its representative to verify any damage or loss discovered at the consignee's store, if it so likes.
	(iii)	Packing, cases, containers and other allied material if any shall be supplied free, except where otherwise specified by the firm(s) and agreed by the JKMSCL and the same shall not be returned to him.
18	REJE	CTION
	(i)	Articles not as per specifications/or not approved shall be rejected by the JKMSCL and will have to be replaced by the supplier firm at his own cost within 15 days or as time limit fixed by the JKMSCL.
	(ii)	All the stores supplied shall be of the best quality and conforming to the specification, trademark laid down in the schedule attached to agreement and in strict accordance with and equal to the approved, standard, samples. In case of any material of which there are no standards or approved samples, the supply shall be of the best quality to be substantiated by documents. The decision of Managing Director JKMSCL as to the quality of stores be final and binding upon the bidder. In case any of the articles supplied are not found as per specification or declared sub-standard/spurious, that shall be liable to be rejected and any expenses of loss caused to the supplier as a result of rejection of supplies shall be entirely at his account.
	(iii)	The rejected item must be removed by the firm, within 15 days of the date

	of such material but in no case shall be responsible for any loss, damage, shortage that may occur while it is in their premises.
	(iv) No payment shall be made for defective/incorrect items. However, if payment has been made, then defective items shall be allowed to be removed only after the firm replaces material as per specifications, duly inspected. If the payment has not been made, the firm may be allowed to remove the material without prior replacement (provided firm has performance security as per condition No. 18). Joint inspection of defective material may be carried out as required by the JKMSCL. However sample of ISI marked material found defective shall be kept by consignee for reference to BIS.
	(v) In case firm wants to take back item to their works for rectification then firm has to deposit payment received against such defective supplies. In case supplier has not received any payment then material be returned to supplier firm for rectification.
	The Bidder shall be responsible for the proper packing and delivery of the material to the consignee. In the event of any loss, damage, or breakage, leakage or shortage in transit, the Bidder shall be responsible. No extra cost on such account shall be admissible.
19.	CORRECTION OF ARITHMETIC ERRORS
	Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during evaluation of financial bids on the following basis:
	(i) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the procuring entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
	(ii) If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected.
	(iii) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to clause (a) and (b) above.
	If the bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.
20	PROCURING ENTITY'S RIGHT TO VARY QUANTITY:
	(i) The quantity of equipments and instruments originally indicated in the bidding document may vary without any change in the unit prices and other terms and conditions of the bid and the conditions of
	contract.

E BID FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2023)

	quantity indicated in the bidding documents the bidder shall not be entitled for any claim or compensation except otherwise provided in the conditions of contract.
	(i) If the Bidder fails to supply the Managing Director JKMSCL J&K shall be free to arrange/procure the items and the extra cost incurred shall be recovered from the Supplier.
21.	PARALLEL RATE CONTRACT
	The JKMSCL may also execute parallel rate contract to with more than one firm for each item on the lowest approved rates on the same terms and conditions, if the original lowest one each not in a position to supply material as per JKMSCL requirement.
	(i) To ensure sustained supply without any interruption, the bid inviting authority reserves the right to approve more than one supplier to supply the requirement among the qualified bidders.
	(ii) Orders will be placed with Lowest I (L-1) firm. However in case of any exigency at the discretion of the bid inviting authority, the orders may also be placed with the other firms, in the ascending order, L-2, L-3 and so on who have matched with the L-1 rates and executed agreement with corporation on same rates (L1), terms and conditions.
	(iii) After the conclusion of financial bid opening (Cover B) the lowest offer of the bidder is considered for negotiation and rate arrived after negotiations is declared as L-1 rate and L-1 supplier for an item for which the bid has been invited.
	(iv) The bid who has been declared as L-1 supplier for certain item shall execute necessary agreement for the supply of the required quantity of such item on depositing the required amount performance security and on execution of the agreement such bidder is eligible for the placement of supply orders.
	(v) JKMSCL will inform the L-1 rate to the bidders who had qualified for financial bid (Cover B) opening, inviting their consent to match with the L-1 rates for the item/items quoted by them and the bidders who agree to match L-1 rate, will be considered as matched L-1
	(vi) The bidder who agrees to match L-1 rate shall furnish the breakup detail (Rate, GST, CUSTOM DUTY etc.) of rates (L-1 rates).
	(vii) The supplier, on receipt of the supply orders deems that the purchase orders exceeds the production capacity declared in the bid documents and the delay would occur in executing the order, shall inform the JKMSCL immediately without loss of time and in executing the order, shall be returned within 7 days from the date of issuing order, failing which the supplier would be deprived from disputing the imposition of liquidated damages, and penalty for the delayed supplies.
	(viii) If the L-1 supplier has failed to supply / intimated JKMSCL about his inability / delay in supply as per the supply order, the required items within the stipulated time or as the case may be, JKMSCL may also

d L-1 Bidders for purchase of dders shall execute necessary pacity as specified in the bid mount. Such bidder is eligible the item quoted by them.
MSCL has chosen to place lier and there are more than the purchase orders for the 2 first on matched rates of L-1 ired capacity than L-3 would nd the same order would be
nt of purchase orders, will be purpose of the bid and all le to L-1 rate bidder will apply
the purchase orders, at any the stipulated time, JKMSCL is other bidders (in ascending offered by then and in such KMSCL, without any protest or by JKMSCL and the JKMSCL cost from the amount due /
d as described above during ject to matching of L-1 rates, conditions.
120 days from the date of the period of validity of bid, rs to extend the bill validity me. A bidder may refuse the withdrawal of the bid but in feited.
be applicable or considered es made under this bid or ded for tax variations are
y is prohibited. In the event and Kashmir Medical Supplies the contract elsewhere on shall be liable for any loss or

	 damage, which the Government may sustain in consequence or arising out of such replacement of the contract. FALL CLAUSE:- 		
25			
	(i)	The prices under contract shall be subject to price fall clause. The prices charged for the store supplies under the contract by successful bidder shall in no event exceed the lowest price at which the successful bidder sells the stores of identical description to any other persons during the period of the contract anywhere in India. If any time, during the period of the contract, the bidder reduces the sales price chargeable under the contract, he shall forth with notify such reduction to the JKMSCL, J&K and the price payable under the contract for the stores supplied after the date of coming into force of such reduction or sale shall stance reduces its price to render similar goods at a price lower than the contract price to anyone in the State /UT of India at any time during the currency of contract including extension period, the contract price shall be amended accordingly.	
	(ii)	The firms holding parallel rate contract shall also reduce their price. Firms shall notify their reduced price and intimate their acceptance to the revised price within 15 days to JKMSCL. Similarly, if parallel rate contract holding firm reduced its price during currency of the rate contract, its reduced price shall be conveyed to other parallel rate contract holding firms and the original rate contract holding firms for corresponding reduction in their prices. If any rate contract holding firm does not agree to reduce price, further transaction with it, shall not be conducted.	
26		PLIANCE WITH THE CODE OF INTEGRITY AND NO CONFLICT OF EST:	
	Any p	erson participating in a procurement process shall-	
	a)	Not offer any bribe, reward or gift or any material benefit eithe directly or indirectly in exchange for an unfair advantage ir procurement process or to otherwise influence the procuremen process;	
	Ы	Not misrepresent or omit misleads or attempts to mislead so as to	
	b)	obtain a financial or other benefit or avoid an obligation;	
	c)	obtain a financial or other benefit or avoid an obligation; Not indulge in any collusion, bid rigging or any-competitive	
		obtain a financial or other benefit or avoid an obligation; Not indulge in any collusion, bid rigging or any-competitive behaviour to impair the transparency, fairness and progress of the procurement process; Not misuse any information shared between the procuring entity	
	c)	 obtain a financial or other benefit or avoid an obligation; Not indulge in any collusion, bid rigging or any-competitive behaviour to impair the transparency, fairness and progress of the procurement process; Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the 	

	g) Disclose conflict of interest, if any; and
	h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.
	Conflict of Interest :
	The bidder participating in a bidding process must not have a conflict of interest. A conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.
	 A bidder may be considered to be in conflict of interest with one or more parties in bidding process if, including but not limited to : a. Have controlling partners/shareholders in common; or b. Receive or have received any direct or indirect subsidy from any of them; or
	 c. Have the same legal representative for purposes of the bid; or d. Have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring entity regarding the bidding process; or
	 e. The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or f. The bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specification of the goods, works or services that are the subject of the bid; or bidder or any of its affiliates has been hired (or is proposed to be hired) by the procuring entity as engineer-in charge/consultant for the contract.
	Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge / consultant for the contract.
27	All correspondence in this connection should be addressed to the Managing Director JKMSCL, J&K. Technical questions should be referred to the Managing Director JKMSCL, J&K direct by correspondence or by personal contact.
28	 (i) Direct or indirect canvassing on the part of bidders or their representative shall disqualify their bids. (ii) Supplier may be disqualified, banned or suspended from business during the rate contract if : (a) fails to execute a contract or fails to execute it satisfactorily; (b) no longer has the technical staff or equipment considered necessary; (c) is declared bankrupt or insolvent or its financial position has become unsound, and in the case of a limited company, it is
55 E BID	FOR THE PROCUREMENT OF MACHINERY & EQUIPMENT (2023)

	 wound-up or taken into liquidation ; (d) The firm is suspected to be doubtful loyalty to state. (e) The State Bureau of Investigation (SBI) or any other Investigating agency recommends such a course in respect of a case under investigation. (f) Managing Director JKMSCL, J&K is prima- facie of the view that the firm is guilty of an offence involving moral turpitude in relation to business dealings, which if established would result in business dealing with it banned. 	
29	No action on the letter head of the bidder /firm regarding any complaints against the JKMSCL will be considered unless the letter head bears the signature of the bidder or the authority higher than the bid signatory of the firm.	
30	(i) If any certificate/documents/information submitted by the bidder found to be false/ forged/ fabricated/vexatious or frivolous or malicious appeals or complaints etc. than bidder shall be liable for the appropriate legal action along with disqualification, banning, suspension etc. for limited or unlimited period.	
	(ii) Bidders are required to submit wanted information (if any) based on the facts. If the furnished information by the firm found to misleading or not based on facts disciplinary action against the firm may be taken as to banning concerned item/items for certain or uncertain period.	
31	The JKMSCL reserves the right to accept any bid not necessarily the lowest. The JKMSCL may reject any bid without assigning any reasons and accept bid for all or anyone or more of the articles for which bidder has been given or distribute items of stores to more than one firm/supplier.	
32	GRIEVANCE Grievance regarding interpretation of any clause of the contract/agreement	
	executed between the parties shall be referred to Managing Director JKMSCL for its clarification.	
33	ARBITRATION	
	33.1 Governing Law: This NIT shall be governed by and construed in accordance with the laws of the Union Territory of Jammu and Kashmir and the laws of India as applicable to the Union Territory of Jammu and Kashmir.	
	33.1.1 Amicable Settlement: Either party is entitled to raise any claim, dispute or difference of whatever nature arising under out of or in connection with the NIT including its existence or validity or termination (collectively "dispute") by giving a written notice to the other party, which shall contain	
	 i. a description of the dispute ii. the ground for such dispute iii. all written material in support of its claim 33.1.2 The other party shall, within thirty days of issuance of dispute notice issued, furnish: 	

	I. Counter claim and defences, if any, regarding the dispute; and II. All written material in support of its defences and counter claim
	 34.1.3 Within thirty days of issuance of notice by any party pursuant to para 29.1.2 both the parties to the dispute shall meet to settle such dispute amicably. If the parties fail to resolve the dispute amicably within thirty days of the receipt of the notice referred to in the above para the dispute shall be referred to Managing Director, JKMSCL, J&K for its reference to arbitration. Dispute Resolution: Besides, as referred above may also include any dispute arising out of contract with regard to the interpretation, meaning and breach of the terms of the contract, the matter shall be referred to the Administrative Department H&ME, who will, through Law Department, appoint a senior most officer as sole Arbitrator, of the dispute, who will not be related to this contract and whose decision shall be final and binding on both the parties. The Arbitrator proceedings shall be governed by the J&K Arbitration and Conciliation Act, 1997. The venue of the Arbitration shall be in the UT of Jammu and Kashmir.
	Managing Director, JKMSCL for its clarification and such interpretation(s) given shall not become subject matter for reference to Arbitration
34	The JKMSCL will have the right of rejection of all or any of the bids without assigning any reason for the same. The right to conclude parallel rate contracts with another firm for the stores detailed in Table I is also reserved by the Managing Director JKMSCL, J&K
35	Extra stipulation or any other condition contrary to the above bid conditions are not acceptable and may render the bid liable to rejection.
36	The bidder must sign all the pages of bid document at the below of terms & conditions agreeing to abide by all conditions of the bid and accept them in toto. The Signing of Annexure A1 shall be treated as acceptance of all the terms and conditions of the bid document.
37	The Managing Director JKMSCL, J&K may relax or change/ modification in terms and conditions in the exigency excluding fundamental changes. In case of such urgency the terms & conditions shall be got approved from Purchase committee of Managing Director JKMSCL, J&K as the case may be.
38	JURISDICTION:- All actions, legal proceedings and suits arising from or connected to this bid shall be subject to the exclusive jurisdiction of courts in J&K only.

Section VI B: - Special Conditions of Contract (SCC)

The following Special Conditions of Contract (SCC) shall supplement the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the GCC. The clauses of special conditions of contract are as follows:-

Clause No.	Particulars	
1.	Technical details, bid security, tender cost, tender processing fee and all other required documents should be uploaded under Cover "A" Technical Bid and financial details (BOQ) should be uploaded under Cover "B". No document except financial instrument (DD/FDR) & catalogues of the bid items shall be entertained physically by the Corporation.	
2.	Pre-requisite, if any, for installation, including UPS, computer, printer, and other items should be provided by the firm in technical bid and financial bid respectively.	
3.	Firm shall provide comprehensive maintenance with spare parts for item(s), as mentioned in Technical specification (from the date of installation / demonstration).	
4.	Conditional bids shall not be considered.	
5.	Normally, payment shall be released after installation, demonstration and successful commissioning of equipment/ITEM and satisfactory operational training.	
6.	All certificates should be valid on the date of submission of bids and issue of supply order.	
7.	The bidder should have well equipped local service centre in India preferably in J&K.	
8.	 i. The bidder shall be a manufacturer/direct importer/authorised representative of the original manufacturer/importer who must have manufactured/ imported and supplied and installed this equipment(s) in India satisfactorily. ii. The merger / amalgamation / transfer of business / transfer of assets etc. of a firm affects the bid condition relating to 'past performance' in preceding years. In cases where bidder acquired an ongoing business or assets of another entity, eligibility in respect of the past performance and condition relating to minimum turn over in preceding years shall be decided based on specific mention in purchase and transfer of ownership agreement / agreement of sale of business and / or its assets / board of directors (B.O.D) resolution chartered accountant certification or any other document (s) in this regard, which the bidder shall have to submit preferably with the bid. The eligibility of a bidder in this regard shall be ascertained by the purchase committee on the basis of the above stated agreement or any other document(s) and the decision of purchase committee shall be final. 	

9.	The name, make, model and brand of equipments, which are offered, should be mentioned in against each item. Mere indication of English/USA/Indian will not serve the purpose.
10.	In the case of supply of imported item the suppliers may be asked to furnish a certificate to the effect that the firm has completed all the formalities in connection with import of the item in question.
11.	In case the item approved by the JKMSCL is procured by any other department on the rate contract of JKMSCL, the administrative charges to the extent of 5% of the invoice value shall be deposited by the approved firm or else, the firm/supplier shall be liable to be penalised which may lead to blacklisting/debarring from entering into the tender process for not less than 05 years by JKMSCL besides forfeiture of earnest money or any other action as deemed fit by the Mangaina Director, JKMSCL.
13	The Supplier/service providing firm shall be liable to pay a penalty of Rupees five thousand per day , if the firm didn't respond after 48 hours from the time of receiving first complaint. The complaint may be sent to firm by way of telephone /fax/letter or e-mail. The amount of liquidation damage shall be directly deducted from the security deposit of the firm at the time of refund or before by way of any adjustment order. All breakdown calls to be attended within 24 hrs at (within city limits) and 48 hrs for other districts/peripheral areas

APPLICABILITY OF CLAUSES: - All the clauses from 1 to 38 of general terms and conditions and from 1 to 13 of special terms and conditions and their annexure, formats & enclosures are applicable for the bid items.

Managing Director Jammu and Kashmir Medical Supplies Corporation Limited

I/We have read the above terms and conditions and I/We agree to abide myself/ourselves by the above terms & conditions of the bid document

Signature of bid with seal

Section VI C: Contract Forms (CF) Table of contents

S.No.	Description	Pages
1.	Declaration of bidder regarding acceptance bid for terms & conditions	
	(Annexure A1)	
2.	Agreement Form (Annexure AIV)	
3.	Form for bank guarantee (on bank letter head)	To be downloaded from the website
4.	Format-Authorized Representatives/Agents of Original	
	Manufacturer/Direct Importer (Annexure AII)	
5.	Technical Specifications (Annexure AIII)	

(On Letter Head of the Bidder)

DECLARATION

I/We agree that the M.D. JKMSCL, Jammu / Srinagar (J&K) may forfeit bid security and or performance security and debar me/us for a period specifying in orders, if any information/document furnished by us is proved to be false/fabricated at the time of inspection and not complying with the terms and conditions of the bid document as presented in bid, Annexure-B and other relevant documents.

> Signature & Seal of bidder Name & Address:

Format-Authorized Representative of Original Manufacturer/Direct Importer

In case, original manufacturer/direct importer wish to authorise any representative to bid, to negotiate, to raise invoice to receive payments on behalf of original manufacturer/direct importer/against invoice raised by representative.

The Managing Director, Jammu & Kashmir Medical Supplies Corporation Ltd. J&K Dear Sir,

We ______ who are established and reputed manufacturers of having factories at ______ Registered office at ______ possessing manufacturing license No. ______ and do hereby authorize M/S ______ (Name and Address of Representative) to submit a bid and subsequently negotiate with you against the above mentioned tender, subject to the condition that I/we, the original manufacturer/direct Importer of the bidding items and our authorized representative _______ are ready to execute Tripartite agreement with the Corporation i.e JKMSCL stating

inter-alia that:-

1. The invoice submitted by the authorised representative for such supplies shall be endorsed by me /us i.e. the original Manufacturer/Direct Importer of bidding items and original copy of the delivery challan of Manufacturer's towards authorised representative for such supplies shall also be endorsed along with invoice submitted by our Authorized Representative.

2. JKMSCL may secure an e-mail /alternative confirmation for authenticity of such supplies from Manufacturer/Direct Importer, before releasing the payment, which we are committed to provide.

- 3. The payment shall however be released on the terms and conditions of tripartite agreement to be signed between JKMSCL, Original Manufacturer / Direct Importer and the authorized representative of Original Manufacturer / Direct Importer of the bidding items for such supplies made by the authorized representative, on behalf of me / us.
- 4. In case of change of Dealership we shall be responsible for providing after sales services and maintenance of the equipment free of cost during the warranty period.

No company or firm or individual other that M/S ______ are authorized to bid, negotiate and conclude the contract in regard to this business against this specific tender.

I / we, further agree to comply with the conditions specified under Clause 2(a) –Eligibility Conditions, of the tender document. We hereby extend our full guarantee as per the tender conditions for the goods offered for supply against this invitation for bid by the above Firm.

Yours faithfully Name

For and on behalf of M/S (Name of the manufacturer/Direct Importer)

Note: This letter of authority should be on the letter head of original Manufacturer/Direct Importer of bidding items and should be signed and sealed by the Proprietor/ Managing Director of the firm / authorized signatory and shall have to be duly notarised.

1. PATIENT TRANSPORT VENTILATOR

Ventilator, for transportation of patients from operation theatre to Intensive Care Unit with Graphics Display Monitor.

Types: VC. No. VTNo. Modes (in each breath Type): A/CMV, SIMV, SPONT

Choices: PS, VTNo.. Features: Inspiratory time at least 0-3 sec with optional Pause Inspiratory low at least 3-140 1/min Pressure support: at least 0 to 45 cm H20/mbar

Tidal Volume: at least 10-800ml Resp.Rate: at least 6-150 b/min. Pressure Limit: 0 to 80 cm H2O/mbar, I:E Rate: 1:4 to 4:1, Trigger pressure or low FiO2: 0.21 to 1.00 PEEP CPAP: 0 to 45 cm H20/mbar, Leak Compensation Standby Condition Allosetting to be preset and Circuit Check tests to be performed prior to starting Ventilation Open Exhalation Valve (BPRV): On/Off for Biphasic Pressure Release Ventilation Event History Log: Records 1000 events;

Alarm& settings Compliance Compensation: On/Off Graphical display of respiratory parameters. Must be mounted over the Mobile Medical Air Compressor. Power requirements 220 VAC $\pm 10\%$, 50Hz. Internal rechargeable Battery provides an minimum. 60 minutes for complete ventilator function.

Accessories: Medical Air Compressor Humidifier 1 Tube set, adults 1 Tube set. Children 1 Humidifier chamber O2- connecting Tube 5.0 m 1 Air-connecting Tube 5.0 m Humidifier: Heating power with safety thermostat and indication of operating status 1 Circuit, Adults with patient Tubes, water traps, Y-Piece, mask elbow. catheter connector I Circuit, Children with patient Tubes, water traps, Y-Piece.mask elbow, catheter connector 1 Carriage Articulated Bracket for rail O2-cell without housing Sensors 5 pcs set Temperature Sensor Humidifier Bag- test-lung Standards CE: EC Marked US FDA; ISO certification. Option for nebulisation.

2. <u>CELL SAVER MACHINE</u>

Function 1.1 The cell saver system reprocesses blood for the patient and separates it into blood cells and plasma. Used in Surgical procedures in which there is rapid bleeding or high volume blood loss. It can also separate and remove clotting agents for the plasma. In this manner, blood may be prepared for long term storage or may be re-infused back into the patient during surgery. This reduces the need for blood from donors.

Operational Requirements

2.1 Manual Automatic operation 2.2 Compact, portable design

3. Technical Specifications 3.1 spinning centrifuge 3.2 Built-in programming 3 Built-in safety features 3.4 Sound volume control 3.5 Automatic protocols

4 System Configuration Accessories, spares and consumables 4.1 System as specified- 4.2 30 disposables should be provided with equipment 4.3 All consumables required for installation and standardization of system to be given free of cost.

5. Environmental factors 5.1 The unit shall be capable of being stored continuously in ambient temperature of 0 50deg C and relative humidity of 15-90% 5.2 The unit shall be capable of operating continuously in ambient temperature of 10 - 40 deg C and relative humidity of 15-90%.

6. Power Supply

6.1 Power input to be 1 80-270VAC. 50Hz fitted with Indian plug

6.2 UPS of suitable rating with voltage regulation and spike protection for 60 minutes back up.

7. Standards, Safety and Training 7.1 Should be FDA, CE or BIS approved product 7.2 Electrical safety conforms to standards for electrical safety IEC-60601-1 General Requirements 7.3 Manufacturer Supplier should have ISO certification for quality standards. 7.4 Comprehensive training tor lab staff and support services till familiarity with the system.

8 Documentation 8.1 User/Technical/Maintenance manuals to be supplied in English. 8.2 Certificate of calibration and inspection. 8.3 L.ist of equipments available for providing calibration and routine maintenance support as per manufacturer documentation in service / technical manual. 8.4 List of important spare parts and accessories with their part number and costing. 8.5 Log book with instructions for daily, weekly, monthly and quarterly maintenance checklist. The job description of the hospital technician and company service engineer should be clearly spelt out.

3. TEMPORARY DUAL CHAMBER PACEMAKER

- Modes: DDD, DOO, DDI, AAI. AOO, VVI, VOO
- Basic Pacing Rates 30-200 ppm
- Upper Rate: 80-230 ppm
- Rapid Atrial Pacing Rates 80-800 ppm
- Output Amplitude Atrial: 0.1 20 mA, Ventricular: 0.125 mA
- Pulse Width: Atrial 1.0 ms. Ventricular: 1.5 ms
- Sensitivity: Atrial: 0.4-10 mV, Ventricular: 0.8-20 mV
- A-V Interval Paced A-V (PAV): 50 250, Auto 20-300 Manual Sensed A-V (SAV): 50-250
- Refractory Period, Arial: 150- 500 ms (PVARP)
- Ventricular Blanking,Pace: 200 msSense: 120 mS
- Battery Type: Two IEC type LR6-sized (AA-sized) 1.5 V alkaline batteries (Duracell MN1500, Eveready E91 or equivalent)
- Battery Life: 9 days typical, 7 days minimum

4. SINGLE CHAMBER PACEMAKER SPECIFICATIONS

- Base level pacing rates: 30-180 min (ppm) (continuously adjustable) ±10%
- Rapid atrial pacing rates:
 - ✓ 80-380 min (ppm) (5 min {ppm}) increments) ±10%
 - ✓ 380-540 min (ppm) (10 min {ppm}) increments) $\pm 10\%$
 - ✓ 540-800 min (ppm) (20 min {ppm}) increments) $\pm 10\%$
- Output amplitude: 0.1-20 mA (continuous adjustable) $\pm 15\%$ plus ± 0.1 mA
- Pulse Width: $1.8 \text{ ms} \pm 10\% \text{b}$
- Sensitivity: ASYNC, 05 to 20 mV (continuously adjustable) ±25% or ±0.30 mV (whichever is greater), including polarity disparity.
- Blanking: Pace: 125 ms (+ 50 ms: -0 ms) d Sense: 75 ms (+ 50 ms-0 ms) d
- Refractory: $250 \text{ ms} \pm 5\% \text{d}$
- Operating temperature: 10°C to 43°C (50°F o 110°F)e>
- Storage temperature: -40C to 70°C (-40°F to 158°F) (without battery)

- Storage humidity: 90% maximum
- Battery type: Standard 9 V, Alkaline Type 6LR6I or Type 6F22E, NEDA 1604A (EvereadyEnergizer 522 or equivalent) or Lithium NEDA 16041. (UltralifeU9VL or equivalent)

5. BATTERY OPERATED STERNAL SAW SYSTEM

1) Vertical (Reciprocating) Sternum Saw Hand Piece (Qty-2 No)

- 1. Should have Safe Mode.
- 2. Should have two speed controls with standard and fast mode. Free speed of 1000 to 13000 cycles per minute.
- 3. Weight of hand piece with battery should not be more than 3.0 lbs.
- 4. Microprocessor controlled Hand piece that can be calibrated for the consistence performance.
- 5. Should have DC brush less motor for low maintenance.
- 6. No lubrication require for lifetime.
- 7. Should have Pistol grip Hand piece.
- 8. Should have tool less mounting of accessories for all blades orattachments.
- 9. Saw noise level should not more than 84db.
- 10. Should be autoclavable and with different blades.
- 11. Should have maximum speedof 13000CPM.
- 12. Should be quoted with Two Sternum Guards

2) Redo (Oscillating) Sternum Saw (Qty: 1 No.)

- 1. Should have two speed controls with standard and fast mode. Free speed of 10000 12000 cycles per minute.
- 2. Microprocessor controlled Hand piece that can be calibrated for the consistence performance.
- 3. Saw Noise level should not be more than 84db.
- 4. Weight of hand piece with battery should not be more than 3 lbs.
- 5. Blade mount should be adjustable to different angles with 360 degree rotation.
- 6. Should have tool less mounting of accessories.
- 7. Should have DC brush less motor for low maintenance.
- 8. No lubrication require for lifetime.
- 9. Should be autoclavable.
- 10. Should have safe mode.
- 11. Blade arc of excursion should be up to 5 degree.

3) Battery Charger with 4 batteries (Qty-1):

- 1. 220-240 volts charger and should have the feature to count the charging cycle for a particular battery.
- 2. Should have capability to identify the worn out battery.
- 3. Should have facility to charge four batteries at a time without any moduleor modification need.
- 4. Should have an indicator to provide battery status for charging.
- 5. Should be able to check over autoclaved battery cycles (Number of Time and Total Time).
- 6. Should have reconditioning futures for battery for NI-Cd battery.
- 7. Should be able to charge different batteries with same charger.
- 8. Li-ion Cell chemistry and also compatible with Ni Mh& Ni Ca batteries with low Internal impedance to deliver higher current than other battery types.
- 9. Should be 9.9 volts with capacity of 2.2 Ah
- 10. Weight should not be more than 0.9 lbs.

- 11. Li-ion cell with capacity to produce more torque and non-autoclavable 200 approximate & average charging cycles.
- 12. Should have a run time of minimum 21 minutes.
- 13. No need of reconditioning with no memory effect.
- 14. Should have Indicator light to inform user of low battery life.
- 15. Should have capability to regulate Voltage, Prevent battery energy level from being drained below a safety threshold where cells could potentially be damaged.
- 16. Should have capability to measures and Stores AutoclaveAbuse
- 17. Should have capability to safety features like Shuts off current to battery terminals when hand piece is not connected.

4) Sterilization Case (Qyt-2):

1. Should accommodate all hand piece, attachments and accessories for autoclave.

5) Certification:

- 1. Should have US FDA certification or should have CE certification.
- 2. Should have ISO certification

6) Service & Support:

- 1. The company must have their service center in India and the regional service support.
- 2. The company must provide a loaner support in case equipment is under warranty or under CMC
- 3. Company has to provide training & education for equipment handling to all CSSD. Bio Medical & OT Staff.
- 4. Company must have to do minimum two time preventive maintenance in one year, with company trained engineer.
- 5. Should quote for various accessories like batteries, Blades, Sternum Guard, battery case etc. which remain effective or next 3 years.
- 6. The company should either quote directly or through its Indian subsidiary. In case there is no Indian subsidiary, the authorized dealer only should quote the tender and should furnish proper original

7) Should be supplied with following blades free of cost

- 1. Vertical Reciprocating Sternum Blades: 30 Nos
- 2. Redo Oscillating Saw Blades: 30 Nos

6. ELECTROCARDIOGRAPH (ECG MACHINE)

Recording ECG Leads: 12 standard Leads Recording Channels: 3/1 user selectable LCD display of ECG Lend switching: manual and automatic. Sensitivity. mm/mV: 5, 10, 20. Calibration signal: automatic and manual. Diagnostic frequency range 0.67- 150 Hz or better Filters for mains frequency, low frequency. muscle artefact, high Frequency Recorder: Recording method: thermal paper Recording speed, mm/sec: 25/50 user selectable Channels acquired simultaneously:1/3 user selectable Channels printed simultaneously: 1/3 user selectable other features: Portable Mains and internal rechargeable battery operation Battery operating time, minimum: 90 min. Power requirements: 220 V, 50 Hz

Accessories:

1. Patient cable

- 2. 6 chest limb electrodes
- 3. 4 limb electrodes
- 4. 4 strap electrodes
- 5. 1 bottle ECG Gel
- 6. 2 rolls of paper or Z-Fold
- 7. Carry bag Standards CE; EC Marked US FDA; ISO certification

7. XENON SURGICAL HEAD LIGHT

Xenon 350 Surgical Illuminator. Lamp Type 300 Watt Cermax Style, Lamp Life (Median) 650 hrs Power Supply PS300-12 Type, Correlated Color Temperature 5600°K, Lumen Output 1800 Lumens, Minimum Optical NA 0.65, Lamp Replacement Side access door, no tools required Controls Main Power Illuminated

Push Button Lamp On/Off (standby) Momentary Membrane Switch Intensity Adjustment Range 0% to 100% (10% Increments) Increase Intensity +10% Momentary Membrane Switch Decrease Intensity -10%

Momentary Membrane Switch Full Bright Shortcut Momentary Membrane Switch Full Dim Shortcut, Momentary Membrane Switch Electrical input Voltage 100-240 VAC, 50/60 Hz Universal Input Current 6.0 Fuse Dual 250 VAC T6.3 A, 5x20 mm Displays Accumulated Lamp Hours Red LED, 3 digit intensity Green LED, 3 digit Lamp On Indicator Green indicator LED Accumulated Lamp Hours, Reset Button Combination (Full Dim, Decrease, lamp on/off) Classification Electrical Class 1, Type BF Water Ingress 1PX0-No Protection Operation Made Continuous

Safety, EMC and Regulatory Compliance CAN/CSA C22.2 No. 601.1 UL60601-1 CAN/CSA C22.2 No. 601.1.2 IEC/EN (60601-1-2 IEC/EN 60601- 1 Xenon Headlight LS Spot Size Range @ 16". Working Distance 40 mm to 120 mm SS Spot Size Range

@16" Working Distance 20 mm to 60 mm. Luminaire Body Width 82" (21 mm) Suspension Linkage 2- link, 3-point articulation

Xenon Headlight Fiber Fiber Length 8" or 10" (2.44 mor 3.05 m) Fiber Diameter

(core) 2.8 mm input Connector Style Storz (standard). Extended Wolf (optional adapter) Input Optical Interface Fused Glass (no epoxy) Fiber Protection 3-layer, PVC Inner Sheath. Stainless Steel Monocoil, Urethane Jacket Xenon Mobile Stand Base5 leg, 5 casters (2 locking) Casters Neoprene, precision bearings

Height 36" (914 mm) Base Diameter 23" (584 mm) Weight 17.5 lbs (8 kg)

ITEM 29. Binocular Loupes:

- Magnification: 4.0-4.5 x
- Working Distance: 550 350 mm
- Working Field Diameter: 80- 50 mm
- Pupil Distance: 47- 74 mm

8. MOTORIZED SUCTION PUMP

Suction Unit for Major Surgery Procedures. Mains-powered, mobile on 4 antistatic Castors, ABS Casing and 2 graduated Canisters of 2,000ml each made of Polycarbonate autoclavable at 121°C and disposable suction bags shall require no maintenance nor lubrication. Oil-free pump, maximum suction of at least 500 mm Hg Free flow rate at least 25 l/min Main Switch with Pilot Lamp. Fuses Pedal Action shall be equipped with a protective thermal cut-out relay. Shall be equipped with motor-protection cap that totally prevents aspirated liquids or secretions from reaching and damaging the vacuum pump Suction command with continuous adjustment. Vacuum-meter $2 \times 2,000$ ml Canisters with air proof screwing-cap with independent Overflow devices. Fast Connectors and silicone Tubing Power Supply: 220V AC50Hz.

Ventilation Fan for overheating.

Sound level: Shall be not more than 55 dbl

Accessories: Silicone Tubing, sterilizable Transparent Cannula Holder, Sterilizable Anti-Bacterial Filters (4) Set of 4 cannulae with Holder: YankhauerSoft Universal Yankhauer Diameter: 8.0/6.0mm with antisticking Lumen and High Suction Lumen Universal Soft Cannulae diameter: 6.0/4.0 mm Frazier Cannulae (Fergusson) diameter: 1.5/2.0/3.0/4.0mmlacksonCannulae 5×3/45×3/25×4/35×4/45×4/55×4/60×4 cm.

9. Arterial Blood Gas (ABG) Analyzer:

1. Should be able to measure directly PH, PCO)2, PO:, Sodium, Potassium, chloride and Calcium in a single run.

2. Should have minimum 15 calculated parameters including SaO2, pO2, Bi- carbonate (HCO3). lactate levels blood glucose level, Hb%, Standard HCO3, Base Excess of Blood(BE), Base Excess of extra cellular fluid.

- 3. Should have a sample through put of minimum 30 samples per hour.
- 4. Should have an automatic calibration for all the measured parameters without the use of gas cylinder.
- 5. Electrode should be individual with ON/OFF facility and durable.
- 6. Should have an inbuilt printer and minimum inbuilt memory of IOO samples
- 7. Warm up time should be less than 30 minutes.

8. Reagent pack for doing 1000 test. one deprotieniser of 125 ml. printer paper and one three level quality control of 5ml.

9. Should work on 200-240Vac 50Hz power supply.

10. Should be supplied with on line pure sine wave UPS of sufficient capacity for a minimum back of 30 minutes.

11. Should be provided with calibration certificate issued by the manufacturer at the time of installation and calibration certificate should be issued for the machine by the supplier during preventive maintenance visit in the warranty AMC period if demanded by the end user.

12. Should have safety certificate from a competent authority CE FDAS) (US)STQC certificate CB certificate /STQC S certificate or valid detaited electrical and functional safety test report from ERTL. Copy of the certificate / test report shall be produced along with the technical bid.

13. All types of electrodes supplied initially shall have one year warranty and there after any types of electrodes supplied shall have six months Warranty.

14. Reagents supplied should have at least six months shelf life.

15. All consumables should have at least 45 days on-board stability.

10. BLOOD WARMING AND INFUSION SET

- I. Specifications for Blood Warming and Infusion Set:
 - 1. Intended for use in operation theatre and ICU to deliver normothermic and warm blood and fluids at a very high infusion rate.
 - 2. Fast flow fluid infusion system
 - 3. Fluid warming integrated
 - 4. Air detection system integrated-ultrasonic air detection technology preferable
 - 5. Automatic stoppage of flow when air is detected
 - 6. Minimum 500 ml/minute flow
 - 7. Rigid pressure chambers should accommodate standard blood and crystalloid bag (one liter bag optional)
 - 8. Providing a constant pressure for rapid infusion
 - 9. On/Of toggle switch to quickly and easily pressurize chambers
 - 10. Dual bag connection facility
 - 11. Pole mounting facility/wheel facility
 - 12. Touch buttons for control
 - 13. All consumables for the equipment should be provided for 20 usage.

II. Operational Requirements:

- 1. The Blood Warming and Infusion Set should be user friendly, safe to use
- 2. Demonstration of the equipment is a must.

III. Standards, Safety and Training:

- 1. Should be FDA or CE or BIS approved product.
- 2. Electrical safety conforms to standards for electrical safety IEC-60601-1 General Requirements. (or equivalent BIS Standard)
- 3. Manufacturer/Supplier should have ISO certification for quality standards.
- 4. Certified for meting IEC60601-2-24 Particular requirements for the safety of infusion pumps and controllers
- 5. Should meet IEC 529 Level 3 and 4 (IP3X)(spraying and splashing water) for enclosure protection. water ingress.
- 6. Electrical Safety Classification Class /II, Type CF and Internally powered equipment.

IV. Power Supply

1. Power input to be 220-240V AC. 50Hz fitted with Indian plug

V. Documentation

- 1. User Manual and Service manual in English must be provided.
- VI. Installation, Commissioning and Testing.
 - 1. The equipment and all accessories should be transported, installed, tested and commissioned at the Department of CVTS, Super Specialty Hospital, GMC Srinagar, free of cost.

VII. Warranty and After Sales Service:

- 1. The Equipment including all accessories including bought out items should be under WARRANTY for a period of **THREE YEARS** after successful commissioning.
- 2. Comprehensive maintenance contract rates for 7 YEARS after warranty must be quoted and these would be taken into consideration while comparing price bids.
- 3. All spare parts and consumables should be available with supplier or principals for a period of at least 10 years.

4. Should have local service facility. The service provider should have the necessary equipment recommended by the manufacturer to carry out preventive maintenance test as per guidelines provided in the service/maintenance manual

VIII. Other tender conditions

- 1. Suppliers should have been in the market for at least 3 years and should have a satisfied user-base for this equipment.
- 2. Suppliers shouldhave made a large number of installations, within the last five years, in the country in reputed institutions and preferably in Government 1Hospitals with a proven track record of excellent after sales support or this system.
- 3. List of users must be enclosed.

. Repiration : Respiration rate 1-150bpmm sourced through ECO Cable or Carbon dioxide. Apnea should be provided.

Latest Microtream capnography with Capnogram display and digital display for EtCO2, Inspired concentration of carbon –DI-oxide and respiratory rate.

Four Invasive Blood Pressure - facility for monitoring four invasive BP with waveform simultaneously IBP Range -40 to 300mm Hg. Overlapping facility.

OPTIONAL FEATURES

- 1. Upgradable cardiac output Thermo-dilution method for continuous co2 monitoring .
 - COMPULSORY FEATURES
 - 1. 72 hours non –volatile graphical/Tubular trends with zoom facility and separate dedicated trend for storing minimum 200 NIBP readings.
 - 2. Should have multiple patient data storage facility (minimum 50 patients).
 - 3. Should have graded and color coded visual/audio alarms.
 - 4. Defibrillation and Cautery protection should be provided.
 - 5. Should have IR remote facility.
 - 6. Should be inbuilt dual channel thermal array recorder.
 - 7. Conforming to International standards- ICE 601-1, CE certification, US FDA should be supplied with
 - a. One 5 lead ECG Cable 1 No
 - b. Adult sensor 1 No
 - c. NIBP Cuffs (each one for Adult, Child and Neonatal applications). 2 Nos.
 - d. IBP reusable cable- 4 No.

11. C-ARM MOBILE IMAGE INTENSIFIER(C Arm)

Technical Specification1 \-RAY GENERATOR

- i. Type High Frequency minimum 20 Khz.ii.
- ii. Fluoroscopy anode potential 40 to 110kvp (ŮKvp step)
- iii. Fluoroscopy mA range Normal mode 0S to 4 mA
- iv. Power 1.4Kw II X-RAY TUBE i. Should he of reputed make ii. Type Stationary anode Rotating anode. iii. Focal spot:0.5.1.5mm
- III. IMAGE INTENSIER

Should be of reputed make.

Input field size maximum 9" (Triple field) iii. Grid on the entrance field: circular grid. IV

TV CAMERA SYSTEM

Type CCD with 752x582 pixels.

- a. Memory: Minimum 25 images non-volatile storage.
- b. Video Standard: PAL/NTSC V. TV monitor i. Two 17 /I8 19 or more LCDTFT monitors
- c. One for LIH and one for memory display. iii. Should have a viewing angle of 170 degree or more

IV. C-ARM CART

SID 880mm Orbital Travel: 115° (90/25) iii. C-am Pivotal rotation: =180 is Horizontal Travel 200mmv Vertical Travel: 400mm vi. Panning Movement: ±10 .vii. Depth of C-arm 600mm VII OTHER SPICIECATONS The unit should have the following facilities i Automatic KV and mA technique selection and manual mode ii. cumulative exposure timer tor fluoroscopy iii. Audible and Visual indication for X-ray emission. iv .360 degree rotation of images should be possible for I.III. and memory image after fluoroscopy without radiation) v. Image vertical and horizontal reversal should be possible on the LIH image after fluoroscopy (without radiation V Should not be personal computer based system

VII. Iris collimation or two pairs of parallel shutters which can be controlled independently and can be rotated viii. Should have at least 20cm distance between the focal spot and skin for radiation safety ix Should have a single / double steering wheel with 180° rotation x. Two sets of sterile drape for the X-ray tube assembly, Image intensifier and C-arm and cips to hold the drape on the c-arm should be provided. xi.

Cassette holder should be supplied. xii. Five lead aprons with thyroid guards xi. The quoted model and tube should be AERB type approved. Relevant copies of the certificate should be attached with the bid. xiv, Should have a facility to export images to a flash memory (USB port). VIII. POWER REQUIREMENTS i. Single phase, 230 Vac, 50Hz ii. Suitable stabilizer should be provided along with the unit.

IX. SPECIFICATION OF LEAD APRON. i. Should be AERB approved. i. Should be light weight 0.5mm lead equivalent. ii. Should be hook and loop type (Velero). iv. Should be supplied along with thyroid guard.

12.MULT-PARAMETER PATIENT MONITOR

Eight channel high resolution colour TFT display with 12.1" screen size and auto Spacing.

•User Selectable Display formats and waveform colours.

•FCG monitoring - 3/5 lead with cascade waveform facility, monitoring, diagnostic and OT modes of monitoring ECG, selectable Arrhythmia detection. Multi - lead ECG Monitoring (Simultaneous monitoring of 7 ECG leads), 12 lead Monitoring option. ECG recorder inbuilt with recording paper mandatory.

• ST segment analysis should be possible for simultaneous three leads.

• Pulse Oximetry (Sp02) Branded Nellcor Technology. Display of plethysmograph with perfusion level indicator and Sp02 values. Sp02 range 1-100%.

•Non Invasive Blood Pressure (NIBP)

Oscilloscope method for adult, child and neonate. Measurement and display of systolic, diastolic and mean pressure values of NIBP measurement.

• User selectable alarm settings.

• Mode : manual, STAT (Continuous 5 minute operation) and automatic (sclectable tine interval 2-90 minutes)

- Dual Temperature with two units (°C and "F) selectable.
- Temp Range) 50 Degree C Option for differential temperature should be provided.

13. Fibreoptic bronchoscope with monitor and recording facility for adult and paediatric (for comprehensive Airway Examination for Burns Patients)

Use: The Whole system should be able to be used for comprehensive examination of airway of all kinds of burn patients. It should consist of following equipment:

A. monitor-2 nos

- B. Accessories as mentioned below
- C. Equipment cart for monitor- 2 no
- D. Protective bags 1 nos
- 1. Monitor-

a. Should have screen size between 8 and 12" touchscreen LCD/TFT (or larger) wide angle viewing (160 $^{\circ}$ or better) with FHD resolution (or better) in 16:9 format.

b. It should have HDMII output for connecting to an external monitor which can display picture simultaneously on both screens.

c. It should be able to connect to twO upper airway blades at the same time (or more) with ability for picture swapping on touchscreen.

d. It should have integrated video processing & integrated recording of video and still images.

e. It should be able to document and display HD images and videos in real time.

f. It should have facility to connect flexible videoscope directly without the need of any special coupler.

g. It should have picture in picture & side by side mode to view images from 2 different blades or flexible video scopes.

h. It should be splash proof according to IP 54 (Or better)

i. It should have USB ports for easy data backup.

j. It should be fully usable even while charging.

k. Adult and Pediatric angulated Magill forceps (1 each) from the same

manufacturer to be provided for foreign body removal and for assisting nasal intubation while using upper airway blades

I. It should be mounted on a dedicated cart (from the same OEM).

2. ACCESSORIES TO BE PROVIDED WITH THE ABOVE

a. FLEXIBLE BRONCHOSCOPES (All should be lightweight, high resolution & portable with integrated camera chip and LED light illumination)

i. Standard Type (01 no)

1. FOV- 100° + 10°

2. Observation Range -3-100 mm (or better)

- 3. Distal end diameter 5.4 mm \pm 0.2 mm
- 4. Bending capability/Tip Deflection UP 150° + 10° DOWN 150° +10° (or better)
- 5. Working Length 600 mm (or more)
- 6. Instrument Channel- 2 mm ±0.1 mm
- 7. 5 cm interval marking on the scope

8. Should provide suction adaptors (disposable), cleaning brush and leakage tester along with carrying case.

- i. . Pediatric Type (01 no)
 - 1. FOV-100° t 10°
 - 2. Observation Range -3-100 mm (or better)

3.Distal end diameter-4.1 mm \pm 0.2 mm

4. Bending capability/Tip Deflection- UP $150^{\circ} \pm 10^{\circ}$ DOWN $150^{\circ} \pm 10^{\circ}$ (or better)

5.Working Length - 600 mm (or more)

- 6. 5 cm interval marking on the scope
- 7. Instrument Channel 1.2 mm ±0.1 mm

8. Should provide suction adaptors (disposable), cleaning brush and leakage tester along with carrying case.

- ii. Intubation video endoscope semi rigid with deflectable tip (02 no)
 - 1. For difficult intubation with minimal mouth opening
 - 2. FOV- 100° + 10°
 - 3. Observation Range 3-100 mm (or better
 - 4. Distal end diameter -5.4mm ± 0.2 mm
 - 5. Bending capability / deflection upto 60^o upon loaded with endotracheal tube.
 - 6. Working Length ____400mm (or more)

b.UPPER AIRWAY BLADES (01 each)

a. Blades and connecting cables should be fully immersible in disinfecting solution.

ii.The should be robust and light with high shock resistance that can tolerate accidental fall from waist height (or better).

- iii. They should have titanium handles (or equivalent/better metal/alloy with integrated camera chip and LED light illumination.
- iv. They should be of the same OEM as the monitor with plug and play functioning.
- v. They should have integrated multifunction button for easy documentation.
- vi. They should have ergonomic design for easy usage in paediatrics and neonates.
- vii. MACITOSH blades #0, 2,3,4,((2no. each) along with separate connecting cable with monitor –CMOs technology (or better) minimum resolution 800p (or better)
- viii. MILLER#0,1,2(2no.each) along with separate connecting cable with the monitor CMOS technology (or better) minimum resolution 800p (or better)
- ix. D-Blade- Adult, Pediatric (2no. each) along with separate connecting cable with the monitor-CMOS technology ,for difficult intubation.

3.EQUIPMENT CART

a. It should ride on 4(or more) antistatic, double castor wheels equipped with better locking brakes (or better).

b. It should be able to hold the flexible bronchoscopes (1 or more) , with basket for upper airway blades, as well as should mount the monitor.

c. It should be the same OEM as the respective monitor.

4. PROTECRTIVE BAG

a. Should be made of water resistant and sturdy material, washable.

b. It should have separate compartments for monitors, upper airway blades, & conventional laryngoscopes.

c. It should be of the same OEM as the respective monitor.

Demonstration of the equipment is required as per the bid document.

All the quoted items and accessories should be from the same OEM.

The item is mentioned in the list of 371 medical devices/equipment exempted from the instructions of Department of Expenditure (DoE) issued vide OMs no. F.12/17/2019-PPD dated 15.05.2020 & 28.05.2020 regarding Global Tender Enquiry at S.no, 186.

14. <u>Pediatric High Resolution flexible fiberoptic bronchoscope with</u> recorder and screen display system

Specifications of Monitor

1. It should be Lightweight and easy to set up on patient table / iV Pole

2. It should have minimum internal storage capacity of 30 -32 GB

3. It should have inbuilt rechargeable Lithium-ion Battery with 2 and more Hours back-up

4. It should have 2 USB Interface ports to transfer recorded High-resolution video and still images

5. Monitor should have HDMI cable for connecting to a big screen

6. The screen size should be minimum 12.5" (Diagonal)

7. The Screen should have Imnage Extend feature for enhanced viewing of Live images

8. It should display full frame HD resolution view and no circular view

9. High-resolution video and still images can be recorded with touch on the screen

10. It should have wi-fi capability to transfer data viz PACS and DICOM

11. Capability to attach two scopes at a time with spilt screen facility.

12. Flexible scopes should be connected directly with monitor without any special accessory

13. Scopes & monitor should be from same manufacturer

14. It should be capable of easy navigation and fast identification of anatomical landmarks

15. The scopes should be sterile packed & minimum length of the scope should be 600mm & 300mm.

16. It should have ET Tube parking slot & should have Intermittent Suction Controller button to control suction on pressing

17. The working channel should allow fluid instillation and oxygen flushing

18. An Introducer should be provided to facilitate introduction of endoscopic accessories with each scope.

19. Should have Control Lever on handle for the movement of distal tip up & Down 20. Should be supplied with single use scopes.

21. Flexible scopes should be suitable for the following procedures:

Intubation (oral & nasal) Bed side Bronchoscopy

Airway Inspection

Management of retained secretion

BAL & BW procedures

DLT placement and checking PDT procedures

Technical Features of Scopes

Neonatal Scope

Features	Slim Scope	Normal Scope	Large Scope	Neonatal Scope
Inner	1.0 - 1.2 mm	2.0- 2.2 mm	2.6 - 2.8 mm	
Diameter				
Outer Diameter	3.6 mm- 3.8 mm	4.8-5.0 mm	5.6-5.8 mm	2.8-3.0 mm
Working	Minimum 600 mm	Minimum600mm	Minimum600mm	Minimum300 mm

Length				
Bending	Minimum 170 ⁰ up	Minimum 170 ⁰ up,	Minimum 170 ⁰ up	Minimum 120 ⁰ up minimum
Range	minimum 170 ^o down	minimum 170 ⁰	minimum 160 ⁰	120 ⁰ down
		down	down	
Field of	80-85 ⁰	80-85 ⁰	80-85 ⁰	80-85 ⁰
view				
Depth of	6-50mm	6-50 mm	6-50 mm	6-50mm
Field				

- The system should have BIS certification (or equivalent/ better) and/or be US- FDA approved and/or European CE approved.
- One complete sets should include the following: Monitor (02 nos), Slim Scope (02 nos), Normal scope (02 nos), Large scope (02 nos), Neonatal scopes (02 nos).
- The rate of consumables shall be fixed for the life cycle of the equipment.

All the quoted items and accessories should be from the same OEM.

The item is mentioned in the list of 371 medical devices/ equipment exempted from the instructions of Department of Expenditure (DoE) issued vide OMs no. F.12/17/2019-PPD dated 15.05.2020 & 28.05.2020 regarding Global Tender Enquiry at S. no.315.

15. TECHNICAL SPECIFICATIONS OF "IMPULSE OSCILLOMETRY" Or Forced Oscillometry Technique.

- 1. Measurement of respiratory impedance by Forced Oscillations Technique (FOT) or Impulse Oscillometry Method (IOS).
- 2. It should be based on Signal Optimized pseudarandom Noise (PRN) Single Frequency Mode / Multiple Frequency mode between 5Hz and 30 Hz.
- 3. It should able to measure Respiratory System Impedance (both Resistance and Reactance) with within breath (i.e. separate inspiratory and expiratory) and whole- breath analysis at each frequency, Resonance frequency, and frequency dependency.
- 4. It must be suitable for use in both adult and paediatric patients.
- 5. It must report coefficient of variations (CoV) or coherence at each frequency for quality assurance .
- 6. The measurements should be fast and the processing time should be less than 30 seconds.
- 7. The instrument should be supplied with suitable trolley for easy operation.
- 8. The equipment must be portable for carrying out test in field conditions or bedside.
- 9. Electrical requirements : 100-240V± 10%, 50/60 Hz
- 10. Environmental conditions: Temperature 12-40 °C; Humidity 30-100%
- 11. Software should be supplied with the equipment for reporting, data storing, and retrieving for research purpose and should provide software which enable to connect to hospital information system and workflow both online and offline
- 12. Unit should be CE & USFDA approved
- 13. The system should be supplied with all essential accessories.
 - a. Reference impedance for calibration : one
 - b. Antibacterial Filters: 100nos
 - c. Compatible Desktop PC with > 18.5" LED Colour monitor, windows 10 with 64 Bit, 8GB RAM, Intel i5 processor or above , 500GB SSD or above.
 - d. High quality inktank printer:
 - e. UPS (1KVA): 01 for power back up to 30 minutes.

16. SPECIFICATIONS FOR CARDIOPULMONAY EXERCISE TESTING SYSTEM (CPET)

- Unit should have dedicated system integrated in one system for measurement of Cardio Pulmonary Exercise with display size of more than 22"
- Complete sytem shbuld be from same manufacturer including Ergo Spiro.
- Sytem should able to measure both cardiac and pulmonary activities simultaneously
- Shuld have integrated 12 lead exercise ECG with full disclosure and scroll back option during exercise test.
- Should have software for ECG analysis with measurement and interpretation
- Should have facility for Duke Treadmill score to assess the risk of sudden cardiac death
- Should have 16 lead ECG acquisition and analysis for Resting ECG and Exercise ECG and Exercise ECG
- Should have facility for automatic arrhythmia detection.
- Should have inbuit high resolution thermal printer from where complete test report along with summary of test can be taken. Also should have facility to take print out on external printer if required.
- Should have sampling frequency more than 8000hz for better quality of ECG Technical Specification ECG part
 - Frequency Range : 0-370hz
 - Sampling Frequency : 8000 hz or more samples/ second
 - Input impedance : > 100mohm

Printer: Inbuilt high resolution thermal printer.

- Should be supplied with heavy duty treadmill
- Should have facility to connect both Treadmill and Ergo Bicycle with system if required.
- Should have two separate ports for both Treadmill and Ergo Bicycle connection which can be operated through software without any disconnection.

Respiratory Specification

- Should have facility to test Breath by Breath ergo spiro
- System should allow to customize own panel during cardiopulmonary exercise testing
- Should display data and charts therough standard 9 panel wasserman plot
- Should have facility for real time acquisition and capturing of dynamic flow volume for End Expiratory Volume Loops for evaluation of ventilatory limitation.
- Should have facility for detection of At & RCP automatically at the end of test.
- Should hve facility for multiple ventilator threshold detection analysis
- System should allow for post editing for threshold calculations, ATI/VTI, AT2/VT2, Vo2 max, VCo2 Max, VE/VCo2 slope and other parameters.
- Should have light weight pneumotach sensor based on variable orifice which meets ATS/ERS requirements
- Should have fast response and durable O2 technology for measuring O2 and latest ultrasound technology for CO2 measurement
- CO2 cell should work for along life without periodic calibration. Technical Specificaton for Ergo Spiro
- Flow measurement method : Variable orifice Pneumotach Sensor
- Measurement Range: 0 to ± 22 I/s
- Accuracy:<±3%
- Volume Range : 0 to 350 I
- Accuracy :±3%
- O2 Analyser Measurement Method : Electrochemical Principal Measurement Range: 0 to 40%
- CO2 Analyser Measuring Method : Ultrasound Techology Measurement Range : 0 to 15% CO2
- Unit Should have facility to take FEV1 value as reference value as reference value before test

- Unit Should be supplied with following accessories.
- b. Main Unit integrated system with inbuilt thermal printer .
- c. Heavy Duty Treadmill:
- d. Servo Stabiliser:
- e. Pnemotach Sensor:
- f. Seal tight mask (Large, Medium):
- g. Laser Printer :
- h. Chest Electrodes :
- i. Calibration Gas Cylinder 6 Ltr

17. FeNO Analyzer

Accuracy ±5ppb of measured value ≤ 50ppb.± 10% of measured value . 50ppb Operating Temp range Upto 40° C Other features The system should be able to measure : Maximal Value of Exhaled No in ppb. Delivers resulting single successful measurement. Measurements modes: 10 secs for Adult & 6 seconds Peadiatric Should produces FeNO result it test has been performed correctly Allows immediate re-test if correct flow rate not achieved without waiting time. Audio & visual guidance during Measurement with minimum 3 animation modes Detection principle of FeNO should be based on electro chemical sensor method. The system should be able to measure exchaled nitric oxide in the range of 5 to 300 ppb with automated drift compensation to ambient conditions. The device allows inhalation of No-free air. Should have inhale. Exhale method thru scrubber ensuring the exhsalation reflects their true FeNo level. The system should be able to perform at any level of ambient No. It should have an ability to offset the ambient No by using a scrubber. The should have Nasal No. (both Tidal & Velum Method) application. Should be supplied with standard Accessories for measuring Nasal No. (Tidal & Velum Method). Pre-calibrated during the production and are service – and calibration- free systems. The devices should be herther maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor. Point of care protability , Touch Screen with rechargeable Lithium ion	SPECIFICATIONS	Requirement	
range Other features The system should be able to measure : Maximal Value of Exhaled No in ppb. Delivers resulting single successful measurement. Measurements modes: 10 secs for Adult & 6 seconds Peadiatric Should produces FeNO result it test has been performed correctly Allows immediate re-test if correct flow rate not achieved without waiting time. Audio & visual guidance during Measurement with minimum 3 animation modes Detection principle of FeNO should be based on electro chemical sensor method. The system should be able to measure exchaled nitric oxide in the range of 5 to 300 ppb with automated drift compensation to ambient conditions. The device allows inhalation of No-free air. Should have inhale. Exhale method thru scrubber ensuring the exhsalation reflects their true FeNo level. The system should be able to perform at any level of ambient No. It should have na ability to offset the ambient No by using a scrubber. The should have Nasal No. (both Tidal & Velum Method) application. Should be supplied with standard Accessories for measuring Nasal No. (Tidal & Velum Method). Pre-calibrated during the production and are service – and calibration-free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor. Point of care protability , Touch Screen with rechargeable Lithium ion battery Instrument memory should be ≥ 14000 test result It should have USB, Bluetooth Connec		\pm 5ppb of measured value \leq 50ppb. \pm 10% of measured value . 50ppb	
Other features The system should be able to measure : Maximal Value of Exhaled No in ppb. Delivers resulting single successful measurement. Measurements modes: 10 secs for Adult & 6 seconds Peadiatric Should produces FeNO result it test has been performed correctly Allows immediate re-test if correct flow rate not achieved without waiting time. Audio & visual guidance during Measurement with minimum 3 animation modes Detection principle of FeNO should be based on electro chemical sensor method. The system should be able to measure exchaled nitric oxide in the range of 5 to 300 ppb with automated drift compensation to ambient conditions. The device allows inhalation of No-free air. Should have inhale. Exhale method thru scrubber ensuring the exhalation reflects their true FeNo level. The system should be able to perform at any level of ambient No. It should have an ability to offset the ambient No by using a scrubber. The should have Nasal No. (both Tidal & Velum Method) application. Should be supplied with standard Accessories for measuring Nasal No. (Tidal & Velum Method). Pre-calibrated during the production and are service – and calibration-free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor. Point of care protability , Touch Screen with rechargeable Lithium ion battery Instrument memory should be ≥ 14000 test result It should have USB, Bluetooth Connectivity for computer attachment & EMR / HL	Operating Temp	Upto 40° C	
ppb. Delivers resulting single successful measurement. Measurements modes: 10 secs for Adult & 6 seconds Peadiatric Should produces FeNO result it test has been performed correctly Allows immediate re-test if correct flow rate not achieved without waiting time. Audio & visual guidance during Measurement with minimum 3 animation modes Detection principle of FeNO should be based on electro chemical sensor method. The system should be able to measure exchaled nitric oxide in the range of 5 to 300 ppb with automated drift compensation to ambient conditions. The device allows inhalation of No-free air. Should have inhale. Exhale method thru scrubber ensuring the exhsalation reflects their true FeNo level. The system should be able to perform at any level of ambient No. It should have an ability to offset the ambient No by using a scrubber. The should have Nasal No. (both Tidal & Velum Method) application. Should be supplied with standard Accessories for measuring Nasal No. (Tidal & Velum Method). Pre-calibrated during the production and are service – and calibration-free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor. Point of care protability , Touch Screen with rechargeable Lithium ion battery Instrument memory should be ≥ 14000 test result It should have USB, Bluetooth Connectivity for computer attachment & EMR /	range		
Measurements modes: 10 secs for Adult & 6 seconds Peadiatric Should produces FeNO result it test has been performed correctly Allows immediate re-test if correct flow rate not achieved without waiting time. Audio & visual guidance during Measurement with minimum 3 animation modes Detection principle of FeNO should be based on electro chemical sensor method. The system should be able to measure exchaled nitric oxide in the range of 5 to 300 ppb with automated drift compensation to ambient conditions. The device allows inhalation of No-free air. Should have inhale. Exhale method thru scrubber ensuring the exhsalation reflects their true FeNo level. The system should be able to perform at any level of ambient No. It should have an ability to offset the ambient No by using a scrubber. The should have Nasal No. (both Tidal & Velum Method) application. Should be supplied with standard Accessories for measuring Nasal No. (Tidal & Velum Method). Pre-calibrated during the production and are service – and calibration-free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor. Point of care protability , Touch Screen with rechargeable Lithium ion battery Instrument memory should be ≥ 14000 test result It should have USB, Bluetooth Connectivity for computer attachment & EMR / HL7 Compatibility.	Other features	The system should be able to measure : Maximal Value of Exhaled No in	
Should produces FeNO result it test has been performed correctly Allows immediate re-test if correct flow rate not achieved without waiting time. Audio & visual guidance during Measurement with minimum 3 animation modes Detection principle of FeNO should be based on electro chemical sensor method. The system should be able to measure exchaled nitric oxide in the range of 5 to 300 ppb with automated drift compensation to ambient conditions. The device allows inhalation of No-free air. Should have inhale. Exhale method thru scrubber ensuring the exhsalation reflects their true FeNo level. The system should be able to perform at any level of ambient No. It should have an ability to offset the ambient No by using a scrubber. The should have Nasal No. (both Tidal & Velum Method) application. Should be supplied with standard Accessories for measuring Nasal No. (Tidal & Velum Method). Pre-calibrated during the production and are service – and calibration-free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor. Point of care protability , Touch Screen with rechargeable Lithium ion battery Instrument memory should be ≥ 14000 test result It should have USB, Bluetooth Connectivity for computer attachment & EMR / HL7 Compatibility.		ppb. Delivers resulting single successful measurement.	
Allows immediate re-test if correct flow rate not achieved without waiting time. Audio & visual guidance during Measurement with minimum 3 animation modes Detection principle of FeNO should be based on electro chemical sensor method. The system should be able to measure exchaled nitric oxide in the range of 5 to 300 ppb with automated drift compensation to ambient conditions. The device allows inhalation of No-free air. Should have inhale. Exhale method thru scrubber ensuring the exhsalation reflects their true FeNo level. The system should be able to perform at any level of ambient No. It should have an ability to offset the ambient No by using a scrubber. The should have Nasal No. (both Tidal & Velum Method) application. Should be supplied with standard Accessories for measuring Nasal No. (Tidal & Velum Method). Pre-calibrated during the production and are service – and calibration-free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor. Point of care protability , Touch Screen with rechargeable Lithium ion battery Instrument memory should be ≥ 14000 test result It should have USB, Bluetooth Connectivity for computer attachment & EMR / HL7 Compatibility.		Measurements modes: 10 secs for Adult & 6 seconds Peadiatric	
waiting time. Audio & visual guidance during Measurement with minimum 3 animation modes Detection principle of FeNO should be based on electro chemical sensor method. The system should be able to measure exchaled nitric oxide in the range of 5 to 300 ppb with automated drift compensation to ambient conditions. The device allows inhalation of No-free air. Should have inhale. Exhale method thru scrubber ensuring the exhsalation reflects their true FeNo level. The system should be able to perform at any level of ambient No. It should have an ability to offset the ambient No by using a scrubber. The should have Nasal No. (both Tidal & Velum Method) application. Should be supplied with standard Accessories for measuring Nasal No. (Tidal & Velum Method). Pre-calibrated during the production and are service – and calibration- free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor. Point of care protability , Touch Screen with rechargeable Lithium ion battery Instrument memory should be ≥ 14000 test result It should have USB, Bluetooth Connectivity for computer attachment & EMR / HL7 Compatibility.		Should produces FeNO result it test has been performed correctly	
Audio & visual guidance during Measurement with minimum 3 animation modes Detection principle of FeNO should be based on electro chemical sensor method. The system should be able to measure exchaled nitric oxide in the range of 5 to 300 ppb with automated drift compensation to ambient conditions. The device allows inhalation of No-free air. Should have inhale. Exhale method thru scrubber ensuring the exhalation reflects their true FeNo level. The system should be able to perform at any level of ambient No. It should have an ability to offset the ambient No by using a scrubber. The should have Nasal No. (both Tidal & Velum Method) application. Should be supplied with standard Accessories for measuring Nasal No. (Tidal & Velum Method). Pre-calibrated during the production and are service – and calibration- free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor. Point of care protability , Touch Screen with rechargeable Lithium ion battery Proint of care protability , Touch Screen with rechargeable Lithium ion battery Instrument memory should be ≥ 14000 test result It should have USB, Bluetooth Connectivity for computer attachment & EMR / HL7 Compatibility.			
Detection principle of FeNO should be based on electro chemical sensor method. The system should be able to measure exchaled nitric oxide in the range of 5 to 300 ppb with automated drift compensation to ambient conditions. The device allows inhalation of No-free air. Should have inhale. Exhale method thru scrubber ensuring the exhsalation reflects their true FeNo level. The system should be able to perform at any level of ambient No. It should have an ability to offset the ambient No by using a scrubber. The should have Nasal No. (both Tidal & Velum Method) application. Should be supplied with standard Accessories for measuring Nasal No. (Tidal & Velum Method). Pre-calibrated during the production and are service – and calibration-free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor. Point of care protability , Touch Screen with rechargeable Lithium ion battery Instrument memory should be ≥ 14000 test result It should have USB, Bluetooth Connectivity for computer attachment & EMR / HL7 Compatibility.		Audio & visual guidance during Measurement with minimum 3	
The system should be able to measure exchaled nitric oxide in the range of 5 to 300 ppb with automated drift compensation to ambient conditions. The device allows inhalation of No-free air. Should have inhale. Exhale method thru scrubber ensuring the exhsalation reflects their true FeNo level. The system should be able to perform at any level of ambient No. It should have an ability to offset the ambient No by using a scrubber. The should have Nasal No. (both Tidal & Velum Method) application. Should be supplied with standard Accessories for measuring Nasal No. (Tidal & Velum Method). Pre-calibrated during the production and are service – and calibration-free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor. Point of care protability , Touch Screen with rechargeable Lithium ion battery Instrument memory should be ≥ 14000 test result It should have USB, Bluetooth Connectivity for computer attachment & EMR / HL7 Compatibility.		Detection principle of FeNO should be based on electro chemical sensor	
Exhale method thru scrubber ensuring the exhsalation reflects their true FeNo level.The system should be able to perform at any level of ambient No. It should have an ability to offset the ambient No by using a scrubber.The should have Nasal No. (both Tidal & Velum Method) application. Should be supplied with standard Accessories for measuring Nasal No. (Tidal & Velum Method).Pre-calibrated during the production and are service – and calibration- free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor.Point of care protability , Touch Screen with rechargeable Lithium ion batteryInstrument memory should be ≥ 14000 test resultIt should have USB, Bluetooth Connectivity for computer attachment & EMR / HL7 Compatibility.		The system should be able to measure exchaled nitric oxide in the range of 5 to 300 ppb with automated drift compensation to ambient	
The system should be able to perform at any level of ambient No. It should have an ability to offset the ambient No by using a scrubber. The should have Nasal No. (both Tidal & Velum Method) application. Should be supplied with standard Accessories for measuring Nasal No. (Tidal & Velum Method). Pre-calibrated during the production and are service – and calibration- free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor. Point of care protability , Touch Screen with rechargeable Lithium ion battery Instrument memory should be ≥ 14000 test result It should have USB, Bluetooth Connectivity for computer attachment & EMR / HL7 Compatibility.		Exhale method thru scrubber ensuring the exhsalation reflects their true	
Should be supplied with standard Accessories for measuring Nasal No. (Tidal & Velum Method). Pre-calibrated during the production and are service – and calibration-free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor. Point of care protability , Touch Screen with rechargeable Lithium ion battery Instrument memory should be ≥ 14000 test result It should have USB, Bluetooth Connectivity for computer attachment & EMR / HL7 Compatibility.		The system should be able to perform at any level of ambient No. It should have an ability to offset the ambient No by using a scrubber.	
free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem FET) sensor. Point of care protability , Touch Screen with rechargeable Lithium ion battery Instrument memory should be ≥ 14000 test result It should have USB, Bluetooth Connectivity for computer attachment & EMR / HL7 Compatibility.		Should be supplied with standard Accessories for measuring Nasal No.	
battery Instrument memory should be ≥ 14000 test result It should have USB, Bluetooth Connectivity for computer attachment & EMR / HL7 Compatibility.		free systems. The devices should be further maintenance – free and does not require any exchange of the internal Chemical Field Effect (Chem	
It should have USB, Bluetooth Connectivity for computer attachment & EMR / HL7 Compatibility.			
It should have USB, Bluetooth Connectivity for computer attachment & EMR / HL7 Compatibility.		Instrument memory should be \geq 14000 test result	
		It should have USB, Bluetooth Connectivity for computer attachment &	
Software to be latest & original			
	Essential Accessories.	Consumables (Filter) expiry more than 3 years. Should supply > 300	
System life should last at least for five year or > 15000 tests.			

18. SPECIFICATION OF THULIUM FIBER LASER SYSTEM FOR LITHOTRIPSY

1. The equipment must be compact Thulium Fibre Laser with minimum power setting of 35W.

- 2. The equipment must have super pulse mode and CW mode for the versatility of equipment.
- 3. The equipment must be able to perform Lithotripsy, Coagulation & Ablation.
- 4. The equipment must have an integrated facility be used for the following procedures-Stones, Bladder Neck Incision, Strictures, Tumours, Endo Pyelotomy etc.
- 5. The equipment must supply with 150 microns reusable fibres. All the fibres must be reusable and non-locking to minimize procedure cost.
- 6. The equipment should have maximum peak power 500W to minimize repulsion.
- 7. The equipment must have adjustable pulse width (Short/Medium/Long) for soft tissue application.
- 8. The equipment should be air cooled so that it should free from demonized water and bag/Filters.
- 9. The equipment should have emergency Switch to shut off operation completely.
- 10. The equipment should have touch screen display for treatment selection.
- 11. The equipment should have fine stone dusting, stone dusting, Fragmentation, and popcoming modes for the treatment of different types of stones & compositions.
- 12. The equipment should have green aiming beam for user friendly.
- 13. The equipment should be portable which can easily transport in specific case.
- 14. The equipment must have facility to display dual program at a time for time efficiency.
- 15. The equipment should have dual foot paddle with pause button for time effective procedure and also have freedom choosing the program.
- 16. Only original equipment manufacturer (OEM) or its exclusive authorized distributor must quote the tender. There must be an Indian subsidiary of foreign manufacturer with their regional service centres in all regions (North, West South) in India for frequent communication and prompt after sales service.
- 17. The manufacturer should have ISO 9001 & ISO 13485 to ensure about the quality of product.
- 18. The equipment/Technology should be from Europe or USA or USSR. The Product should have European CE or US FDA or Russian medical Registration Certificate to ensure about the Quality of product.
- 19. Distributor/Manufacturer must have installed minimum 100 units of quoted model in India to get genuine feedback.
- 20. Distributor/Manufacturer must provide user performance certificates of last 3 years for same models.
- 21. The main equipment should be supplied with 02 year warranty.
- 22. The consumables will not cover under warranty/CMC

The equipment should have the following technical specification.

a) Wavelength	: 1.94µm
b) Laser Power	: 35W (Adjustable for all different modes)
c) Max. Laser Energy	: 0.025 J-4.6 J (Adjustable for all different modes)
d) Max. Peak Power	: 600W
e) Pulse	: Adjustable (Short/Medium/Long)
f) Repetition Rate	: 5Hz – 1400Hz (Adjustable for all different modes)

g) Aiming Beam	: 523µm, <1mW, adjustable, for better contrast at
	tissue level
h) Power Required	: 220 \pm 10 , 50/60 Hz, at single phases
i) Weight	: 36Kg

Following Accessories:

- a) Reusable & non-locking Fibers: 150 microns/200 microns/400 microns/600 microns (2 no of each size) 08 Nos
- b) Fibre Inspection Scope 1 No.
- c) Laser Safety goggles 2 No.
- d) Fibre Cleaver- 1 No.
- e) Fibre Stripper- 1 Set
- f) Dual Foot Pedal- 1 No.
- g) Manual-1 Set
- h) Indigenous Trolley- 1 No.

S.No	Instrument with specifications
19.	 Elctro convulsive therapy (ECT) machine Computerised ULTRA Brief Pulse ECT Machine along with ECG, EMG,OMS EMG should have following Technical Specifications: Constant current bi-directional square wave Brief Pulses and same can be used as an ultra-brief pulse ECT. ECT with EEC ECG, EMG OMS (Optical Motion Sensor) monitoring Able to deliver ECT from voltage 50-400 volts. Pulse Width=0.1 millisecond to 2.0 milliseconds Frequency =20Hz to 140Hz Duration of current =0.1 seconds to 30 seconds Current 500 mAmp to 800 mAmp Electrode placement: both Unilateral and Bilateral Should be provided with optical motion sensor for monitoring motor Movement during seizure. Should having a comprehensive database to store the complete patient information and can be configured according to user needs. Facility to record complete Digital EEG 1-32 channel System with brain mapping
	System should have following accessories: Spring loaded ECT Headband, Instruction Manual, EEG,EMG & ECG Electrodes, OSM sensor, Bite Block, Earthing wire, Conductive Jelly, Paper Rim, Rubber Strap Electrodes, EEG Gold Plated Electrodes,
	Should be supplied with Laptop computer hardware.
20.	DIGITAL VIDEO EEG 32 Channel digital EEG System along with Brain Mapping and facility to monitor during EEG with ECG EMG Respiration monitoring

PORTABLE OT LIGHT

- LED Technology In portable OT Light should be providing illumination close to natural light & ensure clear visibility of tissues and deeper cavities of body.
- The color Temperature and Colour Rendering Index should be close to average daylight, and the surgeon should see the real colour of the tissue & organ during Surgery.
- The Life of LED should be minimum 50,000 working hours.
- There should be control Panel situated on the dome for Light intensity Adjustable Color Temperature , ENDO Mode, and On- Off etc.
- Light Head should be fully concealed so that dust may not enter inside the dome.
- Each dome should have 18 multifaceted reflectors and each reflector should be fitted with 3LEDs.
- Focussing should be Sterlizable Handle and should be Hygiene Oriented
- Movements should be Axial, Angular, and Radial.
- Digital Control with shift luminous 10 to 100% for selection
- Optimized Air flow design to enable clean air to reach surgical field directly achieving the purification effect of laminar airflow, and should have streamline surfaces to reduce turbulence .
- Light should be Optically designed to deliver optimum intensity of light, without glare for operating surgeon, with special optical technique of indirect illumination and luminous contrast management to deliver glare free light to prevent surgeon eye fatigue.

Technical Specifications:-

- Light Intensity : 1,50,000 Lux
- No of domes. One
- No of LED's : 18x3=54LEDs
- Colour Temp Variable : 3800K -5000K
- ENDO Mode
- Color Rendering Index : 94.89%
- Battery Backup: 2 Hrs
- Company should have ISO Certification/CE/IEC.
- Optional: Remote Control and Memory function
- Class Type MDD.
- Temperature rise in field.
- Diameter of Illumination.

- Sport Diameter/Depth of Illumination (at 1 Meter).
- Protection Type.(I.P Code)
- Power supply with inbuilt voltage transformer.

Technical Specifications of Rapid Cassette Autoclave:

	Table top or bench top steam sterilizer`				
Sterilizer chamber capacity	5 – 10 liter				
in L (usable volume)					
Type of Cycle processes	Drl-Tec during – process				
Sterilizer Chamber Type	Removab	le cassett	e		
Sterilizer Chamber Material	SS 304 or	better gr	ade stee	el	
Working Pressure of Chamberr	2.2 bar/2	12 K/pasc	les.		
Design Pressure of Chamber	3.8 bar/3	80 K/pasc	les		
Door sealing	-			ket suitable	e to withstand
	-		•		pressure up to 20-
Inlet Air Filtration:	Yes Atm	ospheric a	air shal	l enter the	sterilization
	chamber	after its fi	iltering l	oy a dispos	able air filter
	provided	in the equ	uipment		
Air Filter efficiency	>99.998%		1		
Sterilization Cycle Processes		Unwrappe d	Wrappe d	Rubber/plast ic	Heavy duty Unwrapped/Air drying
	Sterilizatio n Time	3-5min	6 min	15 min	6 mins
	Sterilizatio n Temp	134°C	134°C	121°C	134°C
The water circulation	Yes				
system without drain point					
and fixed water Inlets are					
required:					
Inbuilt water reservoir with	Yes				
Storage capacity of 3-5 litre					
with easy access for cleaning	cleaning				
to avoid bio film.					
Inbuilt steam generator	Yes				
	162				
Type of control system	Microprocessor based PLC system specification				
available for sterilizer cycle	designed for sterilization operations, with CPU				
operation	processor with battery backup, digital input/output				

	controls, analog measuring inputs & COM ports, for printer and PC connectivity Automatic process checking, self- checking of safety devices and failure correction should be possible by the control system.
Power Source:	220 Volt, 50 Hz AC electric supply
Power Supply	220 vlts, 50 Hz AC electric Single phase
Number of Trays in Steriliser chamber	1
Sterilizer loading Type :	Front loading
Audio visual Alarm facility	Temperature sensor failure, Pressure sensor failure, Low water level, Cassette improperly closed.
Displays and Adjustments	Temperature, Pressure and Timings.

Accessories, consumable & Warranty

Accessories:	Each tabletop autoclave unit shall be supplied along with one cassette with 5 levels and one set of suitable sized instrument trays as per specification of the Autoclave and optional trays, if possible.
Warranty	05 Years
Consumables: Sterilizers unit	300 sterilization cycles.
to be supplied with	
consumable to carry out	
sterilization cycles	

Overall Size

Overall Height	50-60cms
Overall Width	40-50 cms
Overall Depth	15-20 cms

Quality and Certifications

Compliance of Chamber for	Yes
Chamber Ensure Equipment	
Directives (PED) AND E	
13445 norms.	
Quality Compliance for	Yes
quality systems	
Certifications:	European CE and USFDA

Machinery/Equipment (Bipartite Agreement)

Annexure IV

[on Rs. 100/- Non-Judicial Stamp Paper- "Affidavit"]

Agreement: 1

(For Manufacturers/ Direct Importers only)

Whereas the (Original Manufacturer/ Direct Importer) (Second Party)) have agreed to supply to First Party (Purchaser),Machinery & Equipment/Instruments with specifications mentioned in the scheduled attached here to at the prices noted herein and in the manner and under the terms and conditions herein after mentioned and whereas the second party has agreed to deposit performances security to first party, equivalent to 3% of the tentative cost/ contract value (rounded to the nearest round number) in the scheduled attached as per clause 11 of the tender document in the form bank of guarantee for the due and faithful performance of this agreement, to be forfeited in the event of Second Party failing duly and faithfully to perform it. Now these presents witness that for carrying out the said agreement in this behalf into execution the Second Part and the First Party (Purchaser) do hereby mutually covenant, declare, contract and agree each of them in the manner following, that is to say,

1. The term "Agreement", wherever used in these connection shall mean and includes the terms and conditions contained in the invitation to bid floated for the rate contract cum supply for Machinery & Equipment/Instruments for Jammu & Kashmir Medical Supplies Corporation Limited (Rate Contract for two years (24) months period, extendable for another three (03) months with mutual consent) (NIT/JKMSCL/M&E/2022/...... dated and technical bid opened on, the instructions to bidders, the condition of bid, acceptance of bid, particulars herein after defined and those eligibility criteria, general conditions and other conditions that may be added from time to time.

2.1. The agreement is for the supply, by the Second Party (Suppliers) to the First Party (Purchaser), of the Machinery & Equipment/Instruments on terms and conditions set forth in the agreement.

2.2. This agreement shall be deemed to have come into force with effect from the date of signing of the agreement and it shall remain in force up to a period of two years (24) months which can further be extended for another three (03) months with mutual consent of First Party and Second Party.

2.3. The bid quantity noted against each item in the scheduled attached here to indicates only the probable/ tentative total requirement of the First Party in respect of each item for the agreement period indicated in clause "2.2" above. This quantity may increase or decrease at the discretion of the First Party. The Second Party (Supplier) shall make supplies of the Machinery & Equipment/Instruments on the basis of Purchase order only placed on him/ her from time to time by the ordering authority of First Party (Purchaser-JKMSCL) specifying the quantity required to be supplied at a specific location/ locations within the UT of Jammu and Kashmir.

2.4. The Second Party shall have no right/ query regarding placing of orders against the tentative requirement mentioned in the schedule enclosed which may increase or decrease or First Party may not issue any order for certain item/ items mentioned therein the schedule enclosed/ tentative/ Indicative quantity.

2.5. The release of payment shall be as per terms and conditions/ payment clause 17 of the tender document and after successful installation of the Machinery/Equipments at the end user site and after due verification of bills by the end user department and deduction and penalties as per the clause 18 & 19 of the tender document.

3. SUPPLIES ON THE RATE CONTRACT OF JKMSCL:

The Second Party shall in no case, use the rate contract of JKMSCL for making supplies and / or comparing of rates to/ with any of other department(s)/ agency(ies)/ NGO etc. In case Second Party supplies any of the item(s) at the rate contract or provides the document for comparison of rates or otherwise, to any other department(s)/ agency(ies)/ NGO(s) etc, the defaulted Second Party shall have to pay 7.5% of the total invoice value of the product(s) supplied to other department(s)/ agency(ies) etc at the rate contract of JKMSCL as penalty to the first party (JKMSCL-purchaser) and further the Second Party shall be liable to be considered for Debarring/ Blacklisting for a period not less than five years.

4. TERMINATION OF CONTRACT ON BREACH OF CONDITION.

4.1. In case the supplier fails or neglects or refuse to faithfully perform any of the covenants on his part herein contained, it shall be lawful for the First Party to forfeit the amount deposited by the supplier (second party) as performance security and cancel the contract.

4.2. In case the Second Party neglects or refuse to observe, performs, fulfil and keep, or any one or more or any part of any one of covenants, stipulation and provisions herein contained, it shall be lawful for the First Party on any such failure, neglect or refusal, to put an end to this agreement and there upon on every article, cause and thing herein contained on the part of First Party shall cease and be void and in case of any damage, loss, expenses, differences in cost or other from out of deposit/ due for the time being payable to the Second Party under this and/ or any other contract and in case such last mentioned deposit/ dues are insufficient to cover all such damages, loses, expenses, difference in cost and other deposit as aforesaid, it shall be lawful for the First Party to appropriate the performance security made by the supplier as herein before mentioned to reimburse all such damages, losses, expenses and difference in cost and other money as the purchaser shall be sustained, incurred or been put to by reason of the Second Party (Supplier) having

been guilty of any such failure negligence or refusal as aforesaid or other breach in the performance of this contract.

4.3. If any time during the course of contract it is found that the information furnished by the Second Party (Supplier) to the First Party (Purchaser) either in his bid or otherwise, is false, the purchaser may put on end to the contract/ agreement wholly or in part and thereupon the provision of clause "4.1" above shall apply or any other action are deemed fit by the First Party may also apply.

4.4. The First party (Purchaser-JKMSCL) reserves the right to terminate, without assigning any reasons the contract/ agreement either wholly or in part, without any notice to the Second Party. The Second Party shall not be entitled for any compensation what so ever in respect of such termination of the contract/ agreement by the First Party.

5. All certificates or notices or orders for time or for extra, varied or altered suppliers which are to be the subject of extra or varied charges whether so described in the Agreement or not, shall be in writing and unless in writing shall not be valid, biding or be of any effect what so ever.

6. The Second Party (Supplier) shall not be in any way interested in or concerned directly or indirectly with any of the officer, subordinate or servants of the First Party. In any trade, business or transaction nor shall the Second Party give or pay or promise to give or pay any such officer, subordinate, servant directly or indirectly any money or fee or other consideration under designation of "Custom" or otherwise; nor shall the Second Party permit any person or persons whomsoever to interfere in the management or performance hereof under the Power of Attorney or otherwise without the consent in writing of the First Party obtained in first hand.

7. In case the Second Party (Suppliers) at any time during the continuance of the contract becomes bankrupt of or in solvent or commits any act of bankrupt or insolvency under the provisions of any law in that behalf for the time being in force or should compound with his creditors, it shall be lawful for the First Party to put an end to the agreement and there upon on every article , clauses and thing herein contained to be operative on the part of the purchaser, shall cease and be void and the First Party shall have all the rights and remedies given to him under the preceding clauses.

8. SERVING OF NOTICE TO SUPPLIER

8.1. All notice or communication relating to or arising out of this agreement or any of the terms thereof shall be considered duly served on or given to the Second Party (Suppliers) if delivered to him or left at his/ her premises, place of business or abode.

9. And it is hereby agreed and declared between the parties hereto that in case any question of dispute arises touching the construction or wording of any of clause herein contained the rights, duties, liabilities of the parties hereto or any other way, touching or arising out of the presents the decision of the Managing Director, JKMSCL in the matter shall be final and binding.

10. All disputes arising out of this agreement and all questions relating to the interpretation of this agreement shall be decided by first and the final appellant authority and decision of said authority shall be final.

11. The following documents shall be deemed to form & be read & construed as part of this agreement:

- a) LOI
- b) NIT & Corrigendum issued thereof, if any.

11.1 Second party shall indemnify and keep the First party free from any harm, against all losses, expenditures, damages, costs & claims incurred or suffered by or made against the Second/Third party by reason of any breach by the same of any of its obligations, covenants, representations & warranties.

11.2 NIT Ref. No: NIT/JKMSCL/M&E/2022/......dated.....

11.3 List of Equipment(s), accessories, optional items (if any) under this agreement.

12. All terms and conditions of the NIT shall be the part of this agreement.

Original Manufacturer/ Direct Importer (Supplier)	Jammu & Kashmir Medical Supplies Corporation Ltd (First Party)
(Second Party) (Signature, Name & full Address with stamp	Represented by General Manager (P&S)/ JKMSCL (Signature, Name & full Address with Stamp)
Witness (Signature, Name & Address)	Witness (Signature, Name & Address)
1.	1.
2.	2.

Machinery/Equipment (Tripartite Agreement)

[on Rs. 100/- Non-Judicial Stamp Paper- "Affidavit"]

Agreement: 2

(Tripartite Agreement for Authorized Agents/Dealers/Facilitators)

Whereas the (Original Manufacturer/ Direct Importer) (Second Party/ Third Party (Authorized agents/ dealer)) have agreed to supply to First Party (Purchaser), Machinery & Equipment/Instruments with specifications mentioned in the scheduled attached here to at the prices noted herein and in the manner and under the terms and conditions herein after mentioned and whereas the second party/ third party have agreed to deposit performances security to first party, equivalent to 3% of the tentative cost/ contract value (rounded to the nearest round number) in the scheduled attached as per clause 11 of the tender document in the form of bank guarantee for the due and faithful performance of this agreement, to be forfeited in the event of Second Party/ Third Party failing duly and faithfully to perform it. Now these presents witness that for carrying out the said agreement in this behalf into execution the Second Part/ Third Party, and the First Party (Purchaser) do hereby mutually covenant, declare, contract and agree each of them in the manner following, that is to say,

1. The term "Agreement", wherever used in these connection shall mean and includes the terms and conditions contained in the invitation to bid floated for the rate contract cum supply for Machinery & Equipment/Instruments for Jammu & Kashmir Medical Supplies Corporation Limited (Rate Contract for twenty-four (24) months period, extendable for another three (03) months with mutual consent) (NIT/JKMSCL/M&E/2022/......dated......and technical bid opened on....., the instructions to bidders, the condition of bid, acceptance of bid, particulars herein after defined and those eligibility criteria, general conditions and other conditions that may be added from time to time.

2.1. The agreement is for the supply, by the Second Party/ Third Party (Suppliers) to the First Party (Purchaser), of the Machinery & Equipment/Instruments on terms and conditions set forth in the agreement.

2.2. This agreement shall be deemed to have come into force with effect from the date of signing of the agreement and it shall remain in force up to a period of twenty-four (24) months period which can further be extended for another three (03) months with mutual consent of First Party and Second Party/ Third Party.

2.3. The bid quantity, if mentioned against each item in the schedule indicates only the probable/ tentative total requirement of the First Party in respect of each item for the agreement period indicated in clause "2.2" above. This quantity may increase or decrease at the discretion of the First Party. The Second Party/ Third Party (Supplier) shall make supplies of the Machinery & Equipment/Instruments on the basis of Purchase order only placed on him/ her from time to time by the ordering authority of First Party (Purchaser-JKMSCL) specifying the quantity required to be supplied at a specific location/ location within the UT of Jammu and Kashmir.

2.4. The Second Party/ Third Party shall have no right/ query regarding placing of orders against the tentative requirement mentioned in the schedule enclosed which may increase or decrease or First Party may not issue any order for certain item/ items mentioned therein the schedule enclosed/ tentative/ Indicative quantity.

3. AUTHORIZED AGENTS/ DEALERS OF SECOND PARTY:

3.1. In this agreement, the Second Party (Original Manufacturer/ Direct Importers) have authorised M/s; (Third Party) as Agent/ Distributers/ Dealers to submit bid, to negotiate with First Party, to raise invoice and receive payment on behalf of Second Party; and as such, supplies shall be endorsed by the Second Party M/s (Original Manufacturer/ Direct Importers) and original copy of delivery challan of Second Party towards the Third Party for such supplies shall be endorsed along with invoice submitted by Third Party to First Party.

3.2. The Corporation under such arrangements shall have a right to secure confirmation to authority of suppliers from Second Party before releasing the payments.

3.3. The release of payment shall be as per terms and conditions/ payment clause 17 of the tender document and after successful installation at end user site and proper verification of bills from the end user department and deduction & penalties as per the clause 18 & 19 of the tender document.

4. SUPPLIES ON THE RATE CONTRACT OF JKMSCL:

The Second Party or Third Party shall in no case, use the rate contract of JKMSCL for making supplies and / or comparing of rates to/ with any of other department(s)/ agency(ies)/ NGO etc. In case Second Party/ Third Party supplies any of the item(s) at the rate contract or provides the document for comparison of rates or otherwise, to any other department(s)/ agency(ies)/ NGO(s) etc, the defaulted Second Party or Third Party, wherever applicable, shall have to pay 7.5% of the total invoice value of the product(s) supplied to other department(s)/ agency(ies) etc at the rate contract of JKMSCL as penalty to the first party (JKMSCL-purchaser) and further the Second Party/ Third Party shall be liable to be considered for Debarring/ Blacklisting for a period not less than five years.

5. TERMINATION OF CONTRACT ON BREACH OF CONDITION.

5.1. In case the supplier fails or neglects or refuse to faithfully perform any of the covenants on his part herein contained, it shall be lawful for the First Party to forfeit the amount deposited by the supplier (second party/ third party) as performance security and cancel the contract.

5.2. In case the Second Party/ Third Party fails, neglects or refuse to observe, performs, fulfil and keep, or any one or more or any part of any one of covenants, stipulation and provisions herein contained, it shall be lawful for the First Party on any such failure, neglect or refusal, to put an end to this agreement and there upon on every article, clause and thing herein contained on the part of First Party shall cease and be void and incase of any damage, loss, expenses, differences in cost or other from out of deposit/ due for the time being payable to the Second Party/ Third Party under this and/ or any other contract and in case such last mentioned deposit/ dues are insufficient to cover all such damages, loses, expenses, difference in cost and other deposit as aforesaid, it shall be lawful for the First Party to appropriate the performance security made by the supplier as herein before mentioned to reimburse all such damages, losses, expenses and difference in cost and other money as the purchaser shall be sustained, incurred or been put to by reason of the Second Part/ Third Party (Supplier) having been guilty of any such failure negligence or refusal as aforesaid or other breach in the performance of this contract.

5.3. If any time during the course of contract it is found that the information furnished by the Second Party/ Third Party (Supplier) to the First Party (Purchaser) either in his bid or otherwise, is false, the purchaser may put an end to the contract/ agreement wholly or in part and thereupon the provision of clause "5.1" above shall apply or any other action are deemed fit by the First Party may also apply.

5.4. The First party (Purchaser-JKMSCL) reserves the right to terminate, without assigning any reasons the contract/ agreement either wholly or in part, without any notice to the Second Party/ Third Party. The Second Party/ Third Party shall not be entitled for any compensation what so ever in respect of such termination of the contract/ agreement by the First Party.

6. All certificates or notices or orders for time or for extra, varied or altered suppliers which are to be the subject of extra or varied charges whether so described in the Agreement or not, shall be in writing and unless in writing shall not be valid, binding or be of any effect what so ever.

7. The Second Party/ Third Party (Supplier) shall not be in any way interested in or concerned directly or indirectly with any of the officer, subordinate or servants of the First Party. In any trade, business or transaction nor shall the Second Party/ Third Party give or pay or promise to give or pay any such officer, subordinate, servant directly or indirectly any money or fee or other consideration under designation of "Custom" or otherwise; nor shall the Second Party/ Third Party permit any person or persons whomsoever to interfere in the management or performance hereof under the Power of Attorney or otherwise without the consent in writing of the First Party obtained in first hand.

8. In case the Second Party/ Third Party (Suppliers) at any time during the continuance of the contract becomes bankrupt of or in solvent or commits any act of bankrupt or insolvency under the provisions of any law in that behalf for the time being inforce or should compound with his creditors, it shall be lawful for the First Party to put an end to the agreement and there upon on every article , clauses and thing herein contained to be operative on the part of the purchaser, shall cease and be void and the First Party shall have all the rights and remedies given to him under the preceding clauses.

8.1. In case Third Party, (Authorized Agent/ Dealer/ facilitator- clause 3) at any time during the continuance of the contract become bankrupt of or insolvent or commits any act of bankrupt or insolvency either provisions of any law in that behalf for the time being in force, or should compound with his creditors, the Second Party, (Original Manufacturer/ Direct Importers) shall be bound to continue with the supplies directly for the First Party till the completion of contract otherwise it shall be lawful for the purchaser to put an end to the agreement and thereupon every article, clause and thing herein contained to

be operative as part of First Party, shall cease and be void and the First Party shall have all the rights and remedies given to him under the preceding clauses.

8.2 SERVING OF NOTICE TO SUPPLIER

All notice or communication relating to or arising out of this agreement or any of the terms thereof shall be considered duly served on or given to the Second Party/ Third Party (Suppliers) if delivered to him or left at his/ her premises, place of business or abode.

9. And it is hereby agreed and declared between the parties hereto that in case any question of dispute arises touching the construction or wording of any of clause herein contained the rights, duties, liabilities of the parties hereto or any other way, touching or arising out of the presents, the decision of the <u>Managing</u> <u>Director, JKMSCL</u> in the matter shall be final and binding.

10. All disputes arising out of this agreement and all questions relating to the interpretation of this agreement shall be decided by <u>first and the final appellant</u> authority as reflected in NIT and decision of said authority shall be final.

11. The following documents shall be deemed to form & be read & construed as part of this agreement:

- c) LOI
- d) NIT & Corrigendum issued thereof, if any.

11.1Second/Third party shall indemnify and keep the First party free from any harm, against all losses, expenditures, damages, costs & claims incurred or suffered by or made against the Second/Third party by reason of any breach by the same of any of its obligations, covenants, representations & warranties.

11.2 NIT Ref. No: NIT/JKMSCL/M&E/2022/.....dated.....

11.3 List of Equipment(s), accessories, optional items (if any) under this agreement.

12. All terms and conditions of the NIT/relevant clause of SPP of JKMSCL shall be the part of this agreement.

Authorized Agent/ Dealer	Original Manufacturer/ Direct Importer (Supplier)
(Third Party)	(Second Party)
(Signature, Name & full Address with stamp)	(Signature, Name & full Address with stamp)
Witness (Signature, Name & Address)	Witness (Signature, Name & Address)
1.	1.
2.	2.
Jammu and Kashmir Medical Supplies Corporation Ltd. (First Party) Represented by General Manager (P&S)/ JKMSCL (Signature, Name & full Address with Stamp)	

Witness (Signature, Name & Address) 1.