


NOT TRANSFERABLE



JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.
(Public Sector Undertaking of the Government of Jammu and Kashmir)
Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu
Corporate Office: Opposite J&K Motor Garage Deptt near Hajj House Bemina Srinagar
Telephone: 0191-2478842; 191-3510489 (Jammu), 0194-2490662 (Srinagar)
email: mdjkmscl2@gmail.com; **website:** www.jkmsclbusiness.com



**E-BID FOR THE EMPANELMENT OF ANALYTICAL TESTING LABORATORIES FOR
TESTING AND ANALYSIS OF MEDICAL DEVICES, SURGICAL DISPOSABLES,
DRESSING MATERIAL, BLOOD BANK ITEMS, DENTAL MATERIAL & SUTURES FOR
THE YEAR 2024-2026**

(REFERENCE NO: JKMSCL/ANALYTICAL TESTING LABS/2024/654

DATED: 14-02-2025



JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.

(Public Sector Undertaking of the Government of Jammu and Kashmir)

Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu

Corporate Office: Opposite J&K Motor Garage Deptt near Hajj House Bemina Srinagar

Telephone: 0191-2478842; 191-3510489 (Jammu), 0194-2490662 (Srinagar)

email: mdjkmscl2@gmail.com; **website:** www.jkmsclbusiness.com

No. JKMSCL/ ANALYTICAL TESTING LABS/2024/654

DATED: 14-02-2025

NOTICE INVITING BID

On Behalf of Jammu & Kashmir Medical Supplies Corporation Limited, e-bid under two cover system (Technical bid in cover 1 and Financial bid in cover-2) is invited for the **Empanelment of ANALYTICAL TESTING LABORATORIES FOR TESTING AND ANALYSIS OF MEDICAL DEVICES, SURGICAL DISPOSABLES, DRESSING MATERIAL, BLOOD BANK ITEMS, Dental Material & SUTURES FOR THE YEAR 2024-2026**. Detailed tender document may be downloaded at J&K Govt. Portal www.jktenders.gov.in, www.jkmsclbusiness.com.

The cost of the tender along with tender processing charges of Rs. 10,000/- (Rupees Ten thousand only/-) i.e. Rs.1,000/- (Rupees one thousand only) as cost of tender & Rs.9,000/- (Rupees Nine thousand only) as tender processing charges shall have to be paid either through NEFT in the Corporation's Bank Account No.0373040500000032 maintained at J&K Bank Limited, Branch Medical College Jammu, IFSC Code JAKA0MEDJAM or by depositing the amount directly into the above account no in favour of FA/Chief Accounts Officer JKMSCL drawn on any of the Scheduled / Nationalized bank Payable at Jammu/Srinagar.

- i. **Scanned copies of Bank transfer/deposit receipt or NEFT towards the cost of tender documents and Tender Processing charges shall have to be uploaded along with Technical Bid, failing which tender shall be outrightly rejected.**
- ii. EMD for Rs.1,00,000(One Lac only) as Bid Security for General in shape of FDR pledged to **Financial Advisor/CAO, JKMSCL** or through NEFT in the Corporation's Bank Account No.**0373040500000032**.
- iii. As per **General Financial Rules(GFRs) 2017**, Micro and Small Enterprises (MSEs) are **exempted** from submission of **Bid Security (EMD)**
- iv. **Not to submit the hard copy of technical bid physically.**

Sd/-

Managing Director

Jammu and Kashmir Medical Supplies Corporation Ltd.



JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.

(Public Sector Undertaking of the Government of Jammu and Kashmir)

Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu

Corporate Office: Opposite J&K Motor Garage Deptt near Hajj House Bemina Srinagar

Telephone: 0191-2478842; 191-3510489 (Jammu), 0194-2490662 (Srinagar)

email:mdjkmscl2@gmail.com; **website:** www.jkmsclbusiness.com

No. JKMSCL/ ANALYTICAL TESTING LABS/2024/654

DATED: 14-02-2025

NOTICE INVITING BID (NIB)

- **IMPS mode of transfer is not verifiable and hence shall not be entertained as tender fee or tender processing charges. Bidders claiming to submit money through IMPS Mode shall be out-rightly rejected.**
- **DD as mode of payment for cost of tender/tender processing fees/Bid Security shall only be entertained if the same is deposited physically against proper receipt in the Corporate Office of JKMSCL, before the closing due date of e-bid.**
- **Bid Security Rs. 1,00,000.00 in the form of FDR/CDR/BG/RTGS/NEFT (FDR/CDR from scheduled/Nationalised Bank / BG from Nationalised Bank) with validity of 30 months. Bids submitted without sufficient bid security & validity shall be summarily rejected. **Firms which are registered as (Micro and Small Enterprise) MSEs Unit(s) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) shall be considered for Exemption of bid security including tender fee of Rs. 1000/- as per provisions of MSME Policy. Tender Processing charges of Rs. 9000/- is to be paid by the MSE Unit(s) also.****
- Physical hard copy of Bid Security in form of FDR/CDR/BG may be submitted to the Corporate Head Office before closing the due date of e-bid. Scanned copy of the same shall be uploaded along with Technical Bid, failing which bid shall be out rightly rejected.
- **The bidders seeking EMD exemption must submit the valid supporting document for the relevant category. Under MSE category only manufacturers for goods and service providers for services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.**
- **Scanned copies of NEFT/RTGS/Bank Transfer/Receipt towards the cost of tender documents and tender processing charges shall have to uploaded along with Technical Bid, failing which bid shall be out rightly rejected.**

Note: If any amendment is carried out in the bid specifications and terms & conditions following pre-bid meeting, the same shall be uploaded on the J&K Govt. tender portal www.jktenders.gov.in; JKMSCL website: www.jkmscl.nic.in; www.jkmsclbusiness.com, www.jkhealth.org.in; but shall not be published in any newspapers / journal.

In case any inconvenience is felt, please contact Corporate Office JKMSCL at Jammu/Srinagar or queries may be e-mailed on address mdjkmscl2@gmail.com, gmjkmscl@gmail.com.

Sd/-
Managing Director
Jammu and Kashmir Medical Supplies Corporation Ltd.



JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.

(Public Sector Undertaking of the Government of Jammu and Kashmir)

Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu

Corporate Office: Opposite J&K Motor Garage Deptt near Hajj House Bemina Srinagar

Telephone: 0191-2478842; 191-3510489 (Jammu), 0194-2490662 (Srinagar)

email:mdjkmscl2@gmail.com; **website:** www.jkmsclbusIness.com

(Bid form is non-transferable)

BID FORM FOR RATE CONTRACT OF "ANALYTICAL TESTING LABS -2024"

BID. No. JKMSCL/ ANALYTICAL TESTING LABS/2024/654

DATED: 14-02-2025

1. Date and time of publishing the bid	: 14-02-2025 at 1600 hrs
2. Start date and time for download of the bid document	: 14-02-2025 at 1630 hrs
3. Last date and time for download of the bid document	: 13-03-2025 upto 1600 hrs
4. Clarification Start date	: 14-02-2025 from 1630 hrs
5. Clarification end date	: 21-02-2025 upto 1000 hrs
6. Pre-bid Meeting	: 22-02-2025 at 1100 hr
Conference Hall JKMSCL, at Jammu	
Goggle Code for Pre BID Conference https://meet.google.com/kry-rqap-nwx	
7. Start date and time for submission of online bids	: 24-02-2025 from 1000hrs
8. Last date and time for submission of online bids	: 13-03-2025 upto 1600 hrs
9. Date & time of online opening of Technical Bids	: 15-03-2025 at 1100 Hrs
10. Cost of Tender Document	: 1000/-
11. Tender Processing charges	: 9000/-

The cost of the tender along with tender processing charges of Rs. 10,000/- (Rupees Ten thousand only/-) i.e. Rs.1,000/- (Rupees one thousand only) as cost of tender & Rs.9,000/- (Rupees Nine thousand only) as tender processing charges shall have to be paid either through NEFT in the Corporation's Bank Account No.0373040500000032 maintained at J&K Bank Limited, Branch Medical College Jammu, IFSC Code JAKAOMEDJAM or by depositing the amount directly into the above account no. **(IMPS money transfer shall not be entertained)**

i. **Scanned copies of Bank transfer/deposit receipt or NEFT towards the cost of tender documents and Tender Processing charges shall have to be uploaded along with Technical Bid, failing which tender shall be out rightly rejected.**

ii. EMD for Rs.1,00,000(One Lac only) as Bid security for General in shape of FDR pledged to Financial Advisor/CAO, JKMSCL or through NEFT in the Corporation's Bank Account No.0373040500000032.

iii. As per General Financial Rules(GFRs) 2017, Micro and small Enterprises (MSEs) are exempted from submission of Bid Security (EMD)

10. Bid Security (EMD) :
- Rs 1,00,000/- for general bidders
 - OEM Firms which are registered as MSEs shall be considered for Exemption of bid security including tender Charges of Rs. 1000/- as per provisions of MSEs Policy. Tender Processing charges of Rs.9000/- is to be paid by the MSE Unit(s) also.

11. ADDRESS FOR COMMUNICATION:

**Managing Director or General Manager,
J&K Medical Supplies Corporation Ltd,
Temp. Address- Plot No. 58, Friends Colony
Satyam Road Trikuta Nagar, Jammu/**

Important Note: No representation shall be allowed, accepted and entertained after the Pre-bid meeting. Bidders are requested to submit their queries/clarifications in advance so that the same can be discussed and clarified during the Pre-bid meeting. Also all the representations regarding the queries/clarifications shall be submitted to the email id: prebid.jkmscl@gmail.com, before the pre-bid meeting.

ANNEXURE-A

Declaration Form cum check list
Technical Bid Form
 (It should be notarized)

I/We..... (Name of Bidder) having our office at..... (Address of Bidder) do declare that I/We have read all the Terms & Condition of the bid floated by M.D., Jammu & Kashmir Medical Supplies Corporation Limited, Jammu / Srinagar (J&K) for the Rate Contract Cum Supply of “ ANALYTICAL TESTING LABS -2024” and agree to abide by all the Terms & Conditions set forth therein/SPP.

I/We declare that we are participating in this bid in the capacity of (Original Manufacturer/Direct Importer/ Authorized Representative). I/We enclose valid Manufacturing license/ acknowledgement/ Memorandum/IEM/ Registration of MSME Unit/Import license along with Authorization by Foreign Principal.

I/We further declare that the rates offered by us shall remain valid for the entire period of the rate contract and shall reduce the rates, if the rates are reduced for any other buyer within the Union of India during this period. I/We enclose the following documents serially as given below:

S.No	Item	Page No.
1.	Bid security declaration For General Bid Security for MSME Units is exempted	
2.	a) For General Cost of Tender documents =Rs.1000/- Tender Processing charges=Rs.9,000/- Total =Rs.10,000/- b) For MSME Units Cost of Tender document- Exempted Tender processing charges= Rs.9,000/- Total = Rs.9,000/- (Through NEFT)	
3.	Nature of the Firm/Public Company/Private Company/Partnership / Proprietorship/Any other with Documentary proof issued by the competent Authority.	
4.	Average Annual Turnover Statement not less than 50 lakhs for Last 3 financial Years from Chartered Accountant with UDIN (2021-22, 2022-23 & 2023-24).	
5.	Copies of Audited Balance Sheet & Profit Loss Account for last three financial years from Chartered Accountant (2021-22, 2022-23 & 2023-24).	
6.	Latest Non Conviction Certificate issued by the Licensing authority of the respective state (Issued not before 6 months).	
7.	List of clients for past 02 years	
8.	Copy of the PAN Card of the bidder	
9.	Copy of GST Registration Certificate of bidder	
10.	Certificate of NABL Accreditation	

11.	Certificate regarding adherence to uploaded Specifications (GLP Compliant, L1 Certificate)	
12.	Acceptance to complete Analysis & reporting conditions	
13.	Latest GST Return of the bidder	
14.	Details of Technical personnel employed in the testing unit approved by the Licensing Authority.	
15.	Authorization letter nominating a responsible person of the bidder to transact the business with the Tender inviting Authority JKMSCL.	
16.	Name, photograph & specimen signature of the designated officer/ representative of the Bidder who is authorized to make correspondence with the JKMSCL.	1..... (Name & Signature) 2..... 3.....
17.	Declaration Cum Checklist (Annexure A)	
18.	Terms & Conditions of Bid and Rate contract (Annexure B)	
19.	List of Items highlighting the items quoted by the bidder (Annexure C)	
20.	Proforma for Annual Turnover statement of the Firm from Chartered Accountant with UDIN. (Annexure D) (2021-22, 2022-22 & 2023-24)	
21.	Proforma for performance Certificate (Annexure-E)	
22.	Declaration on Non Judicial Stamp Paper of Rs 100. (Annexure-F)	
23.	Details of the Drug Testing Laboratory (Annexure-G)	
24.	Laboratory Details (Personal in QC Department) (Annexure-H1)	
25.	Laboratory Details (Important Instruments/Equipments in Lab) (Annexure-H2)	
26.	Laboratory Details (Facilities in Microbiological Section) (Annexure-H3)	
27.	Laboratory Details (List of Reference Sample with date of the procurement) (Annexure-H4)	
28.	Proforma for Agreement (Annexure I)	
29.	Memorandum of Appeal. (Annexure J)	

INSTRUCTIONS TO BIDDERS

Annexure - B

Before filling up of bid or submission of the bid form, kindly go through the following instructions meticulously / carefully so that your bid shall not be considered as invalid:

1. TENDER PROCESSING FEES AND EMPANELMENT FEES.

- a) E- Tender under two cover system (Technical Bid in Cover – I & Financial Bid in cover– II) has been invited by The Jammu and Kashmir Medical Supplies Corporation Ltd, for **E-BID FOR THE ANALYTICAL TESTING LABORATORIES FOR TESTING AND ANALYSIS OF MEDICAL DEVICES, SURGICAL DISPOSABLES, BLOOD BANK ITEMS, DENTAL MATERIAL & SUTURES FOR THE YEAR 2024-2026**
- b) The bids shall be valid for a Period of 120 days from the date of opening of Technical Bid and prior to the expiration of the bid validity the Bid Inviting Authority may request the Bidders to extend the bid validity for another period of 30 days. The Bidder may refuse extension of bid validity without forfeiture of the Earnest Money deposit.

2. ELIGIBILITY CRITERIA FOR EMPANELMENT:-

- (1) Testing Laboratories should have valid certificate of registration for carrying out test on (Surgical Disposable, Blood Bank Items, Dental Material & Sutures) medical devices under the Drugs and Cosmetics Act, 1940 and Medical Device Rules 2017.
- (2) Three years standing in the test & analysis of medical devices /Surgical & Sutures/drugs and the lab shall be entitled for empanelment for the categories of items for which lab is having registration/ approval. Bid is invited from CDSCO (on form no. MD-40) approved testing laboratory situated in India.
- (3) Laboratory should have CDSCO registration (MD-40 with valid scope as defined in this certificate) as per medical device rule 2017, and NABL accreditation with scope for testing of Surgical & Sutures. The laboratory should be GLP compliant under the provisions of the Drugs and Cosmetics Act, 1940, medical device rule 2017 and Rules there under and should hold schedule L-1 certificate or should have approval from Drug Control Department and NABL accreditation with proper scope of accreditation to undertake testing of drug items.
- (4) The laboratory should have an average annual turnover of not less than Rs. 50 Lakhs for past preceding three years (2020-21, 2021-22, 2022-23) The same should be supported by audited annual accounts & certified by a Chartered Accountant, based on audited accounts. (ANNEXURE-II) No provisional accounts shall be accepted.
- (5) The lab should have undertaken test and analysis of surgical & sutures of at least three government institutions/Corporation.
- (6) The lab should not stand banned / debarred or blacklisted by any State or Central Government Organizations or its central procurement agencies on the due date of bid submission. If a bidder or an approved bidder will be found defaulter for concealing this fact, then following actions may be taken.
 - (i) Bid rejection

- (ii) Bid Security forfeiture
- (iii) Agreement rejection
- (iv) Performance Security forfeiture
- (v) Blacklisting
- (7) The laboratory and its responsible persons should not have been convicted under the provisions of applicable laws with regard to the activities and conduct of the laboratory.
- (8) The laboratory should have all necessary instruments/equipments/machines for testing of medical devices, surgical & sutures as per standards laid down in drugs & cosmetics Act/ Pharmacopoeia/ Bureau of Indian Standards and other standards as applicable/ desired.
- (9) The bidder must follow Test Parameter given for individual item in Annexure – VII.
- (10) Bidder must have Non-conviction Certificate issued by the State Licensing Authority/Central Licensing Authority.

3. TECHNICAL BID:-

The Bidder must upload the following under technical bid:-

- (a) Bidders may quote for anyone item or more as mentioned under the list of Medical Devices, Surgical Disposables, Blood Bank Items, Dental Material & Sutures placed as Annexure-C).
- (b) The bidder laboratory has to mention the types of test for each item to be carried out by it, as per the annexure.
- (c) The bidders shall upload scanned copy of all the financial instruments
- (d) Attested Photocopy of Compliance of Schedule L-1 of Drugs & Cosmetics Rules, 1945 (GLP certificate) duly renewed up to date, issued by the CDSCO/State Licensing Authority and or notification of the laboratory under MDR 2017. (Copy of NABL accreditation with details of scope for testing of Medical Devices, Surgical Disposables, Blood Bank Items, Dental Material & Sutures.)
- (e) Details of analysis of Medical Devices, Surgical Disposables, Blood Bank Items, Dental Material & Sutures carried for the last three years as per proforma given as Annexure E.
- (f) List of important clients for whom tests have been conducted during the past 3 years.
- (g) Attested copy of certificate of registration for service tax.
- (h) Non- Conviction Certificate by the CDSCO/ competent authority .
- (i) Annual turnover statement for previous 3 financial years i.e. duly certified by Chartered Accountant
- (j) Copies of the Audited Balance Sheet and Profit and Loss Account for previous three financial years duly certified by Chartered Accountant
- (k) Following information to be given in Annexure H1 to H4.
 - a) The list of qualified personnel employed in the laboratory with proof of their qualifications and relevant approvals.
 - b) The list of instruments/equipments available in the laboratory specifying the brand, year of manufacture and the list of tests it is utilized for.
 - c) Microbiological facilities available in the laboratory.
 - d) List of reference samples along with their date of procurement and quantities, wherever required.
 - e) A declaration in the performa given in Annexure F duly signed and notarized.
 - f) Details of Laboratory in Annexure – G.
 - g) A copy of PAN issued by Income Tax Department.

h) Documentary evidence for the constitution of the company / concern

4. PRICE BID:-

The price bid shall also be known as financial document and every bidder shall have to submit its price in excel format (BOQ) provided in tendering portal **www.jktenders.gov.in**. The template must not be modified/ replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this bid. Bidders are allowed to enter the bidder name and values only. The bidder should quote rate for the complete tests as applicable to the item. The rate for sterility test for sterile products should also be quoted separately at last entry of BOQ. All the cells of BOQ should be carefully filled. In case the bidder does not wish to quote / bid for any test/item, he/she should leave the concerning cell blank. In case of any cell being blank, it would be assumed that the laboratory does not wish to quote / bid for that particular test / service/item. In case the bidder wishes not to charge for any service or test, he/she should clearly write "0 (ZERO)" in the cell. In case any cell has the value "0 Zero", it shall be assumed that the Laboratory wishes to provide the service / test, but is not charging for it.

5. TECHNICAL AND FINANCIAL EVALUATION:-

The valid Technical bids shall be scrutinized by the committee constituted for the purpose and Financial Bids of only those who qualify in the Technical Bid after scrutiny thereof, including inspection of the laboratory as per schedule L-1 (GLP), if required, shall be opened. Date for opening of Financial Bid shall be declared after opening of technical Bid and the venue shall be Corporate Head Office Jammu/Srinagar.

6. EARNEST MONEY DEPOSIT:-

Earnest money deposit shall be pledged to FA& CAO JKMSCL for not less than 30 months. EMD of unsuccessful bidders shall be refunded after allotment of contract in favour of successful bidders.

7. GENERAL CONDITIONS:-

The details of the Medical Devices, Surgical Disposables, Blood Bank Items, Dental Material & Sutures, to be analyzed as per rules defined in Medical devices rules.

1. The Bidder should quote the rates for complete analysis of each product. Name of test(s) to be performed, methodology to be used and number of samples required for each test should be mentioned. However, wherever rates for individual test have been demanded, they should be furnished accordingly in BOQ. Wherever the rates have been quoted for the test prescribed but their name & methodology for testing are not stated, such lab shall be considered as non- responsive for testing for such item.
2. L1 shall be considered on total rate for the complete analysis of each product inclusive of all taxes, levies etc.
3. The rates quoted and accepted will be binding on the Bidder for the stipulated period of 24 months from the date of execution of contract which may be extended for a further period of 03 months with mutual consent of JKMSCL and the firm/ lab and on no account any revision in rates shall be entertained till the completion of the contract period.
4. The laboratory shall not be permitted to outsource any test to other laboratory/ laboratories.

5. JKMSCL shall have the right to cause the laboratory to be inspected by the members of its technical committee before opening of price bid and subsequently as and when considered appropriate and based on the findings, the Bidder may be disqualified or de- empanelled, as the case may be.
6. If deem fit, in the interest of testing, JKMSCL shall have the right to get the molecules/Medical Devices tested from any other empanelled labs of JKMSCL on the approved rates, subject to availability of testing facility and infrastructure.
7. Jammu and Kashmir Medical Supplies Corporation Limited will inform the L-1 rate to the Laboratories who qualify for price bid opening, through JKMSCL website or email. The willing bidders (Laboratories) like (L-2 or L-3) may inform in writing their consents to match with the L-1 rate for the specific item of Medical Device or any other quoted by them and the bidders who agree to match L-1 rate will be considered as matched L-1. However, the laboratories on matched L1 rates cannot claim for business on matched rates and it will be the sole discretion of the JKMSCL to allot samples on matched L1 rates or not.

8. ACCEPTANCE / REJECTION OF BID:-

1. The Bid evaluation committee formed by Jammu and Kashmir Medical Supplies Corporation Limited will evaluate the Bid with reference to various criteria.
2. The Managing Director, Jammu and Kashmir Medical Supplies Corporation Limited reserves the right to accept or reject any BID for any one or more of the items Bid for, without assigning any reason.

9. AGREEMENT:

1. The period of agreement with empanelled laboratories shall remain valid for a period of 24 months from the date of execution of contract. This may be extended for a further period of three months with mutual consent.
2. All Bidders who qualify for empanelment shall have to execute an agreement on a non- judicial stamp paper of value Rs.100/- (Stamp duty to be paid by the Bidder), in favour of Managing Director, Jammu and Kashmir Medical Supplies Corporation within 15 days from the date of receipt of the intimation which shall be uploaded on www.jktenders.gov.in. The form of agreement shall be issued by JKMSCL.
3. The Bidder shall not, at any time, assign, sub-let or make over the contract or the benefit there on or any part thereof to any person or persons whatsoever.
4. All notices or communication relating to, or arising out of this tender document or any of the terms thereof shall be considered duly served on or given to the Bidder if delivered to him or left at the premises, places of business or abode.

10. PERFORMANCE SECURITY:-

1. The successful Bidders shall be required to pay a security deposit of 5% of the value of total Testing Charges in the form of demand draft / bank guarantee only drawn on any of the scheduled banks in favour of Jammu and Kashmir Medical Supplies Corporation Ltd payable at Jammu at the time of submission of invoices. Performance security will be refunded three months after expiry of rate contract subject to successful completion of services.

11. COMPLETE ANALYSIS & REPORTING CONDITIONS:-

- (a) On empanelment and entrustment of the job, the Analytical Laboratory should furnish the test reports within:
 - 10 days from the receipt of the sample in case of non – sterile products.
 - 21 days from the receipt of the sample of Medical Devices, Surgical Disposables, Blood Bank Items, Dental Material & Sutures requiring test for sterility.

- b) All the tests prescribed under IP/USP.BP Drugs & Cosmetics Act/BIS etc., (as the case may be) should be carried out for each and every sample. The results obtained in the test should be mentioned in numerical value (wherever possible). However this condition will not apply when only specific testing is called for/desired on any particular sample.
 - c) "COMPLIES" or "PASSES" in the result column of the report shall be treated as incomplete report, if the result has some numerical value.
 - d) Every test report must have remarks either as "Standard Quality" or "Not of Standard Quality". Any ambiguity/cutting in reports shall not be accepted (clear mention of "standard quality or not of standard quality" should be stated in bold letters and crossing/cutting shall not be accepted). NSQ report should be submitted in red coloured paper rather than writing red colour.
 - e) Reports should be clearly legible in printed form on A4 size (8.27" X 11.69") paper of good quality.
 - f) Report should be issued on form 39 of Drugs and Cosmetic Act, 1945 and should have:-
S. no. , Name of drug sample, Code no., Batch no., Mfg. date, Exp. date, Description of tests, Protocol of test specified & applied, Findings & Results obtained and should be signed by person-in-charge of testing. The final results and reason for failure, in case of Not of Standard Quality Reports, should be highlighted in pink / red, rather the whole report should be printed on red paper.
 - g) Reports should be attached along with Spectra/Chromatography data sheets, if applicable along with the report without fail.
- (b) All test reports of each batch of sample should be submitted to the JKMSCL in triplicate. However, all results should be communicated immediately to the I/c Quality Control (Q.C.) through phone / E-mail and the report in original should be sent along with protocol within seven days of such intimation/ communication.
 - (c) If in any circumstances (like break down of instrument, non-availability of reference standard etc.) the Analytical Laboratory is unable to undertake analysis for a sample, firm shall have to communicate to JKMSCL within 24 hours of receipt of sample through phone and e-mail and firm shall have to return the sample to the I/c Quality Control Cell, Jammu and Kashmir Medical Supplies Corporation after taking necessary telephonic or electronic consent. In case of inability of laboratory to undertake the test, a penalty of 25% of testing charges applicable plus handling/ courier charges borne by JKMSCL if any shall be recovered.
 - (d) If placebo or standard test procedure for any product is required, the same should be demanded within 48 hours from date of receipt of sample. Period lapsed/ taken in providing placebo or standard testing procedure will be condoned from prescribed time limit for that sample.
 - (e) If any sample is received in a damaged condition by the laboratory, the sample should not be analyzed and the information should be sent immediately to the I/c Quality Control cell, by phone or E-mail.
 - (f) The Managing Director, Jammu and Kashmir Medical Supplies Corporation Ltd or his / her authorized representative(s) has / have the right to inspect the laboratories of the bidders who have submitted BIDs, before taking any decision regarding empanelment. Similarly, the Managing Director, Jammu and Kashmir Medical Supplies Corporation Ltd or his/ her authorized representatives may also inspect any empanelled laboratory, at any point of time during the agreement / contract period and terminate / cancel its empanelment or any orders issued to the laboratory, and not entrust any further testing job to the laboratory based on facts brought out during such inspections.

- (g) It shall be the sole discretion of JKMSCL to allot the samples to any of the empanelled laboratories in case when there is more than one laboratory is approved for a specific item.

12. EXTENSION IN TESTING PERIOD:-

If, at any time during the currency of the contract, the laboratory has, in the opinion of the JKMSCL, delayed in submitting any test report, by the reasons of any riots, mutinies, wars, fire, storm, earthquakes, tempest or other exceptional cause (force majeure), the time for submission of test report may be extended by the JKMSCL purely at its discretion for such period as may be considered reasonable subject to receipt of specific written request by the laboratory with in 48 hrs of occurrence of such an event. No further representation from the laboratory will be entertained on this account.

13. PAYMENT PROVISIONS:-

1. No advance payment towards any analysis shall be made to the empanelled bidder.
2. No payment shall be made for the incomplete analysis or incomplete report.
3. Payments towards the analysis of Medical Devices, Surgical Disposables, Blood Bank Items, Dental Material & Sutures will be made as per approved rate inclusive of all taxes, levies etc.

14. PENALTIES:-

1. If the successful Bidder fails to pay the Security deposit and / or to execute the agreement within the time specified or withdraws the BID after intimation of the acceptance of the BID by JKMSCL, the empanelment will be cancelled and the Earnest Money Deposit deposited by the Bidder shall stand forfeited in favour of the Jammu and Kashmir Medical Supplies Corporation Ltd. Such Bidder(s) will also be liable for all damages sustained by the Jammu and Kashmir Medical Supplies Corporation Ltd. to breach of BID conditions. Such damages shall be assessed by the Managing Director, Jammu and Kashmir Medical Supplies Corporation whose decision shall be final.
2. Non performance of the contract or non – adherence to any empanelment condition(s) will disqualify the laboratory from participation from future BIDs for the period of 01 to 05 years as decided by JKMSCL apart from forfeiture of Performance security/ Security Deposit.
3. If it is revealed that the approved analytical Laboratory is involved in any form of fraud and collusion with the suppliers of Jammu and Kashmir Medical Supplies Corporation the analytical laboratory will be debarred for a period not less than 05 years by JKMSCL. The bidders shall also be liable for action under criminal law and the matter will be notified to the concerned Director / Controller – Drugs & Food Control Organization for suitable action against the Laboratories.
4. Omission of any prescribed test will be viewed seriously and shall invite action against the laboratory as deemed fit by JKMSCL, which might range from forfeiting of Performance security to debarring of Laboratory for a period of 02 to 05 years.
5. In case analysis report furnished by the successful bidder lab proves to be wrong/fraudulent, or contradictory by an appellant Lab, the successful bidder lab shall be liable to be penalized by forfeiture of performance security or debarring initially for a period, not less than 02 year (or both as deemed fit by TIA).
6. In case Analytical Laboratory fails to furnish the report within the prescribed testing period, the liquidated damages shall be recovered on the basis of following percentage:-

- a) Delay in furnishing the report within the prescribed testing period with liquidated damages the Penalty shall be imposed @ 0.25% per day for everyday of delay subject to maximum 10%. Rest of Terms & Conditions shall remain same as per SPP.
- b) Details in calculation
 - (i) Fraction of a day in reckoning the period of delay in furnishing test reports shall be eliminated if it is less than half a day.
 - (ii) The maximum amount of agreed liquidated damage shall be 10%.
 - (iii) Total Penalty period shall be up to 60 days from the last date of providing test report, after which it shall be deemed as unexecuted furnishing of test report and shall attract penalty @20%.
 - (iv) The period for submission of report may be extended with or without liquidated damages. If the delay in the test report is on account of hindrances beyond the control of the Bidder/Lab, the extension in delivery period may be granted without Liquidated Damage.

15. CORRECTION OF ARITHMETIC ERRORS:-

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- (a) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (b) If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and.
- (c) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to clause (a) and (b) above. If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

16. Power of acceptance, rejection and withdrawal of the tender:

- a. The power for final acceptance of the tender would entirely vest with the Managing Director, JKMSCL, who reserves the right to accept and reject any or all tender without assigning any reason whatsoever. There is no obligation on part of the Managing Director /TIA to enter into any correspondence with unsuccessful bidders. After acceptance of the tender by Managing Director, JKMSCL, the bidder shall not have the right to withdraw the tender or claim higher price.
- b. Tender with incomplete information is liable for rejection.

17. SMALL GRIEVANCE

Small grievances regarding interpretation of any clause of the Contract / Agreement executed between the parties, shall be referred to Managing Director, JKMSCL for its clarification.

18. ARBITRATION

18.1 Governing Law: This NIT shall be governed by and construed in accordance with the laws of the State of Jammu and Kashmir and the laws of India as applicable to the State of Jammu and Kashmir.

18.2 Amicable Settlement: Either party is entitled to raise any claim, dispute or difference of whatever nature arising under out of or in connection with the NIT

including its existence or validity or termination (collectively “dispute”) by giving a written notice to the other party, which shall contain

- i. a description of the dispute
- ii. the ground for such dispute
- iii. all written material in support of its claim

The other party shall, within thirty days of issuance of dispute notice issued under para 18.2.1, furnish:

- I. Counter claim and defenses, if any, regarding the dispute; and
- II. All written material in support of its defenses and counter claim.
- III. Within thirty days of issuance of notice by any party pursuant to para 18.2.1 or para

18.2. Both the parties to the dispute shall meet to settle such dispute amicably. If the parties fail to resolve the dispute amicably within thirty days of the receipt of the notice referred to in the above para the dispute shall be referred to Managing Director, JKMSCL, J&K for its reference to arbitration.

18.3 Dispute Resolution: Besides, as referred above in para 18.2.3 may also include any dispute arising out of contract with regard to the interpretation, meaning and breach of the terms of the contract, the matter shall be referred to the Managing Director, JKMSCL, J&K who will appoint his senior most officer as sole Arbitrator of the dispute, will not be related to this contract and whose decision shall be final and binding on both the parties. The Arbitrator proceedings shall be governed by the J&K Arbitration and Conciliation Act, 1997. The venue of the Arbitration shall be in the State of Jammu and Kashmir.

19. COMPLIANCE WITH THE CODE OF INTEGRITY AND NO CONFLICT OF INTEREST:

Any person participating in a procurement process shall-

- a. Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- b. Not misrepresent or omit or misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- c. Not indulge in any collusion, Bid rigging or any-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- d. Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- e. Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any part or to its property to influence the procurement process;
- f. Not obstruct any investigation or audit of a procurement process;
- g. Disclose conflict of interest, if any; and
- h. Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

20. CONFLICT OF INTEREST:-

The Bidder participating in a bidding process must not have a Conflict of Interest. A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or

responsibilities, contractual obligations, or compliance with applicable laws and regulations

- A Bidder shall be considered to be in Conflict of interest with one or more parties in bidding process if, including but not limited to:
- a. Have controlling partners/shareholders in common; or
 - b. The bidder participating for empanelment of lab is also a manufacturer of items covered under this NIT for which it is seeking empanelment, supplying directly or indirectly to the UT of J&K.
 - c. Receive or have received any direct or indirect subsidy from any of them; or
 - d. Have the same legal representative for purposes of the Bid; or
 - e. Have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
 - f. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
 - g. The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specification of the Goods, Works or Services that are the subject of the Bid; or
 - h. Bidder or any of its affiliates has been hired (or is proposed to be hired by the Procuring Entity as engineer-in charge/ consultant for the contract.

21. Dispute Resolution:

- i) In case of any dispute, the decision of Managing Director, JKMSCL shall be final and binding.
- ii) In case the parties are aggrieved with the decision of Managing Director, he / she / they may refer the dispute for arbitration for which the arbitrator shall be appointed with the mutual consent of both the parties. The arbitration proceedings shall be governed by Arbitration & Reconciliation Act.
- iii) Any legal dispute shall be within the jurisdiction of Hon'ble High Court of Jammu/ Srinagar (J&K).

Note: Any condition(s) which may be left out in this tender document, the same condition(s) shall also constitute the part of this tender document as per its mention in SPP of JKMSCL.

General Manager
J&K Medical Supplies Corporation Ltd

A. Surgical Disposable

S.No	Item Description	Item Code
1	Disposable Endotracheal Plain with radio opaque line, Sterile, Single Use Size : 2.5 mm	SD-001
2	Disposable Endotracheal Plain with radio opaque line, Sterile, Single Use Size : 3 mm	SD-002
3	Disposable Endotracheal Plain with radio opaque line, Sterile, Single Use Size : 3.5 mm	SD-003
4	Disposable Endotracheal Plain with radio opaque line, Sterile, Single Use Size : 4 mm	SD-004
5	Disposable Endotracheal Plain with radio opaque line, Sterile, Single Use Size : 4.5 mm	SD-005
6	Disposable Endotracheal Plain with radio opaque line, Sterile, Single Use Size : 5 mm	SD-006
7	Disposable Endotracheal Plain with radio opaque line, Sterile, Single Use Size : 5.5 mm	SD-007
8	Disposable Endotracheal cuffed with radio opaque line, Sterile, Single Use Size : 4 mm	SD-008
9	Disposable Endotracheal cuffed with radio opaque line, Sterile, Single Use Size : 4.5 mm	SD-009
10	Disposable Endotracheal cuffed with radio opaque line, Sterile, Single Use Size : 5 mm	SD-010
11	Disposable Endotracheal cuffed with radio opaque line, Sterile, Single Use Size : 5.5 mm	SD-011
12	Disposable Endotracheal cuffed with radio opaque line, Sterile, Single Use Size : 6 mm	SD-012
13	Disposable Endotracheal cuffed with radio opaque line, Sterile, Single Use Size : 6.5 mm	SD-013
14	Disposable Endotracheal cuffed with radio opaque line, Sterile, Single Use Size : 7 mm	SD-014
15	Disposable Endotracheal cuffed with radio opaque line, Sterile, Single Use Size : 7.5 mm	SD-015
16	Disposable Endotracheal cuffed with radio opaque line, Sterile, Single Use Size : 8 mm	SD-016
17	Disposable Endotracheal cuffed with radio opaque line, Sterile, Single Use Size : 8.5 mm	SD-017
18	Disposable Airway Size 00	SD -019
19	Disposable Airway Size 0	SD- 020
20	Disposable Airway Size 1	SD -021
21	Disposable Airway Size 2	SD- 022
22	Disposable Airway Size 3	SD -023
23	Disposable Airway Size 4	SD- 024
24	Ambu Bag Adult with Face Mask (Silicon type)	SD-025
25	Ambu Bag Pediatrics with Face Mask (Silicon Type)	SD-026
26	Antistatic Face Masks Rubber Size 00	SD -027AB
27	Antistatic Face Masks Rubber Size 0	SD -028BC
28	Antistatic Face Masks Rubber Size 1	SD -029CD
29	Antistatic Face Masks Rubber Size 2	SD- 030DE
30	Antistatic Face Masks Rubber Size 3	SD- 031EF
31	Antistatic Face Masks Rubber Size 4	SD -032FG
32	Antistatic Face Masks Rubber Size 5	SD- 033GH

33	Antistatic Transparent Face Masks Silicon Size 00	SD- 033HI
34	Antistatic Transparent Face Masks Silicon Size 0	SD- 033IJ
35	Antistatic Transparent Face Masks Silicon Size 1	SD- 033JK
36	Antistatic Transparent Face Masks Silicon Size 2	SD- 033KL
37	Antistatic Transparent Face Masks Silicon Size 3	SD- 033LM
38	Antistatic Transparent Face Masks Silicon Size 4	SD- 033MN
39	<i>Catheter Central Venous Single Lumen with Flow Switch (Complete Kit containing Y-Port introducer Needle with Kink resistant J-Guide wire, Blade, Dilators, 10ml syringe and Suture) Size: 3Fr (15cm), 20G USFDA/European CE (full quality assurance)/BSI compliant</i>	SD- 034AB
40	<i>Catheter Central Venous Single Lumen with Flow Switch (Complete Kit containing Y-Port introducer Needle with Kink resistant J-Guide wire, Blade, Dilators, 10ml syringe and Suture) Size: 4Fr (15cm),18G USFDA/European CE (full quality assurance)/BSI compliant</i>	SD- 034BC
41	<i>Catheter Central Venous Single Lumen with Flow Switch (Complete Kit containing Y-Port introducer Needle with Kink resistant J-Guide wire, Blade, Dilators, 10ml syringe and Suture) Size: 5Fr (20cm),16G USFDA/European CE (full quality assurance)/BSI compliant</i>	SD- 034CD
42	<i>Catheter Central Venous Single Lumen with Flow Switch (Complete Kit containing Y-Port introducer Needle with Kink resistant J-Guide wire, Blade, Dilators, 10ml syringe and Suture) Size: 2Fr (4cm) 21G (needle) USFDA/European CE (full quality assurance)/BSI compliant</i>	SD- 034DE
43	<i>Catheter Central Venous Single Lumen with Flow Switch (Complete Kit containing Y-Port introducer Needle with Kink resistant J-Guide wire, Blade, Dilators, 10ml syringe and Suture) Size: 2Fr (6cm) 21G (needle) 20G USFDA/European CE (full quality assurance)/BSI compliant</i>	SD- 034EF
44	<i>Catheter Central Venous Single Lumen with Flow Switch (Complete Kit containing Y-Port introducer Needle with Kink resistant J-Guide wire, Blade, Dilators, 10ml syringe and Suture) Size: 2Fr (8cm) 21G (needle) USFDA/European CE (full quality assurance)/BSI compliant</i>	SD- 034FG
45	Catheter Central Venous Double Lumen with Flow Switch.(Complete Kit containing Y-Port introducer Needle with Kink resistant J-Guide wire, Blade, Dilators,10ml syringe and Suture) Flow Switch. Size: 6Fr (15cm),18/19G USFDA/European CE (full quality assurance)/BSI compliant.	SD-035AB
46	Catheter Central Venous Double Lumen with Flow Switch.(Complete Kit containing Y-Port introducer Needle with Kink resistant J-Guide wire, Blade, Dilators,10ml syringe and Suture)Flow Switch. Size: 7Fr (20cm),16/18G USFDA/European CE (full quality assurance)/BSI compliant.	SD-035BC
47	Catheter Central Venous Triple Lumen with Flow Switch. Complete Kit containing Y-Port introducer Needle with Kink resistant J-Guide wire, Blade, Dilators, 10ml syringe and Suture) Size 5.5 Fr (15cm), 22G USFDA/European CE (full quality assurance)/BSI compliant	SD-036AB
48	Catheter Central Venous Triple Lumen with Flow Switch. Complete Kit containing Y-Port introducer Needle with Kink resistant J-Guide wire, Blade, Dilators, 10ml syringe and Suture) Size 7Fr (20cm), 16G USFDA/European CE	SD-036BC
49	Catheter Central Venous Triple Lumen with Flow Switch. Complete Kit containing Y-Port introducer Needle with Kink resistant J-Guide wire, Blade, Dilators, 10ml syringe and Suture) Size 7.5Fr (20cm), 16G USFDA/European CE (full quality assurance)/BSI compliant	SD-036CD
50	Umbilical Cathete: Radio-opaque Transparent Flexible Thermosensitive Material, sizes 3.5Fr 40Cm	SD-036DE
51	Umbilical Cathete: Radio-opaque Transparent Flexible Thermosensitive Material, sizes 4 Fr 40Cm	SD-036EF

52	Umbilical Cathete: Radio-opaque Transparent Flexible Thermosensitive Material, sizes 5Fr 40Cm	SD-036FG
53	Umbilical Cathete: Radio-opaque Transparent Flexible Thermosensitive Material, sizes 6Fr 40Cm	SD-036GH
54	Paediatric triple lumen central venous catheter impregnated with antibiotics containing introducer needle, J-guidewire, two dilators, 1 I V cannula 22G, 5ml syringe and injection caps size 4-5 Fr	SD-036HI
55	Paediatric double lumen central venous catheter impregnated with antibiotics containing introducer needle, J-guidewire, two dilators, 1 I V cannula 22G, 5ml syringe and injection caps size 4-5 Fr	SD-036IJ
56	PICC Line Single Lumen	SD-036JK
57	3Fr, 60 cm Peel Apart Cannula 17G;	SD-036KL
58	4Fr, 60Cm Peel apart cannula 15G	SD-036LM
59	18G; 5Fr 60Cm Peel apart cannula 14G	SD-036MN
60	1Fr, 28G Splitting Needle 15 cm /20 cm with/without stylet	SD-036NO
61	Disposable syringe with needle 1 cc	SD-037
62	Disposable syringe with needle 2cc	SD-038
63	Disposable syringe with needle 3cc	SD-039
64	Disposable syringe with needle 5cc	SD-040
65	Disposable syringe with needle 10cc	SD-041
66	Disposable syringe with needle 20cc	SD-042
67	Disposable syringe with needle 50cc	SD-043
68	Sterile single use Reuse Preventing syringe with Detachable needles <i>complying</i> to ISO 7886:4 Type I and Type B, Flow wrap package using medical grade breathable paper, ETO sterilized conforming to ISO 10993-7 and Stopper made of non-latex material, Size:2ml	SD- 044AB
69	Auto Disable Disposable Syringe 5ml with needle	SD-045A
70	Sterile single use Reuse Preventing syringe with Detachable needles <i>complying</i> to ISO 7886:4 Type I and Type B, Flow wrap package using medical grade breathable paper, ETO sterilized conforming to ISO 10993-7 and Stopper made of non-latex material, Size:10ml	SD -046
71	Disposable single use insulin syringe with integrated needle made of polypropylene plastic with latex free rubber stopper. Should have no dead design & tribevel needle with 31 G needle	SD-047
72	Disposable Needle Size 16 (Pack of 100)	SD- 048
73	Disposable Needle Size 18 (Pack of 100)	SD-049AB
74	Suction Syringe Plastic 20cc	SD- 050
75	One way Paediatrics I.V cannula No. 24	SD-051
76	One way Paediatrics I.V cannula No. 26	SD-052
77	One Way I.V Cannula size 16	SD -053
78	One Way I.V Cannula size 18	SD- 054
79	One Way I.V Cannula size 20	SD -055
80	One Way I.V cannula size 22	SD-056
81	Two Way I.V cannula size 16	SD-057
82	Two Way I.V cannula size 18	SD-058
83	Two Way I.V cannula size 20	SD-059
84	Two Way I.V cannula size 22	SD-060
85	Three Way I.V Cannula Size 16	SD- 061
86	Three Way I.V Cannula Size 18	SD- 062
87	Three Way I.V cannula size 20	SD-063
88	Three Way I.V cannula size 22	SD-064
89	Scalp vein Set size 21-24(Pre-sterilized as per drug act.)	SD-065
90	3 Way Disposable Stop Cock Cannula Sterilized (ETO/Gamma Radiated)	SD-066AB
91	Arterial Cannula 20G/22G	SD- 067
92	Arterial Cannula 24 G	SD- 067AB

93	Arterial Cannula 26G	SD-067BC
94	Spinal Needle disposable size 24 G Quincke	SD-068A
95	Spinal needle disposables (LP) 25 G Quincke	SD-069A
96	Spinal needle disposables (LP) 26 G Quincke	SD-070A
97	Spinal needle disposables (LP) 27 G Quincke	SD-071AB
98	Spinal needle disposables (LP) 28 G Quincke	SD-071BC
99	I.V fluid set (Sterilized as per drug act.) moulded chamber with inbuilt airvent	SD-072
100	Paediatric Drip Set (Measured Volume Set)	SD- 073
101	Micro Drip Set	SD- 074
102	Gloves Post-Partum(ISI/CE) Size 6 per pair	SD- 075AB
103	Gloves Post-Partum(ISI/CE) Size 6.5 per pair	SD-076BC
104	Gloves Post-Partum(ISI/CE) Size 7 per pair	SD-077CD
105	Gloves Post-Partum(ISI/CE) Size 7.5 per pair	SD- 078EF
106	Gloves Post-Partum(ISI/CE) Size 8 per pair	SD-079AFG
107	Sterilized Surgical Gloves for general use (ISI/CE)Size 6.5 per pair	SD- 080
108	Sterilized Surgical Gloves for general use (ISI/CE)Size 7 per pair	SD- 081
109	Sterilized Surgical Gloves for general use (ISI/CE)Size 7.5 per pair	SD- 082
110	Sterilized Surgical Gloves for general use (ISI/CE)Size 6 per pair	SD- 083AB
111	Sterilized Surgical Gloves for general use (ISI/CE)Size 6.5 per pair	SD- 083AC
112	Un-sterilized Surgical Gloves for general use ISI/ISO Size 7 per pair	SD-085CD
113	Un-sterilized Surgical Gloves for general use ISI/ISO Size 7.5 per pair	SD-086DE
114	Un-sterilized Surgical Gloves for general use ISI/ISO Size 8 per pair	SD-087EF
115	Un-sterilized Polythene Disposable Gloves (Medium/Big Size) per Pc.	SD-088FG
116	Sterilized Disposable face mask (Triple Layer) with wiser (Pack of 100 numbers) Three layered surgical mask of non-woven material with nose piece, ,having filter efficiency of 99% for 3 micron particle size ,ISO 13485 / ISO 9001 / EN14683 or equivalent	SD- 090XY
117	Sterilized Disposable Surgeon Cap with Elastic (Pack of 100 numbers)	SD- 091XY
118	Sterilized Disposable Nursing Cap with full elastic (Pack of 100 numbers)	SD- 092YZ
119	Disposable gown with arm	SD-093AB
120	ECG Jelly 250 ml tube	SD-096
121	Ultrasound Jelly 250 Ml tube	SD-097
122	Urine Collection bag	SD- 098AB
123	B.P Blade Size 11(ISI/CE) (Box of 100 numbers)	SD- 099
124	B.P Blade Size 15(ISI/CE) (Box of 100 numbers)	SD-100X
125	B.P Blade Size 20(ISI/CE) (Box of 100 numbers)	SD- 101Y
126	B.P Blade Size 21(ISI/CE) (Box of 100 numbers)	SD- 102Z
127	B.P Blade Size 22(ISI/CE) (Box of 100 numbers)	SD- 103AA
128	B.P Blade Size 23(ISI/CE) (Box of 100 numbers)	SD-104BB
129	B.P Blade Size 24(ISI/CE) (Box of 100 numbers)	SD-105CC
130	Suture Cutting Blades	SD- 106
131	Skin Grafting Blade(Sterile) and Handle(Watson modification of Humby's Knife	SD- 107
132	Sterile fixation dressing for IV Cannula, triple layered highly absorption pad and having window for visual inspection for complications	SD- 108
133	Disposable Needles Cutting Curved ½ Circle 3/8 Circle Size 30,45,63 mm (Pack of 12)	SD- 109
134	Infant feeding tube Size 5	SD- 110
135	Infant feeding tube Size 6	SD- 111
136	Infant feeding tube Size 7	SD- 112
137	Infant feeding tube Size 8	SD- 113
138	Infant feeding tube Size 9	SD- 114
139	Infant feeding tube Size 10	SD- 115
140	Infant feeding tube Size 11	SD- 115A

141	Infant feeding tube Size 12	SD- 115B
142	Sheet rubber corrugated assorted size	SD-116
143	IV Dressing (PU) All Sizes	SD-117
144	Disposable Surgical Pad size 10x10cm	SD-118
145	Disposable Surgical Pad size 20 x 20cm,	SD-119
146	Disposable Surgical Pad size 20 x 10cm	SD-120
147	Disposable Surgical Pad size 5 x 5cm	SD-121
148	Sterilized Disposable Operation Sheet(220cm x 150cm)	SD-122
149	Bone Marrow Biopsy Needles Metallic (Adult)	SD-123
150	Bone Marrow Biopsy Needles Metallic (Paed.)	SD-124
151	Sternal Puncture Needle(SS) Paediatric.	SD- 125AA
152	Sternal Puncture Needle(SS) Adult	SD- 126
153	Paper Adhesive Autoclave Labels(Average Size Rolls/Labels)Mention Number of Labels/Length of Roll	SD-127BB
154	Absorbable Gelatine Sponge 70mm X 50mm X 10mm Sterilized. Haemostatic, Absorbable Gelatin Base Foam Specially Prepared For Surgical Use	SD-128CC
155	Absorbable Gelatin Sponge with no formaldehyde content in flowable form per pc.	SD-129DD
156	Absorbable Biocompatible, Bio-Degradable, Haemostatic Gilatin sponge patch consist of Chitosan, Gilatin, Thrombin, Transmic Acid, Glucosamine, Calcium Chloride and Thrombin sterilized, Formaldehyde Free Size;2" x 3 "	SD-130EE
157	Absorbable Biocompatible, Bio-Degradable, Haemostatic Gilatin sponge patch consist of Chitosan, Gilatin, Thrombin, Transmic Acid, Glucosamine, Calcium Chloride and Thrombin sterilized, Formaldehyde Free Size;4" x 8 "	SD- 131FF
158	Absorbable Biocompatible, Bio-Degradable, Haemostatic Gilatin sponge patch consist of Chitosan, Gilatin, Thrombin, Transmic Acid, Glucosamine, Calcium Chloride and Thrombin sterilized, Formaldehyde Free Size;1" x 1 "	SD-132GG
159	Absorbable Biocompatible, Bio-Degradable, Haemostatic Gilatin sponge patch consist of Chitosan, Gilatin, Thrombin, Transmic Acid, Glucosamine, Calcium Chloride and Thrombin sterilized, Formaldehyde Free Size;1" x 3.5 "	SD- 133
160	Absorbable Biocompatible, Bio-Degradable, Haemostatic Gilatin sponge patch consist of Chitosan, Gilatin, Thrombin, Transmic Acid, Glucosamine, Calcium Chloride and Thrombin sterilized, Formaldehyde Free Size;1" x 2 "	SD-134HH
161	Absorbable Biocompatible, Bio-Degradable, Haemostatic Gilatin sponge patch consist of Chitosan, Gilatin, Thrombin, Transmic Acid, Glucosamine, Calcium Chloride and Thrombin sterilized, Formaldehyde Free Size;2" x 4 "	SD- 135II
162	Pre-filled Saline Flush Syringes 5ml	SD- 136JJ
163	Skin Stapler for precise skin closure	SD-137KK
164	Skin Stapler Extractor with Staples	SD- 138LL
165	Steri Drapes 14cm x 20cm	SD-139MM
166	Steri Drapes 20cm x 30cm	SD- 140
167	Steri Drapes 30cm x 30cm	SD- 141
168	Steri Drapes 45cm x 45cm	SD- 142
169	Steri Drapes 45cm x 65cm	SD- 143
170	Enteral Feeding Tubes For Gastroenterology	SD-144
171	Chest Drainage Catheter 20 F	SD-145
172	Chest Drainage Catheter 24F	SD-146
173	Chest Drainage Catheter 28F	SD-147

174	Chest Drainage Catheter 32F	SD-148
175	Tracheostomy Cuffed tube size 5.5 IDMM with radio-opaque blue line - Should be made of Thermo sensitive PVC, high volume - low pressure, velvet soft cuff, Should have a hollow obturator with rounded tip for insertion over a guide wire	SD-149AA
176	Tracheostomy Size 6 IDMM with radio-opaque blue line -Should be made of Thermo sensitive PVC, high volume - low pressure, velvet soft cuff, Should have a hollow obturator with rounded tip for insertion over a guide wire	SD-150BB
177	Tracheostomy Cuffed Size 7 IDMM with radio-opaque blue line -Should be made of Thermo sensitive PVC, high volume - low pressure, velvet soft cuff, Should have a hollow obturator with rounded tip for insertion over a guide wire	SD-151CC
178	Tracheostomy Cuffed Size 8 IDMM with radio-opaque blue line -Should be made of Thermo sensitive PVC, high volume - low pressure, velvet soft cuff, Should have a hollow obturator with rounded tip for insertion over a guide wire	SD-152DD
179	Tracheostomy Cuffed Size 9 IDMM with radio-opaque blue line -Should be made of Thermo sensitive PVC, high volume - low pressure, velvet soft cuff, Should have a hollow obturator with rounded tip for insertion over a guide wire	SD-153EE
180		
181	Tracheostomy Cuffed Size 5 IDMM	SD- 154BC
182	Tracheostomy Cuffed Size 6.5 IDMM	SD- 154CD
183	Tracheostomy Cuffed Size 7.5 IDMM	SD- 154DE
184	Tracheostomy Cuffed Size 8.5 IDMM	SD- 154EF
185	Tracheostomy Plain Size; 5.5 IDMM with radio-opaque blue line -Should be made of Thermo sensitive PVC, high volume - low pressure, velvet soft cuff, Should have a hollow obturator with rounded tip for insertion over a guide wire	SD- 155AB
186	Tracheostomy Plain Size; 6 IDMM with radio-opaque blue line -Should be made of Thermo sensitive PVC, high volume - low pressure, velvet soft cuff, Should have a hollow obturator with rounded tip for insertion over a guide wire	SD- 156AB
187	Tracheostomy Plain Size; 7 IDMM with radio-opaque blue line -Should be made of Thermo sensitive PVC, high volume - low pressure, velvet soft cuff, Should have a hollow obturator with rounded tip for insertion over a guide wire	SD- 157AB
188	Tracheostomy Plain Size; 8 IDMM with radio-opaque blue line -Should be made of Thermo sensitive PVC, high volume - low pressure, velvet soft cuff, Should have a hollow obturator with rounded tip for insertion over a guide wire	SD- 158AB
189	Tracheostomy Plain Size; 4 IDMM	SD- 160 BC
190	Tracheostomy Plain Size;4.5 IDMM	SD- 160 CD
191	Tracheostomy Plain Size; 5 IDMM	SD- 160 DE
192	Tracheostomy Plain Size;6.5 IDMM	SD- 160 EF
193	Tracheostomy Plain Size;7.5 IDMM	SD- 160 FG
194	Tracheostomy Plain Size;8.5 IDMM	SD- 160 GH
195	Hollow fibre Dialyzer 0.9	SD- 161AB
196	Hollow fibre Dialyzer 1.3	SD- 162BC
197	Hollow fibre Dialyzer 1.4	SD-162 a
198	Hollow fibre Dialyzer 1.6	SD-163CD
199	Hollow fibre Dialyzer 1.8	SD-164CD
200	Peritoneal Dialysis administration sets	SD-165
201	Arterio Venous Dialysis Catheter Lines	SD-166AB
202	Peritoneal Dialysis Catheter (Adult)	SD-167

203	Peritoneal Dialysis Catheter (Paediatrics)	SD-168
204	Kidney/Liver Biopsy Needles various Sizes	SD-169
205	Sodium Hypochlorite Solution USP(Bleaching Solution) available chlorine 6 % in 5lts pack(with test report from Govt. Labs) (ISI)	SD-170
206	Sodium Hypochlorite Solution 10% chlorine(+ 1%)(5lts pack) in air tight plastic container (packing with Label)(with test report from Govt. Labs)(ISI)	SD-171
207	Catheter Foley's Latex 2 way, Size 8 Fr	SD-172A
208	Catheter Foley's Latex 2 way, Size10Fr	SD-173B
209	Catheter Foley's Latex 2 way, Size 12Fr	SD- 174C
210	Catheter Foley's Latex 2 way, Size 14Fr	SD- 175D
211	Catheter Foley's Latex 2way,Size16Fr	SD-176E
212	Catheter Foley's Latex 2 way, Size 18Fr	SD- 177F
213	Catheter Foley's Latex 2 way, Size 20Fr	SD- 178G
214	Catheter Foley's Latex 3 way, Size 18Fr	SD- 179H
215	Catheter Foley's Latex 3 way, Size 20Fr	SD- 180I
216	Catheter Foley's Latex 2 way, Size 22Fr	SD- 181J
217	Catheter Foley's Latex 3 way, Size 24Fr	SD- 182K
218	Catheter Foley's Latex 3 way, Size 22Fr	SD- 182L
219	Catheter Mallicot Assorted Size	SD- 183XY
220	Catheter Mount For Boyle's Apparatus.	SD-184
221	Flow Meter for Oxygen Cylinders, ISI/ISO	SD- 188
222	Laryngoscope complete set with extra large Blade, ISI/ISO Set of 4 (with fiber optic Laryngoscope Blades) Macintosh	SD- 189AB
223	Laryngoscope complete set with extra large Blade, ISI/ISO Set of 4 (with fiber optic Laryngoscope Blades) Miller	SD- 189AC
224	Makintosh Sheeting Per Mt.	SD-190BC
225	Stethoscope Std. Size ISI	SD- 191
226	Autoclave Single Drum 15" x 12" ISI Marked	SD- 192
227	Electric Steriliser 22" x 8" x 6" ISI Marked	SD- 193
228	Electric Steriliser 20" x 8" x 6" ISI Marked	SD- 194
229	Electric Steriliser 17" x 8" x 6" ISI Marked	SD- 195XY
230	Electric Steriliser 12" x 6" x 5" ISI Marked	SD- 196
231	Fogging Machine with micromist aerosol generator and the droplet size of less than one micron. Should have stainless steel tank and fitting compatible to acidic and alkaline nature liquids	SD-197XY
232	Fogging Machine Solution for Fogging Machine	SD- 198AB
233	Double Lumen Endotracheal Tubes (Left) Size:28 Fr	SD- 199XY
234	Double Lumen Endotracheal Tubes (Left) Size:32 Fr	SD- 200
235	Double Lumen Endotracheal Tubes (Left) Size:35 Fr	SD- 201AB
236	Double Lumen Endotracheal Tubes (Left) Size:37 Fr	SD- 202
237	Double Lumen Endotracheal Tubes (Left) Size:39 Fr	SD- 203BC
238	Double Lumen Endotracheal Tubes (Left) Size:41 Fr	SD- 204CD
239	Double Lumen Endotracheal Tubes (Right) Size:28 Fr	SD- 205
240	Double Lumen Endotracheal Tubes (Right) Size:35 Fr	SD- 206FE
241	Double Lumen Endotracheal Tubes (Right) Size:37 Fr	SD- 207GH
242	Double Lumen Endotracheal Tubes (Right) Size:39 Fr	SD- 208
243	Double Lumen Endotracheal Tubes (Right) Size:41 Fr	SD- 209
244	Disposable Laryngeal Mask Air Way Size 2 (Silicon)	SD-211
245	Disposable Laryngeal Mask Air Way Size 3 (Silicon)	SD-212
246	Disposable Laryngeal Mask Air Way Size 4 (Silicon)	SD-213
247	Twin Nasal Oxygen Catheter Adult	SD- 220
248	Twin Nasal Oxygen Catheter Paediatric	SD- 220A
249	Nasopharyngeal Air Ways Size 6	SD- 222
250	Nasopharyngeal Air Ways Size 7	SD- 223

251	Nasopharyngeal Air Ways Size 8	SD- 224
252	Nasopharyngeal Air Ways Size 9	SD- 224A
253	Antistatic Corrugated Tube for Paediatrics Anaesthesia Circuit	SD- 225
254	Venturimask Venturi for Oxygen Therapy (Adult)	SD-226XY
255	Ventimask Venturi For Oxygen Therapy (Pediatrics)	SD-227
256	Insect Killer Light ISI/ISO	SD- 228
257	Paediatrics Anaesthesia Set (Jackson Rees Modification) with 0.5 and 1 Ltr bag	SD- 229A
258	Double J Stent (4.8F, 26cm Long) With Guide Wire + 5f, 6f	SD-230
259	Disposable Toomy Syringe 70cc	SD-231
260	Ureteric Catheter 4f, 5f, 6f	SD-232
261	Y-Connection (Turp Set)	SD- 233
262	Biopsy Needle Adult	SD-234
263	Biopsy Needle Paediatrics	SD-235
264	Introducer Needle 14G for Guide Wire	SD-236XY
265	Chest Drainage Bags	SD-237YZ
266	Pressure Infusion Bag 1/2 ltr	SD-238
267	Pressure Infusion Bag 1 ltr	SD-239
268	Combined Spinal Epidural Needle(KIT), size 18G, 3.5 inch, Tuohy with black eye lumen 27G x 4-5 inch pencil point / quincke bevel spinal needle alongwith Docking system, epidural catheter multiport with Mark 20G x 85 cm catheter guide LOR syringe 10ml, hydrophobic epidural filter 0.22m, Luer Lock, threading assistant guide, twist lock connector.	SD-240XY
269	Combined Spinal Epidural Needle (KIT) size 16G, 3.5 inch, Tuohy with black eye lumen 26G x 4-5 inch pencil point / quincke bevel spinal needle alongwith Docking system, epidural catheter multiport with Mark 20G x 85 cm catheter guide LOR syringe 10ml, hydrophobic epidural filter 0.22m, Luer Lock, threading assistant guide, twist lock connector.	SD-240YZ
270	Percutaneous Tracheostomy set with J-Tip guide wire and dilating forceps. Percutaneous cuffed Tracheostomy tube size 7, 22G needle and Syringe 11Fr Punch Dilator, 1.32mm gude wire, 8Fr guiding catheter. 18 to 38Fr Serial Dilators, Cotton Tape, scalpel.	SD-241AB
271	Percutaneous Tracheostomy set with J-Tip guide wire and dilating forceps. Percutaneous Cuffed Tracheostomy tube size 7 with introducer, 22G needle and Syringe 11Fr Punch Dilator, 1.32mm gude wire, 8Fr guiding catheter. Dilator, Cotton Tape, scalpel.	SD-241BC
272	Percutaneous Tracheostomy set with J-Tip guide wire and dilating forceps. Percutaneous Cuffed Tracheostomy tube size 7.5 with introducer, 22G needle and Syringe 11Fr Punch Dilator, 1.32mm gude wire, 8Fr guiding catheter. Dilator, Cotton Tape, scalpel.	SD-241CD
273	Percutaneous Tracheostomy set with J-Tip guide wire and dilating forceps. Percutaneous Cuffed Tracheostomy tube size 8 with introducer, 22G needle and Syringe 11Fr Punch Dilator, 1.32mm gude wire, 8Fr guiding catheter. Dilator, Cotton Tape, scalpel.	SD-241DE
274	HME Viral Filter for Boyles machine.	SD-242AB
275	Nebulizer Mask Adult	SD-243
276	Nebulizer Mask Paediatric	SD-243A
277	Closed Suction System(Catheter for closed suctioning having rotatable twist for isolation of catheter and dual density suction catheter)	SD- 245Y
278	Flexometallic PVC Cuffed tube (with metallic spiral ring upto connector and low pressure cuff sizes from 3.0 to 9.0 mm)	SD-246
279	Abdominal Drain Kit Size;24,28,32	SD- 247X
280	Femoral Catheters for dialysis access	SD- 248Y
281	Double Lumen Subclavian catheters for dialysis access.	SD-249
282	HIV Drape packs; Set for Doctor/Medical staff;4 packs, disposable gown	SD- 251Y

	with water proof interlining on chest, Hood cap, face mask, long shoe cover, arm guard, gloves disposable, disposable protective glasses	
283	Urometer 500 ml	SD-252
284	Urometer 250 ml	SD-252a
285	Sterile Skin Drape All Sizes	SD-255X
286	Yellow coloured non-chlorinated plastic bags for Incineration or Plasma Pyrolysis or deep burial Size; 33" x 40 thickness 1.5 mil load rating greater or equal to (\geq) 35 kg	SD- 256X
287	Yellow coloured non-chlorinated plastic bags for Incineration or Plasma Pyrolysis or deep burial Size;26" x 26" thickness 1.5 mil load rating greater or equal to (\geq) 35 kg	SD- 257
288	Yellow coloured non-chlorinated plastic bags for Incineration or Plasma Pyrolysis or deep burial Size;20 x 20	SD- 258
289	Red coloured non-chlorinated plastic bags for autoclaving or microwaving/hydroclaving followed by shredding or mutilation or combination of sterilization and shredding Size 33 x 40	SD- 259X
290	Red coloured non-chlorinated plastic bags for autoclaving or microwaving/hydroclaving followed by shredding or mutilation or combination of sterilization and shredding Size 26 x 26	SD- 260X
291	Red coloured non-chlorinated plastic bags for autoclaving or microwaving/hydroclaving followed by shredding or mutilation or combination of sterilization and shredding Size 20 x 20	SD- 261
292	Blue coloured non-chlorinated plastic bags for glassware and metallic body implant size 33 x 40	SD-262X
293	Blue coloured non-chlorinated plastic bags for glassware and metallic body implant size 26 x 26	SD-263X
294	Blue coloured non-chlorinated plastic bags for glassware and metallic body implant size 20 x 20	SD-264X
295	White (Translucent non-chlorinated plastic bags for waste sharps including metals Size 33 x 40	SD-265X
296	White (Translucent non-chlorinated plastic bags for waste sharps including metals Size 26 x 26	SD-266X
297	White (Translucent non-chlorinated plastic bags for waste sharps including metals Size 20 x 20	SD-267X
298	Asepto Syringe with transparent bulb sterile,60ml	SD- 268X
299	Suction Catheter, Sterile. Size: FG- 6	SD-269X
300	Suction Catheter, Sterile. Size: FG- 8	SD-269XA
301	Suction Catheter, Sterile Size;FG-10	SD- 270XB
302	Suction Catheter, Sterile. Size: FG- 12	SD-271XC
303	Suction Catheter, Sterile Size;FG-14	SD- 272XD
304	Suction Catheter, Sterile. Size: FG- 16	SD-273XE
305	Suction Catheter, Sterile. Size: FG- 18	SD-273XF
306	Suction Catheter, Sterile. Size: FG- 20	SD-273XG
307	Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter) 2 Way, Silicon coated natural Latex material, Size 8	SD- 274X
308	Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter) 2 Way, Silicon coated natural Latex material, Size 10	SD- 275X
309	Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter) 2 Way, Silicon coated natural Latex material, Size 16	SD- 276X
310	Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter) 2 Way, Silicon coated natural Latex material, Size 18	SD- 277X
311	Sterile Catheter, Single Use, for Urinary Drainage (Foley Balloon Catheter) 2 Way, Silicon coated natural Latex material, Size 20	SD- 278X
312	Disposable water proof gowns for surgeons	SD-279X
313	Insulin syringe (Graduation upto 100 units) with (fixed) 30 G needle	SD-283

314	Sterile Disposable (Single Use) PTFE I.V. Cannula with integrated 3 Way stop cock. Size 16G	SD-284X
315	Sterile Disposable (Single Use) PTFE I.V. Cannula with integrated 3 Way stop cock. Size 18G	SD-285X
316	Sterile Disposable (Single Use) PTFE I.V. Cannula with integrated 3 Way stop cock. Size 20G	SD-286X
317	Sterile Disposable (Single Use) PTFE I.V. Cannula with integrated 3 Way stop cock. Size 22G	SD-287X
318	Sterile Disposable (Single Use) PTFE I.V. Cannula with integrated 3 Way stop cock. Size 24G	SD-288X
319	Mucus Extractor Sterile	SD-289X
320	Nasal Oxygen Set, Twin Bore (accessory for compressed air breathing) for adult use HFNO	SD-290X
321	Nasal Oxygen Set, Twin Bore (accessory for compressed air breathing) for paediatric use	SD-291X
322	Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 10	SD-292X
323	Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 12	SD-293
324	Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 14	SD-294X
325	Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 16	SD-295X
326	Ryle's Tube / Nasogastric Tube (P.V.C.) with radio opaque lining. Size: 18	SD-296X
327	Corrugated Drainage Sheet, Sterile, Multichannel, with radio opaque line, Single Use - All sizes	SD-297X
328	Sterilized Umbilical Cotton Tape Width 3 mm, Length 75 cm	SD-298
329	Temporary Cardiac Pacing Wire (Electrode) Sterile ½ Cir, Tapercut, 26 mm; Reverse cutting 60 mm	SD-299
330	Pressure Monitoring Line / High Pressure Extension Line (PMO Line) Length 150 cm, Prime volume 1.40 ml	SD-300
331	Urine Collecting Bag for new born /Paediatric Urine Collection Bag, capacity 100ml	SD-301X
332	Umbilical Catheter for new born	SD-302X
333	Umbilical cord clamp	SD-303
334	Absorbable Regenerated Cellulose Sheet	SD-304X
335	Close wound drainage device under negative pressure (closed wound suction unit). Size of bellow 200 ml, catheter size 16	SD-305
336	Close wound drainage device under negative pressure (closed wound suction unit). Size of bellow 200 ml, catheter size 18	SD-306
337	T-tube for common bile duct drainage, Length 0x60 cm	SD-307
338	Bone Cement	SD-308
339	Sanitary Pads (without belt)	SD-309
340	Sanitary Pads (Belted)	SD-310
341	N-95 Masks.	SD-312X
342	Disposable hip U drape plastic	SD- 316X
343	Disposable Knee "O" drape	SD- 317X
344	Disposable Elbow drape	SD- 318
345	Disposable Shoulder drapes	SD- 319X
346	Disposable DHS drape	SD- 320
347	Disposable Spinal Drape	SD- 321
348	Under Buttock Drape	SD- 322
349	Eye drape 70x70 cm	SD-323
350	Disposable nozzle for cement insertion	SD-324
351	Face mask with wizer for protection of eyes and face	SD-325
352	Suction tips with suction pipe	SD-326X
353	Disposable pulse VAC lavge system	SD-327
354	Valve extension set with double lumen IV connector	SD-328
355	Cautery tip	SD-330

356	Disposable cotton patties for spinal surgery	SD-331
357	Disposable sponges	SD-333
358	Disposable skin traction kit	SD-334
359	Peritoneal Dialysis catheter for acute intermittent dialysis (Adult)	SD-335
360	Peritoneal Dialysis catheter for acute intermittent dialysis (Paediatrics)	SD-336
361	Peritoneal Dialysis catheter Double cuffed for CAPD (Adult)	SD-337
362	Peritoneal Dialysis catheter Double cuffed for CAPD (Paediatrics)	SD-338
363	Peritoneal Dialysis catheter for CAPD complete set for percutaneous insertion (Introducer needle, guide wire, cannula, etc.)	SD-339
364	Continuous Ambulatory Peritoneal dialysis fluid (2 ltrs bag twin bags): 1.5%	SD-340
365	Continuous Ambulatory Peritoneal dialysis fluid (2 ltrs bag twin bags): 2.5%	SD-341
366	Continuous Ambulatory Peritoneal dialysis fluid (2 ltrs bag twin bags): 4.25%	SD-342
367	Kidney Biopsy Gun	SD-343
368	Kidney Biopsy Needles	SD-344X
369	Hollow fibre dialyser with tubing (Paediatrics all sizes)	SD-345
370	Bougles for endotracheal tube introductions	SD-349
371	Disposable ventilator circuits (Adults)	SD-350
372	Disposable ventilator circuits (Paediatrics)	SD-351
373	Filters for ventilators and for patient circuit	SD-352A
374	Closed suction for endotracheal tubes	SD-353
375	Bains circuit for anaesthesia machines	SD-354
376	IV Set with Flow regulator	SD-355X
377	Pressure Monitoring Line	SD-359
378	Pressure Monitoring Kit	SD-360X
379	Oxygen Mask Adult	SD-361X
380	Oxygen Mask Paediatric	SD-361XY
381	Re-breathing bag 0.5 ltr	SD-362X
382	Re-breathing bag 1.0 ltr	SD-363X
383	Re-breathing bag 1.5 ltr	SD-364X
384	Re-breathing bag 2 ltr	SD-365X
385	Three Way with Extension Line Size 10 cms	SD-366X
386	Three Way with Extension Line Size 50 cms	SD-367X
387	Three Way with Extension Line Size 100 cms	SD-368X
388	Three Way with Extension Line Size 150 cms	SD-369X
389	Three Way with Extension Line Size 200 cms	SD-370X
390	Hair Remover Razor	SD-371
391	CVP Monometer	SD-372
392	Guide wire PTFE coated 150cm 0.18	SD-373
393	Guide wire PTFE coated 150cm 0.25	SD-374
394	Transducer Protector	SD-375
395	2way 100% silicon follies catheter 14 Fr	SD-376
396	2way 100% silicon follies catheter 16 Fr	SD-377
397	2way 100% silicon follies catheter 18 Fr	SD-378
398	2way 100% silicon follies catheter 20 Fr	SD-379
399	Guide Wire 5f,	SD- 380
400	Guide Wire 6f	SD- 381
401	Disposable Apron (Polythene) Standard Size	SD- 383
402	Disposable Draw Sheets 100cm x 160cm	SD- 384
403	Disposable Bed Sheets 210cm x 150cm	SD- 385
404	Disposable Abdominal Sheets/Laprectomy Sheets 250cm x 150 cm	SD- 386
405	Disposable Laprascope Drape 160 x 160cm	SD- 387
406	Disposable Drap Sheet Plastic 210 x 120cm	SD- 388

407	Ureteric Catheter 4f,	SD- 389
408	Ureteric Catheter 5f,	SD- 390
409	Ureteric Catheter ,6f	SD- 391
410	Urometer 250	SD- 392
411	Urometer 500ml	SD- 393
412	Moline Sheets 60cm x 90cm	SD- 394
413	Double Lumen Endotracheal Tubes (Right) Size:32 Fr	SD- 395
414	Auragain all sizes	SD- 396
415	I gel all sizes	SD- 397
416	Buskamask all sizes	SD- 398
417	Laryngeal tube all sizes	SD- 399
418	Endotracheal Tube exchanger	SD- 400
419	Intubating bougies	SD- 401
420	McCoy Laryngoscopy blade	SD- 402
421	Preheparinized Arterial Blood Collecting syringe	SD- 403
422	Silver Impregnated CVC	SD- 404
423	Antibiotic coated CVC	SD- 405
424	Chemoport	SD- 395xy
425	Soda-Lime for Anesthesia Workstations	SD- 406A
426	Bio-degradable & non chlorinated BAGS: 40"x 33"	SD 232D
427	Bio-degradable & non chlorinated BAGS: 26"x 26"	SD 232G
428	Bio-degradable & non chlorinated BAGS: 20"x20"	SD 232F
429	Tracheostomy Cuffed Size;10 IDMM with radio-opaque blue line-Thermo sensitive PVC, high volume - low pressure, velvet soft cuff, having a hollow obturator with rounded tip for insertion over a guide wire	SD- 154AB
430	Tracheostomy Plain Size; 10 IDMM with radio-opaque blue line-Thermo sensitive PVC, high volume - low pressure, velvet soft cuff, having a hollow obturator with rounded tip for insertion over a guide wire	SD- 160AB
431	Arterio Venous Dialysis Catheter Lines	SD- 166AB
432	Kidney/Liver Biopsy Needles various Sizes	SD-169
433	Un-sterilized Polythene Disposable Gloves (Medium/Big Size) per Pc.	SD- 088FG
434	Combined Spinal Epidural Needle(KIT), size 18G, 3.5 inch, Tuohy with black eye lumen 27G x 4-5 inch pencil point / quincke bevel spinal needle alongwith Docking system, epidural catheter multiport with Mark 20G x 85 cm catheter guide LOR syringe 10ml, hydrophobic epidural filter 0.22m, Luer Lock, threading assistant guide, twist lock connector.	SD- 240XY
435	Combined Spinal Epidural Needle (KIT) size 16G, 3.5 inch, Tuohy with black eye lumen 26G x 4-5 inch pencil point / quincke bevel spinal needle alongwith Docking system, epidural catheter multiport with Mark 20G x 85cm catheter guide LOR syringe 10ml, hydrophobic epidural filter 0.22m, Luer Lock, threading assistant guide, twist lock connector.	SD- 240YZ
436	Disposable sponges	SD-333
437	Kidney Biopsy Needles	SD- 344X

B. Dressing Material

S.No	Item Description	Item Code
1	COTTON ABSORBENT Packet of 500 GMs (Net Wt) confirming to IP Standards 1985. (SB)	DRM-001
2	BANDAGE ROLLED F-II Specification Size : 15 cm x 5 Meters(SB)	DRM-004
3	Plaster of Paris Bandage IP/BP Size: 10 cm x 2.7 Meters(SB)	DRM-007

4	Plaster of Paris Bandage IP/BP Size: 7.5 cm x 2.7 Meters(SB)	DRM-008
5	Oxidised Regenerated Cellulose based Topical Absorbable Hemostat Regular with Bactericidal property. Size : (2 x 3) inches (SB)	DRM-014
6	Oxidised Regenerated Cellulose Thicker Weave can be sutured through with bactericidal property. Size : (6 x 9) inches (SB)	DRM-017
7	Oxidised Regenerated Cellulose based Topical Absorbable Hemostat, Structured Non-woven material with bactericidal property. Ease of use in both open and minimally invasive procedures. Size : (4 x 4) inches	DRM-020
8	Incise Drape : Sterile, breathable, adherent, polymeric film impregnated with iodophore. Should adhere securely to wound edges and provide continuous antimicrobial activity over several hours even during heavy retraction and irrigation. Usable with any preoperative skin preparation. Film should be uniformly impregnated with idophore. Size: 26 x 20 cm (SB)	DRM-026
9	Incise Drape : Sterile, breathable, adherent, polymeric film impregnated with iodophore. Should adhere securely to wound edges and provide continuous antimicrobial activity over several hours even during heavy retraction and irrigation. Usable with any preoperative skin preparation. Film should be uniformly impregnated with idophore. Size: 34-35 cm x 35 cm (SB)	DRM-027
10	Incise Drape : Sterile, breathable, adherent, polymeric film impregnated with iodophore. Should adhere securely to wound edges and provide continuous antimicrobial activity over several hours even during heavy retraction and irrigation. Usable with any preoperative skin preparation. Film should be uniformly impregnated with idophore. Size: 55-60cm x 45 cm (SB)	DRM-028
11	Incise Drape: Sterile, breathable, adherent, polymeric film impregnated with iodophore. Should adhere securely to wound edges and provide continuous antimicrobial activity over several hours even during heavy retraction and irrigation. Usable with any preoperative skin preparation. Film should be uniformly impregnated with idophore. Size: 60cm x 80 cm (SB)	DRM-029
12	Paraffin Gauze: Sterile with adequate quantity of paraffin. Uniformly impregnated. Size: 30 cm x 10 cm. (SB)	DRM-036
13	Sterile eye pads: Oval shaped, 5-6 cm x 6-7cm size, sterile, single piece packing. (SB)	DRM-059
14	Sterile eye drapes: 100% polypropylene sheet, large size (100 x 100cm), insice area / adhesive area, 10 x 10 cm drain / fluid collection pouch, eye lid holders, malleable breath bar, sterile packing. (SB)	DRM-060
15	Silver Anti Microbial Dressing: Size: 5cms x 5 cms (SB)	DRM-074
16	Silver Anti Microbial Dressing: Size: 10cms x 10 cms(SB)	DRM-075
17	Silver Anti Microbial Dressing: Size: 10cms x 20 cms(SB)	DRM-076
18	Silver Anti Microbial Dressing: Size: 20cms x 20 cms(SB)	DRM-077
19	Silver Anti Microbial Dressing: Size: 20cms x 40 cms(SB)	DRM-078
20	Silver Anti Microbial Dressing: Size: 40cms x 40 cms(SB)	DRM-079
21	Nanocrystalline silver in Knitted polyester mesh dressing with Silcryst technology, 10cm x12.5cm	DRM-080
22	Nanocrystalline silver in Knitted polyester M&EQ mesh dressing with Silcryst technology, 10cm x 20cm Pack of 12	DRM-081
23	Nanocrystalline silver in Knitted polyester mesh dressing with Silcryst technology,, 20cm x 40cm	DRM-082
24	Nanocrystalline silver in Knitted polyester mesh dressing with Silcryst technology, 40cm x 40cm	DRM-083
25	Nanocrystalline silver in Knitted polyester M&EQ mesh dressing with Silcryst technology, 10cm x 120cm	DRM-084
26	Hydro Cellular Foam with ART Principle PU top M&EQ Layer with	DRM-085

	silicone gel, 12.5cm x 12.5cm	
27	Hydro Cellular Foam with ART Principle Antibacterial PU top Layer with silicone gel, 17.5cm x 17.5cm	DRM-086
28	Hydro Cellular Foam with ART Principle Antibacterial PU top Layer with silicone gel 21cm x 21cm	DRM-087
29	Hydro Cellular Foam with ART Principle PU top M&EQ Layer with silicone gel, 10cm x 25cm	DRM-088
30	Hydro Cellular Foam with ART Principle PU top M&EQ Layer with silicone gel 10cm x 30cm	DRM-089
31	Hydro Cellular Foam with ART Principle PU top M&EQ Layer with silicone gel, 7.5cm x7.5cm	DRM-090
32	Paraffin Gauze roll 15Cm x 2 Mtr Box of 12- USFDA	DRM-091
33	Grid pattern acrylic adhesive film dressing 6.5x5cm Pkt of 100	DRM-092
34	Grid pattern acrylic adhesive film 15.5 x 8.5cm Pkt of 20	DRM-093
35	Grid pattern acrylic adhesive film 25 x 10cm Pkt of 20	DRM-094
36	Grid pattern acrylic adhesive film 35 x 10cm Pkt of 20	DRM-095
37	Nanocrystalline silver in Knitted polyester mesh dressing, 10cm x12.5cm	DRM-101
38	Nanocrystalline silver in Knitted polyester mesh dressing, 10cm x 20cm	DRM-102
39	Nanocrystalline silver in Knitted polyester mesh dressing, 20cm x 40cm	DRM-103
40	Nanocrystalline silver in Knitted polyester mesh dressing, 40cm x 40cm	DRM-104
41	Nanocrystalline silver in Knitted polyester mesh dressing, 10cm x 120cm	DRM-105
42	Hydro Cellular Foam Antibacterial PU top Layer with silicone gel, 12.5cm x 12.5cm	DRM-106
43	Hydro Cellular Foam Antibacterial PU top Layer with silicone gel, 17.5cm x 17.5cm	DRM-107
44	Hydro Cellular Foam Antibacterial PU top Layer with silicone gel 21cm x 21cm	DRM-108
45	Hydro Cellular Foam Antibacterial PU top Layer with silicone gel, 10cm x 25cm	DRM-109
46	Hydro Cellular Foam Antibacterial PU top Layer with silicone gel 10cm x 30cm	DRM-110
47	Hydro Cellular Foam Antibacterial PU top Layer with silicone gel, 7.5cm x7.5cm	DRM-111

C. Suture Material

A-I	Braided silk sutures		
S.No	Needle type & size	Size	Item Code
1	3/8 Circle Reverse Cutting 45 MM	0	SM-209
2	3/8 Circle Round Body/ Taper point 30 MM	0	SM-210
3	1/2 Circle Round Body/ Taper point 30 MM	0	SM-211
4	3/8 Circle Cutting Needle 60 MM	1	SM-212
5	1/2 Circle Round Body/ Taper point 30 MM	2-0	SM-213
6	3/8 Circle Reverse Cutting 39- 45 MM	2-0	SM-214
7	1/2 Circle Round Body/ Taper point 20 MM	3-0	SM-215
8	1/2 Circle Round Body/ Taper point 25- 26 MM	3-0	SM-216
9	1/2 Circle Round Body/Taper point 25-26 MM	3-0	SM-217
10	3/8 Circle Reverse Cutting 26 MM	3-0	SM-218
11	3/8 Circle Cutting Needle 16 MM	3-0	SM-219
12	3/8 Circle Cutting Needle 16 MM	4-0	SM-220
13	3/8 Circle Reverse Cutting Needle, 12 MM	5-0	SM-221
14	3/8 Circle Round Body/Taper point 10 MM	5-0	SM-222
15	Black Braided silk	4-0	SM-223

16	Black Braided silk	3-0	SM-224
17	Black Braided silk	2-0	SM-225
18	Black Braided silk	0	SM-226
19	Black Braided silk	1	SM-227
20	Pre-cut sutures Black Braided silk sterile	0	SM-228
21	Pre-cut sutures Black Braided silk sterile	0	SM-229
22	Pre-cut sutures Black Braided silk sterile	1	SM-230
23	Pre-cut sutures Black Braided silk sterile	1	SM-231
24	Pre-cut sutures Black braided silk sterile	1-0	SM-232
25	Pre-cut sutures Black braided silk sterile	1-0	SM-233
26	Pre-cut sutures Black Braided silk sterile	2-0	SM-234
27	Pre-cut sutures Black Braided silk sterile	2-0	SM-235
28	Pre-cut sutures Black Braided silk sterile	3-0	SM-236
29	Pre-cut sutures Black braided silk sterile	3-0	SM-237
30	Pre-cut sutures Black braided silk sterile	4-0	SM-238
31	3/8 Circle Cutting, 60 mm	1	SM-239
32	3/8 Circle Micro Point Spatulated 6 MM Virgin Silk	8-0	SM-240

A-II Surgical gut/Synthetic Polyglytone Sutures

S.No	Sutures Materials	Needle type & size	Item Code
1	1/2 Circle Round Body/Taper point 30 MM	0	SM-241
2	1/2 Circle cutting 22 MM	3-0	SM-242
3	5/8 Circle cutting 16 MM	3-0	SM-243
4	3/8 Circle reverse cutting 16 MM	4-0	SM-244
5	3/8 Circle reverse cutting 13 MM	5-0	SM-245
6	1/2 Circle Round Body/ Taper point (Heavy) 40 MM	1	SM-246
7	3/8 Circle Round Body/Taper point Blunt Point 63 MM	1	SM-247
8	1/2 Circle Round Body/Taper point (Heavy) 45 MM	2	SM-248
9	1/2 Circle Round Body/Taper point 26 MM	2-0	SM-249
10	1/2 Circle Round Body/ Taper point 30 MM	2-0	SM-250
11	1/2 Circle Round Body/Taper point 20 MM	3-0	SM-251
12	Plain gut 76 cm, 3/8 circle Round Body/ Taper point 30 mm	2-0	SM-252

A-III Polyglactin/Glycolide & lactide braided absorbable sutures (dyed)

S.No	Sutures Materials	Needle type & size	Item Code
1	1/2 Circle Round Body/Taper point 20 MM	4-0	SM-253
2	5/8 Circle Cutting 16- 17 MM	4-0	SM-254
3	5/8 Circle Cutting 16- 17 MM	4-0	SM-255
4	3/8 Circle Reverse Cutting needle 12 MM	5-0	SM-256
5	3/8 Circle Cutting needle 12 MM	5-0	SM-257
6	1/4 Circle Spatulated MICRO-POINT Double Needle 8 MM	6-0	SM-258
7	1/4 Circle Spatulated MICRO-POINT Double Needle 8 MM	6-0	SM-259
8	3/8 Circle Reverse Cutting 24-26 MM	3-0	SM-260
9	3/8 Circle Cutting , needle 12-16 MM	4-0	SM-261
10	3/8 Circle Cutting , needle 16 MM	4-0	SM-262
11	3/8 Circle Cutting , needle 16-19 MM	3-0	SM-263
12	3/8 Circle Cutting , needle 16-19 MM	3-0	SM-264
13	1/2 Circle Cutting, 22-26 MM	3-0	SM-265
14	1/2 Circle Cutting , 22-26 MM	3-0	SM-266
15	3/8 Circle Cutting , needle 12-16 MM	4-0	SM-267
16	3/8 Circle Reverse Cutting 11 MM	5-0	SM-268
17	3/8 Circle Cutting 26 MM	2-0	SM-269

18	1/2 Circle Tapercut , 36 MM	0	SM-270
19	1/2 Circle Round Body/Taper point 30 MM	0	SM-271
20	1/2 Circle Reverse Cutting OS 40 MM	1	SM-272
21	1/2 Circle Round Body/Taper point (Heavy) 40 MM	1	SM-273
22	1/2 Circle Round Body/Taper point 40 MM	1-0	SM-274
23	1/2 Circle Round Body/Taper point 30 MM	2-0	SM-275
24	3/8 Circle Cutting 26 MM	2-0	SM-276
25	3/8 Circle Cutting 22- 24 MM	3-0	SM-277
26	3/8 Circle Cutting 22- 25 MM	3-0	SM-278
27	1/2 Circle Round Body/Taper point 30 MM	2-0	SM-279
28	1/2 Circle Round Body/Taper point 20-22 MM	3-0	SM-280
29	1/2 Circle Cutting 22- 24 MM	3-0	SM-281
30	1/2 circle reverse cutting OS 40 mm	2	SM-282
31	1/2 Circle Round Body/Taper point 17- 20 MM	4-0	SM-283
32	1/2 Circle Round Body/Taper point (Heavy) 40 MM	1	SM-284
33	1/2 Circle Round Body/Taper point 20-22 MM	3-0	SM-285
34	1/2 Circle Reverse Cutting 40 MM	1	SM-286
35	3/8 Circle Spatulated MICRO-POINT needle, 30 cm	7-0	SM-287
36	Round Body/Taper point needle, 3/8 circle Needle length:6.50 mm	8-0	SM-288
37	cutting needle,3/8 circle spatulated Needle length 6 mm	8-0	SM-289
38	Fast Absorbable Suture (Glycolide 90% with 10% L-lactide as two components with standard surface coating), Colour Violet, 1/0 Taperpoint, 40 mm, 110 cm, Taper Point 1/2 CIRC	1-0	SM-501
39	Fast Absorbable Suture (Glycolide 90% with 10% L-lactide as two components with standard surface coating), Colour Violet, 1/0 Taperpoint, 31 mm, 110 cm, Taper Point 1/2 CIRC	1-0	SM-502
40	Fast Absorbable Suture (Glycolide 90% with 10% L-lactide as two components with standard surface coating), Colour Violet, 3/0 Taperpoint 26 mm, 1/2 CIRC, 70 cm	3-0	SM-503
41	Fast Absorbable Suture (Glycolide 90% with 10% L-lactide as two components with standard surface coating), Colour Violet, 2/0 Tapercut 31 mm, 110cm 1/2 CIRC	2-0	SM-504

A-IV Nylon polyamide Monofilament non absorbable sutures			
S.No	Sutures Materials	Needle type & size	Item Code
1	1/2 Circle Round Body/Taper point 40 MM	0	SM-290
2	1/2 Circle Round Body/Taper point (Heavy) 48 MM	1	SM-291
3	3/8 Circle Reverse Cutting 45 MM	2-0	SM-292
4	3/8 Circle Cutting Needle 16-19 MM	3-0	SM-293
5	3/8 Circle Cutting Needle 12-22 MM, Hemoseal	5-0	SM-294
6	3/8 Circle Cutting Needle size 12-22mm	5-0	SM-295
7	3/8 Circle Cutting Needle 12-22mm	6-0	SM-296
8	3/8 Circle Reverse Cutting 26 MM	3-0	SM-297
9	3/8 Circle Cutting Needle 16-19 MM	4-0	SM-298
10	3/8 Circle Reverse Cutting Needle 12-13 MM	5-0	SM-299
11	3/8 Circle Reverse Cutting Needle 12-13 MM	5-0	SM-300
12	3/8 Circle Round Body/Taper point Micro Point Double Needle 4 MM	10-0	SM-301
13	3/8 Circle Round Body/Taper point Micro Point 4 MM	10-0	SM-302
14	3/8 Circle Round Body/Taper point Micro Point 6 MM	8-0	SM-303

15	3/8 Circle Spatulated Micro Point Double Needle 6 MM	10-O	SM-304
16	3/8 Circle Reverse Cutting 39-45 MM	2-O	SM-305
17	3/8 Circle Reverse Cutting 24-26 MM	3-O	SM-306
18	Straight Cutting Needle 60 MM	0	SM-307
19	Nylon pre cut ties,	1	SM-308
20	Nylon pre cut ties	2-O	SM-309
21	Nylon pre cut ties	3-O	SM-310
22	Nylon pre cut ties	4-O	SM-311
23	3/8 circle. Needle length: 11.00 mm.	7-O	SM-312
24	3/8 circle. Needle length: 6.50 mm.	9-O	SM-313
A-V	Polyglecaprone/ Glycomer Monofilament (undyed) Sutures		
S.No	Sutures Materials	Needle type & size	Item Code
1	1/2 Circle Oval Round Body/Taper point, 22 MM	3-O	SM-314
2	3/8 Circle Cutting 25 MM	3-O	SM-315
3	3/8 Circle reverse Cutting needle 12-22 MM	4-O	SM-316
4	3/8 Circle Cutting 16 MM	5-O	SM-317
5	Polyglecaprone Antibacterial 26mm, size 3/0, 3/8 circle reverse cutting 70 cm	3-O	SM-505
A-VI	Polydioxanone/Polyglyconate monofilament sutures		
S.No	Sutures Materials	Needle type & size	Item Code
1	Fish hook taper point V38, 31mm polydioxanone II violet monofilament 70CM	1	SM- 318
2	Fish hook taper point, 31mm	1-O	SM- 319
3	1/2 Circle Round Body/Taper point CTX 48 MM	1	SM- 320
4	1/2 Circle Round Body/Taper point Double Needle 13 MM	5-O	SM- 321
5	1/2 Circle, Round Body/Taper point, double needle, 17 mm	4-O	SM- 322
6	1/2 Circle, Round Body/Taper point, 31mm	2-O	SM- 323
7	1/2 Circle, Round Body/Taper point, 20mm	3-O	SM- 324
8	Round bodied, 1/2 circle, 13mm	4-O	SM- 325
9	Round bodied, 1/2 circle, 20mm	4-O	SM- 326
10	Round bodied, 1/2 circle,	5-O	SM- 327
11	Polydixanone Antibacterial 1 No 1/2 CIRC, Taperpoint,40mm, 90 cm	1	SM-492
12	Polydixanone Antibacterial 1/0 No 1/2 CIRC, Taperpoint,48mm, 90 cm	1/0	SM-493
13	Polydixanone Antibacterial 2/0 No 1/2 CIRC, Taperpoint,26mm, 70 cm	2/0	SM-494
14	Polydixanone Antibacterial 3/0 No 1/2 CIRC, Taperpoint,17mm, 70 cm	3/0	SM-495
15	Polydixanone Antibacterial 4/0 No 1/2 CIRC, Taperpoint,17mm, 70 cm	4/0	SM-496
16	Polydixanone 5/0 3/8 CIRC,17mm Double Needle, 70 cm	5/0	SM-497
17	Polydixanone 6/0 3/8 CIRC, Taper point, 11mm, 45 cm	6/0	SM-498
18	Polydixanone Antibacterial 6/0 3/8 CIRC, Taperpoint,8mm, 45 cm	6/0	SM-499
19	Polydixanone Port Closure Needle 1/2 circle 22mm reverse cutting, 45 cm	1	SM-500
A-VII	Polypropylene non absorbable Monofilament (dyed) sutures		
S.No	Sutures Materials	Needle type & size	Item Code
1	10 mm needle, 60 cm, 2*3.5mm Pledgets, 3/8 Circle taper	6-O	SM-328

	cut		
2	3/8 circle taper point , Double needle 8mm Polypropylene Blue Monofilament	8-0	SM-329
3	3/8 circle taper point Double needle 13mm Polypropylene Blue Monofilament	6-0	SM-330
4	3/8 circle taper point tungsten /Alloy needle , Double needle, 8-10.5 mm Polypropylene Blue Monofilament	6-0	SM-331
5	1/2 Circle Round Body/Taper point 27-30 MM	0	SM-332
6	1/2 Circle Round Body/Taper point (Heavy) 30 MM	0	SM-333
7	1/2 Circle Round Body/Taper point (Heavy) 27-30 MM	1	SM-334
8	1/2 Circle Round Body/Taper point 26-30 MM	2-0	SM-335
9	1/2 Circle Tapercut V-5 Double Needle 17 MM	2-0	SM-336
10	1/2 Circle Round Body/Taper point 25-26 MM	3-0	SM-337
11	1/2 Circle Taper point Double Needle 26 MM	3-0	SM-338
12	1/2 Circle Round Body/Taper point Double Needle 26 MM	3-0	SM-339
13	3/8 Circle Cutting 22- 24 MM	3-0	SM-340
14	3/8 Circle Cutting 22- 24 MM	3-0	SM-341
15	3/8 Circle Cutting 12-22 MM	4-0	SM-342
16	1/2 Circle Round Body/Taper point Double Needle 17 MM	4-0	SM-343
17	1/2 Circle Round Body/Taper point 16-17mm	4-0	SM-344
18	1/2 Circle Tapercut Double Needle 17 MM	4-0	SM-345
19	1/2 Circle Taper Point Double Needle 13 MM	4-0	SM-346
20	1/2 Circle Taper Point Double Needle 26 MM	4-0	SM-347
21	1/2 Circle Round Body/Taper point, Double Needle 13 MM	5-0	SM-348
22	3/8 Circle Round Body/Taper point Double Needle 12 MM	5-0	SM-349
23	1/2 Circle Taper Point TF Double Needle 13 MM	5-0	SM-350
24	3/8 Circle Round Body/Taper point Micro Point Double Needle 8 MM	6-0	SM-351
25	3/8 Circle Round Body/Taper point (250-350 Microns) Double Needle 11 MM	6-0	SM-352
26	3/8 Circle Round Body/Taper point, (250-350 Microns) Double Needle 13 MM	6-0	SM-353
27	3/8 Circle Round Body/Taper point (200-250 Microns) Multipass, BV-1 Double Needle 9-9.3 MM	6-0	SM-354
28	3/8 Circle Taper Point , Double Needle 8 MM	7-0	SM-355
29	3/8 circle, taper point, Everpoint, Double needle 8 mm	7-0	SM-356
30	1/2 Circle Round Body/Taper point 20 mm	3-0	SM-357
31	12-22 MM, 3/8 Circle Taper Point, Needle	6-0	SM-358
32	8MM, 3/8 Circle Taper Point,	7-0	SM-359

A-VIII Polyester Braided Silicone Coated non absorbable sutures

S.No	Sutures Materials	Needle type & size	Item Code
1	45-55 mm, 1/2 Circle Taper cutting	5	SM-360
2	12-22 mm, 1/2 Circle Tapercut, Green braided	2-0	SM-361
3	40-45mm, 1/2 Circle Tapercut	2	SM-362
4	1/2 Circle Tapercut V-5 Double Needle 16-17 MM Polybutylate coated braided polyester Excel WHITE Braided 90 cm Firm Ptf Polymer Pledgets 7mm x 3mm x 1.5mm	2-0	SM-363
5	1/2 Circle Tapercut V-5 Double Needle 17 MM Polybutylate coated braided polyester Excel Green Braided 90 cm Firm PTFE POLYMER PLEDGETS 7mm x 3mm x 1.5mm (10 Suture - Per Foil)	2-0	SM-364
6	1/2 Circle Tapercut V-7 Double Needle 26 MM Polybutylate coated braided polyester Excel Green Braided 90 cm Firm	2-0	SM-365

	PTFE POLYMER PLEDGETS 7mm x 3mm x 1.5mm		
7	1/2 Circle Tapercut V-7 Double Needle 26 MM Polybutylate coated braided polyester Excel Green Braided 90 cm Firm PTFE POLYMER PLEDGETS 7mm x 3mm x 1.5mm	2-0	SM-366
8	1/2 Circle Tapercut V-39, 44.8 MM Polybutylate coated braided polyester Excel Green Braided 75 CM (4 Suture per foil)	2	SM-367
9	1/2 Circle Tapercut 2 x V-5 Double Needle 17 MM Polybutylate coated braided polyester Excel Green Braided	2-0	SM-368
10	1/2 Circle Tapercut 2 x V-7 Double Needle 26 MM Polybutylate coated braided polyester Excel White Braided	2-0	SM-369
11	1/2 Circle Tapercut Double Needle 25-26 MMPolybutylate coated braided polyester Excel White Braided	2-0	SM-370
12	1/2 Circle Round Body/Taper point SH Needle Needle 26 MM Polybutylate coated braided polyester EXCEL Green Braided	3-0	SM-371
13	1/2 Circle Round Body/Taper point SH Double Needle 26-35 MM Polybutylate coated braided polyester Excel Green Braided	3-0	SM-372
14	1/2 Circle Tapercut V-55 55 MM Polybutylate coated braided polyester Excel Green Braided 75CM (4 Suture per foil)	5	SM-373
15	3/8 Circle Round Body/Taper point (282 Microns) BV Double Needle 11 MM, Polybutylate coated braided polyester Excel Green Braided	6-0	SM-374
16	1/2 circle needle 26 mm, Round Body/Taper point, green braided	2-0	SM-375

A-IX Knotless Sutures			
S.No	Sutures Materials	Needle type & size	Item Code
1	26MM, 1/2 circle, taper point.	3-0	SM-376
2	17MM, 1/2 circle, taper point	3-0	SM-377
3	36MM, 1/2 circle, taper point	2-0	SM-378
4	17MM, 1/2 circle, taper point	2-0	SM-379
5	36MM, 1/2 circle, taper point	2-0	SM-380
6	36mm, 1/2 Circle reverse cutting	1	SM-381
7	26mm, 1/2 Circle reverse cutting	1-0	SM-382
8	26MM, 1/2 circle, taper point violet triclosan coated	2-0	SM-383
9	26MM, 1/2 circle, taper point violet triclosan coated	3-0	SM-384
10	40MM, 1/2 circle, taper point violet triclosan coated	1-0	SM-385
11	40MM, 1/2 circle, taper point violet triclosan coated	1	SM-386
12	19MM, needle, 3/8 circle, reverse cutting	4-0	SM-387
13	Polydioxanone Antibacterial Barb suture symmetric with fixation Tab 1 No. Rev Cutting, 36mm, 45 cm	1	SM-485
14	Polydioxanone Antibacterial Barb suture symmetric with fixation Tab 1 No. Taper Point, 48mm, 45 cm	1	SM-486
15	Polydioxanone Antibacterial Barb suture symmetric with fixation Tab 2/0 No. Taper Point, 26mm,45 cm	2/0	SM-487
16	Polydioxanone Antibacterial Barb suture with loop Flexible 3/0 Taper Point, 26mm,45 cm	3/0	SM-488
17	Polydioxanone Antibacterial Barb suture with loop Flexible 1/0 30 cm, 36mm	1/0	SM-489
18	Polydioxanone Antibacterial Barb suture symmetric with fixation Tab 1/0, 45 cm, 1/2CIRC, 36 mm, taperpoint	1/0	SM-490

19	Polydioxanone Antibacterial Barb suture symmetric with fixation Tab 1 No, 1/2CIRC, 36mm,45 cm	1	SM-491
----	---	---	--------

A-X Miscellaneous			
S.No	Sutures Materials	Needle type & size	Item Code
1	Applicator Instrument for Sternal Fixator Tensioning Device for Sternal Fixator		SM-388
2	Cardiac Pacing Wires ELECTRODE BLUE 60CM PACING WIRE 17-20mm 1/2 Circle Taper-point & 60mm Straight Cutting needle with Breakaway point		SM-389
3	Cardiac Pacing Wires ELECTRODE BLUE 60CM PACING WIRE 26mm 1/2 Circle Taper- point & 90mm Straight Cutting needle with Breakaway point		SM-390
4	Polytribolate coated polybutester non absorbable monofilament suture 13MM, 3/8 Circle Tapercutting, (Size 5-0)		SM-391
5	Polytribolate coated polybutester non absorbable monofilament suture 17MM, 1/2 Circle Taper Point, (Size 4-0)		SM-392
6	Polytribolate coated polybutester non absorbable monofilament suture 9MM, 3/8 Circle Taper Point (Size 6-0)		SM-393
7	Polytribolate coated polybutester non absorbable monofilament suture 8MM, 3/8 Circle Taper Point, (Size 7-0)		SM-394
8	Steel Wire 1/2 Circle Cutting CCS 48 MM stainless steel Monofilament (Size 5)		SM-395
9	Steel Wire 1/2 Circle Cutting CCS 48 MM stainless steel Monofilament (Size 6)		SM-396
10	Sternal Fixator Peek Polymer Sternal Closure Device with Needle		SM-397
11	Topical skin adhesive Skin closure(2- octyl cyanoacrylate) with self adhesive polyester mesh size 22cm, pack of 2/box, USFDA, CE approved		SM- 398
12	Topical skin adhesive Skin closure(2- octyl cyanoacrylate) with self adhesive polyester mesh size 60cm, pack of 2/box, USFDA, Ceapproved		SM- 399
13	Umbilical Tape 3mm x 75cm Umbilical Cotton Tape		SM-400
14	BIOPATCH BIOPATCH Protective Disc with CHG – BIOPATCH ANTIMICROBIAL DRESSING, 1” disk (2.5 cm) w/4.0 mm center hole		SM-506
15	BIOPATCH BIOPATCH Protective Disc with CHG – BIOPATCH ANTIMICROBIAL DRESSING, 3/4” disk (1.9 cm) w/1.5 mm center hole		SM-507
16	BIOPATCH BIOPATCH Protective Disc with CHG – BIOPATCH ANTIMICROBIAL DRESSING, 1” disk (2.5 cm) w/7.0 mm center hole		SM-508
17	INTERCEED adhesion barrier Oxidised Regenerated Cellulose adhesion barrier - 3 X 4 " inch		SM-509
Group - B.	Surgical Stapling Devices		
S.No	SPECIFICATION	DETAILS	Item Code
1	LINEAR CUTTER Linear Cutter 55/60 mm with cartridge with 6 rows of staple lines with mechanism for consistent staple formation, and allowing for repositioning of tissue before firing. Staple row extends approximately 1.5 staples beyond cut line. With preloaded blue cartridge having closed staple height of 1.5 mm.		SM-405
2	Linear cutter Cartridge		SM-406 A

	Linear cutter cartridge 55/60 mm compatible with linear cutter 55-60 mm Blue cartridge with closed staple height of 1.5mm Note-Discunt/offer- The selected Firm should supply one Linear cutter free against each lot of 10 linear cutter cartridge	
3	Linear cutter Cartridge Linear cutter cartridge 55/60 mm compatible with linear cutter 55-60 mm Green cartridge with closed staple height of 2.0mm Note-Discunt/offer- The selected Firm should supply one Linear cutter free against each lot of 10 linear cutter cartridge	SM-406 B
4	LINEAR CUTTER free against each lot of 10 Linear cutter cartridge Linear Cutter 75/80 mm with cartridge With 6 rows of staple lines with mechanism for consistent staple formation, and allowing for repositioning of tissue before firing. Staple row extends approximately 1.5 staples beyond cut line. With preloaded blue cartridge having closed staple height of 1.5mm.	SM-407
5	Linear cutter cartridge Linear cutter cartridge 75/80 mm compatible with linear cutter 75-80 mm Blue cartridge with closed staple height of 1.5mm Note-Discunt/offer- The selected Firm should supply one Linear cutter free against each lot of 10 linear cutter cartridge	SM-408 A
6	Linear cutter cartridge Linear cutter cartridge 55/80 mm compatible with linear cutter 75-80 mm Green cartridge with closed staple height of 2.0mm Note-Discunt/offer- The selected Firm should supply one Linear cutter free against each lot of 10 linear cutter cartridge	SM-408 B
7	LINEAR CUTTER Linear Cutter 100 mm with cartridge with 6 rows of staple lines with mechanism for consistent staple formation, and allowing for repositioning of tissue before firing.	SM-409
8	Linear cutter cartridge Linear cutter cartridge 100 mm compatible with linear cutter 100 mm Blue cartridge with closed staple height of 1.5 mm Note-Discunt/offer- The selected Firm should supply one Linear cutter free against each lot of 10 linear cutter cartridge	SM-410 A
9	Linear cutter cartridge Linear cutter cartridge 100 mm compatible with linear cutter 100 mm Green cartridge with closed staple height of 2.0mm Note-Discunt/offer- The selected Firm should supply one Linear cutter free against each lot of 10 linear cutter cartridge	SM-410 B
10	Endoscopic linear cutter (normal Shaft Length) - Endoscopic linear cutter having 60 mm staple line, 57 mm cut line, with natural articulation (options of 15 degree, 30 degree, 45 degree on either side), 360 degree rotation, 330-350 mm shaft length.	SM-411
11	Endoscopic linear cutter (Bariatric Shaft Length) - Endoscopic linear cutter having 60 mm staple line, 57 mm cut line, with natural articulation (options of 15 degree, 30 degree, 45 degree on either side), 360 degree rotation, 430-450 mm shaft length.	SM-412
12	Endoscopic linear cutter cartridge Endoscopic Linear cutter cartridge having 60 mm staple line compatible with endoscopic linear cutter 60mm , White cartridge having closed staple height of 1.0 mm.	SM-413 A
13	Endoscopic linear cutter cartridge Endoscopic Linear cutter cartridge having 60 mm staple line compatible with endoscopic linear cutter 60mm , Blue cartridge having closed staple height of 1.5 mm.	SM-413 B
14	Endoscopic linear cutter cartridge	SM-413 C

	Endoscopic Linear cutter cartridge having 60 mm staple line compatible with endoscopic linear cutter 60mm ,Green cartridge having closed staple height of 2.0 mm.	
15	Clip applier (preloaded) open Multi Clip Applier (Preloaded)-Open Multi clip applier 25-30 cm with anti- clip drop ratchet mechanism, lateral & transverse grooves,15-30 degree jaw angle for enhanced visibility, 20- 25 preloaded titaniumclip of medium size	SM-415
16	Laparoscopic powered linear cutter 35 mm Endoscopic linear cutter cartridge 30-45 mm having closed staple height of 1.0 mm compatible withpowered vascular stapler	SM-416
17	Skin stapler Multi-directional disposable skin stapler with coated rectangular staples having dimension of 6.9mm x 3.9mm with 35 numbers of staples with alignment indicator.Squeeze handles staple extractor.	SM-417
18	Circular Stapler Intra-luminal staplers with curved shaft, having controlled tissue compression/ DST through adjustable closed staple height to accommodate various tissue thicknesses 1.0-, non-grip surface, anvil detachable of cartridge sizes rangefrom 21mm to 21 mm.	SM-418 A
19	Intra-luminal staplers with curved shaft, having controlled tissue compression/ DST through adjustable closed staple height to accommodate various tissue thicknesses 1.5-, non-grip surface, anvil detachable of cartridge sizes rangefrom 21mm to 25 mm.	SM-418 B
20	Intra-luminal staplers with curved shaft, having controlled tissue compression/ DST through adjustable closed staple height to accommodate various tissue thicknesses 2.0-, non-grip surface, anvil detachable of cartridge sizes rangefrom 21mm to 29 mm.	SM-418 C
21	Intra-luminal staplers with curved shaft, having controlled tissue compression/ DST through adjustable closed staple height to accommodate various tissue thicknesses 2.5-, non-grip surface, anvil detachable of cartridge sizes rangefrom 21mm to 33 mm.	SM-418 D
22	LIGACLIP APPLIER SMALL Clip Applicator Open Reusable Ligation Clip Applier- straight applier for small size clip 19.1cm long	SM-453
23	LIGACLIP APPLIER 19 CM MEDIUM Clip Applicator Open Reusable Ligation Clip Applier- straight applier for medium size clip 19.1cm long	SM-454
24	LIGACLIP ENDOSCOPIC CLIP APPLIER MEDIUM Endoscopic Clip Applicator Endoscopic Reusable Ligation Clip Applier having alligator-jaw design, distal tip closure, rotating shaft, lateral/ transverse grooves for on vessel security, 360 rotation, for Medium size clips.	SM-457
25	LIGACLIP ENDOSCOPIC CLIP APPLIER LARGE Endoscopic Clip Applicator Endoscopic Reusable Ligation Clip Applier having alligator-jaw design, distal tip closure, rotating shaft, lateral/ transverse grooves for on vessel security, 360 rotation, for large size clips.	SM-459
26	ENDOPATH RELOAD Endoscopic Linear Cutter Cartridge Endoscopic linear cutter cartridge with Gripping surface Technology having 45 mm staple line, compitable with articulating endo cutter which can articulate upto 45° white cartridge having closed staple height of 1.0mm compatible with all range of Echelon Endoscopic linear cutter 45 mm.	SM-470
27	ENDOPATH RELOAD Endoscopic linear cutter cartridge having 45 mm staple line, compatible with articulating endo cutter which can articulate up to 45° blue cartridge having closed staple height of 1.5 mm compatible with all range of Echelon Endoscopic linear cutter 45 mm.	SM-471

28	ENDOPATH RELOAD Endoscopic Linear Cutter Cartridge Endoscopic linear cutter cartridge having 45 mm staple line, compatible with articulating endo cutter which can articulate up to 45° gold cartridge having closed staple height of 1.8 mm compatible with all range of Echelon Endoscopic linear cutter 45 mm.	SM-472
29	ENDOPATH RELOAD Endoscopic Linear Cutter Cartridge Endoscopic linear cutter cartridge having 45 mm staple line, compatible with articulating endo cutter which can articulate up to 45° green cartridge having closed staple height of 2.0 mm compatible with all range of Echelon Endoscopic linear cutter 45 mm	SM-473
30	ENDOPATH RELOAD Endoscopic Linear Cutter Cartridge Endoscopic linear cutter cartridge having 45 mm staple line, compatible with articulating endo cutter which can articulate up to 45° black cartridge having closed staple height of 2.3 mm compatible with all range of Echelon Endoscopic linear cutter 45mm	SM-474
31	CURVED CUTTER STAPLER 40MM Curved Linear Cutter Curved Linear cutter having four curvilinear rows of staples in the width of 30 mm space with a 40 mm single cut line in between the staple line, simultaneous cutting and stapling, unique curved head design, lower pelvic access, manual pin placement option, reloadable cartridges	SM-478
32	CURVED CUTTER STAPLER RELOAD Curved Linear Cutter a) Curved blue cartridge having close staple height of 1.5mm, tactile feedback on completion of firing sequence, new anvil, knife with every cartridge	SM-479
33	CURVED CUTTER STAPLER RELOAD Curved Linear Cutter b) Curved, green cartridge having close staple height of 2.0 mm, tactile feedback on completion of firing sequence new anvil, knife with every cartridge	SM-480
34	HAEMORRHOIDAL STAPLER PPH Haemorrhoidal Stapler Haemorrhoidal stapler kit consists of 33mm Haemorrhoidal Circular stapler with fixed anvil	SM-481
35	POWERED LONG ARTICULATING ENDOSCOPIC LINEAR CUTTER Endocutter Powered 60mm Articulating Endo Cutter with a disposable battery pack, for enhanced distal tip stability while firing, having closed channel in the cartridge jaw for better stability during firing, 360° rotation shaft and one handed natural articulation up to 45 degrees, Precision Machined Anvil to deliver initial, system wide compression, Wide Proximal to Distal Jaw Aperture (proximal 8mm, Distal 22mm), 3 Point Gap Control for alignment and calibration throughout the 60mm staple line, knife direction/reverse control to discontinue the firing and return the Knife, interchangeable 6 row cartridge options of closed staple height of 1.0, 1.5, 1.8, 2.0 and 2.3 mm, all fits down to 12 mm trocar sleeve, 440 mm shaft length.	SM-482
36	ENDOPATH STAPLER RELOADS Endocutter Powered Cartridge Endoscopic linear cutter cartridge with Gripping Surface Technology having 60mm staple line, compatible with articulating upto 45° white cartridge having closed staple height of 1.0 mm compatible with all range of Echelon Endoscopic linear cutter 60mm.	SM-483 A
37	ENDOPATH STAPLER RELOADS Endocutter Powered Cartridge Endoscopic linear cutter cartridge with Gripping Surface Technology having 60mm staple line, compatible with articulating upto 45° Blue cartridge having closed staple height of 1.5 mm compatible with all range of Echelon Endoscopic linear cutter 60mm.	SM-483 B
38	ENDOPATH STAPLER RELOADS Endocutter Powered Cartridge Endoscopic linear cutter cartridge with Gripping Surface Technology having 60mm staple line, compatible with	SM-483 C

	articulating upto 45° Gold cartridge having closed staple height of 1.8 mm compatible with all range of Echelon Endoscopic linear cutter 60mm.	
39	ENDOPATH STAPLER RELOADS Endocutter Powered Cartridge Endoscopic linear cutter cartridge with Gripping Surface Technology having 60mm staple line, compatible with articulating upto 45° Green cartridge having closed staple height of 2.0 mm compatible with all range of Echelon Endoscopic linear cutter 60mm.	SM-483 D
40	Liner cutter with Directional stapling technology with adjustable left and right firing knob, with integrated gap Control Technology in 80 mm GIA instruments.	SM-513
41	Reloads for 80 mm GIA instruments with Directional stapling technology, with the cutting knife incorporated in the reloads itself, with blue 3.8 leg length.	SM-514
42	Reloads for 80 mm GIA instruments with Directional stapling technology, with the cutting knife incorporated in the reloads itself, with green 4.8 leg lengths.	SM-515
43	Liner cutter with Directional stapling technology with adjustable left and right firing knob, with integrated gap Control technology in 60 mm GIA instruments.	SM-516
44	Reloads for 60 mm GIA instruments with Directional stapling technology, with the cutting knife incorporated in the reloads itself, with green 3.8 leg length.	SM-517
45	Reloads for 60 mm GIA instruments with Directional stapling technology, with the cutting knife incorporated in the reloads itself, with green 4.8 leg length.	SM-518
46	31 mm Circular stapler, with Rectangular Staple wire design for use even in challenging applications, detachable Slimmest Anvil Head profile of 5mm with Tilt-Top, Choice of Shaft Lengths -22 cm or 35cms, Staple Heights of 4.8 mm with closed stapled leg lengths of 1.5 mm or 2.0 mm respectively, 440 stainless steel with chisel edge cutting system with lumen/knife diameter of 22.5 mm, Slimmest Integrated trocar in shaft and an Anastomotic Lip of 1.9mm, having 30 staples, with safety lock-out mechanism with audible and tactile feedback and an easy to read Green "Ready to Fire" Indicator.	SM-519
47	33 mm Circular stapler, with Rectangular Staple wire design for use even in challenging applications, detachable Slimmest Anvil Head profile of 5mm with Tilt-Top, Choice of Shaft Lengths - 22 cm or 35 cms, Staple Heights of 4.8 mm with closed stapled leg lengths of 1.5 mm or 2.0mm respectively, 440 stainless steel with chisel edge cutting system with lumen/knife diameter of 22.5mm, Slimmest Integrated trocar in shaft and an anastomotic Lip of 1.9mm, having 30 staples, with safety lock-out mechanism with audible and tactile feedback and an easy to read Green "Ready to Fire" Indicator.	SM-520
48	The Laparoscopic Gastrointestinal Stapler (Short, Slandered & Long shaft lengths), Endo GIA Stapler should have the following specifications, facility for interchanging cartridge lengths of 30 mm, 45 mm and 60mm in the same stapler. The stapler should have Tissue Gap Control Mechanism and the handle when squeezed should move only 15mm at a time, ensuring precise staple formation even at the distal end. The firing sequence of the stapler to be made possible only by activating a push button. The stapler should have a facility for 360° rotation. It should also facilitate a 22° and 45° articulation on either side of the stapler with Roticulating cartridges.	SM-521

49	The Endo GIA cartridges 60MM should have the following specification: The cartridges should have six (6) rows of staple lines irrespective of the length or color of the cartridge. Each cartridge should come with a New knife blade to help in precise cutting. Cartridges should have a wide jaw opening. (White/Blue/Green).	SM-522
50	The Endo GIA cartridges 45MM should have the following specification: The cartridges should have six (6) rows of staple lines irrespective of the length or color of the cartridge. Each cartridge should come with a New knife blade to help in precise cutting. Cartridges should have a wide jaw opening. (White/Blue/Green).	SM-523
51	Optically guided bladeless trocar 12 mm with Optiview Technology, having wiping, wicking and absorbing technology to reduce smudging during camera reinsertion. With bilateral tissue separators, optical tip to eliminate blind entry, clear ribbed cannula, recessed stopcock valve, funnel shaped housing, duckbill secondary seal, integrated universal seal that eliminates the use of reducer in size of 100mm/150mm/180mm.	SM-524
52	Optically guided bladeless trocar 5 mm with Optiview Technology, having wiping, wicking and absorbing technology to reduce smudging during camera reinsertion. With bilateral tissue separators, optical tip to eliminate blind entry, clear ribbed cannula, recessed stopcock valve, funnel shaped housing, duckbill secondary seal, integrated universal seal that eliminates the use of reducer in size of 100mm/150mm/180mm.	SM-525

Group - C.	Haemostatic Materials	
S.No	Haemostatic Sutures Materials with Needle type & size	Item Code
1	Sterile bone wax 2.0 gm	SM-419
2	Oxidized Regenerated Cellulose, Thicker weave, can be sutured through, 3 X 4(Inch)	SM-420
3	Oxidized Regenerated Cellulose, Thicker weave, can be sutured through, 6 x 9(Inch)	SM-421
4	Oxidized Regenerated Cellulose based Topical Absorbable Hemostat Regular 4 x 8 (Inch)	SM-422
5	Oxidized Regenerated Cellulose based Topical Absorbable Hemostat fibrillar/layer form, fibril material (7 layers), for broad surface area coverage 2 X 4 (Inch)	SM-423
6	Oxidized regenerated cellulose with bactericidal properties, 2 x 3 (inch)	SM-424
7	Oxidized regenerated cellulose with bactericidal properties, 2 X 4 (Inch)	SM-425
8	Oxidized regenerated cellulose 2 x 14 (Inch)	SM-426
9	Oxidized regenerated cellulose 4 x 8 (Inch)	SM-427
10	Absorbable Gelatin Sponge should not be cross linked by formaldehyde should be sterilized by Dry heat 7 x 5 x 1 cm	SM-428
11	Fibrin Sealant Absorbable Gelatin based topical absorbable flowable heamostat with 6cc syringe prefilled with hemostatic matrix kit with Thrombin	SM-429

12	Fibrin Sealant One vial each of BAC2 (50-90mg/ml fibrinogen & thrombin (800-1200 IU/ml human thrombin) frozen solution. All- human formul-ation free of bovine aprotinin. Triple-lumen tip to prevent clogging inside the applicator. Maintain predictable fibrino-gen viscosity in a range of temperatures. Maintain fibro- nectin/ fibrinogen ratio within physiologic ranges	SM-430
13	Intracorporeal Tissue Glues For Mesh Fixation Fibrin Sealant along with dual applicator for open and laparoscopic surgery both Rigid (30-35 cm) and flexible (40-45 cm)	SM-484

Group - D.	Meshes		
Sl.No	Needle type & size	Size	Item Code
1	Light weight partial absorbable mesh {Polyglecaprone + Polypropylene/ Polyester+ Polylactic acid(PLA)}	15x15cm	SM-431
2	Light weight partial absorbable mesh {Polyglecaprone + Polypropylene/ Polyester+ Polylactic acid(PLA)}	20x15cm	SM-432
3	Light weight partial absorbable mesh {Polyglecaprone + Polypropylene/ Polyester+ Polylactic acid(PLA)}	30x15cm	SM-433
4	Light weight partial absorbable mesh {Polyglecaprone + Polypropylene/ Polyester+ Polylactic acid(PLA)}	12x 8cm	SM-434
5	Polypropylene/ Polyester Mesh	7.6 x 15cm	SM-435
6	Polypropylene/ Polyester Mesh	15x15cm	SM-436
7	Polypropylene/ Polyester Mesh	20x15cm	SM-437
8	Polypropylene/ Polyester Mesh	25x20cm	SM-438
9	Polypropylene/ Polyester Mesh	12x8 cm	SM-439
10	Polypropylene/ Polyester Mesh	20x20cm	SM-440
11	Polypropylene/ Polyester Mesh	30x20cm	SM-441
12	Tissue separating mesh {polypropylene+ oxidized regenerated cellulose/Polyestercoll agen} with /Without preplaced sutures	12x12cm	SM-442
13	Tissue separating mesh {polypropylene+ oxidized regenerated cellulose/Polyestercoll agen} with /Without preplaced sutures	15x10cm	SM-443
14	Tissue separating mesh {polypropylene+ oxidized regenerated cellulose/Polyestercoll agen} with /Without preplaced sutures	15x15cm	SM-444
15	Tissue separating mesh {polypropylene+ oxidized regenerated cellulose/Polyestercoll agen} with /Without preplaced sutures	20x15cm	SM-445
16	Tissue separating mesh {polypropylene+ oxidized regenerated cellulose/Polyestercoll agen} with /Without preplaced sutures	20x20cm	SM-446
17	Tissue separating mesh {polypropylene+ oxidized regenerated cellulose/Polyestercoll agen} with /Without preplaced sutures	22x20cm	SM-447

18	Tissue separating mesh {polypropylene+ oxidized regenerated cellulose/Polyestercoll agen} with /Without preplaced sutures	30x20cm	SM-448
19	Multi layered, tissue separating mesh with large pore, soft polypropylene and absorbable barrier oxidized regenerated cellulose,	15x20cm	SM-449
20	Multi layered, tissue separating mesh with large pore, soft polypropylene and absorbable barrier oxidized regenerated cellulose,	15x30cm	SM-450
21	5mm single-use mesh fixation device w/ 25-30 absorbable Straps		SM-451
22	5mm single-use mesh fixation device w/ 25-30 non absorbable with titanium tacks Straps		SM-452
23	Partially Absorbable Mesh with large pore size for tissue ingrowth Made of Polyglecaprone & Polypropylene 15 X 15	15 X 15 cm	SM-510
24	Partially Absorbable Mesh with large pore size for tissue ingrowth Made of Polyglecaprone & Polypropylene 30 X 30 cm	30 X 30 cm	SM-511
25	Partially Absorbable Mesh with large pore size for tissue ingrowth Made of Polyglecaprone & Polypropylene 10 X 15 cm	10 X 15 cm	SM-512

D. Blood Bank Items

S.No	Description of Work / Item(s)	Item Code
1	Anti Sera D- (Blend)	BB-04
2	Anti-A1 lectin	BB-05
3	Anti AB	BB-06
4	Detection for Malarial Parasite	BB-07
5	Detection for Syphilis VDRL Kit	BB-08
6	Top & Bottom Blood Bag or Top and Top for collection of 350 ml & 450 ml. of whole blood with integral leukocyte filter for red cell filtration.	BB-09
7	Single Blood Bags Capacity: Single Blood Bag - 450ml	BB-010
8	Single Blood Bags Capacity: Single Blood Bag - 350ml	BB-011
9	Double Blood Bag (350ml.)	BB-012
10	Double Blood Bag (450ml.)	BB-013
11	Triple Blood Bag (350ml.) (with SAGM)	BB-14
12	Triple Blood Bag (450ml.) (with SAGM):	BB-15
13	Quadruple Blood Bag(350ml.) (with SAGM):	BB-16
14	Quadruple Blood Bag (450ml.) (with SAGM)	BB-17
15	Blood transfusion set	BB-018
16	K2EDTA vacutainer	BB-019
17	HIV Elisa Testing Kit IV generation	BB-020
18	HCV Elisa Testing Kit IV generation	BB-021
19	Hepatitis B Surface Antigen testing Kits	BB-022
20	Reagents for NAT testing of HIV, HBV & HCV based on RT-PCR Technology	BB-023

E. Dental Material

S.No	Item Description	Item Code
1.	Occlusal Radiograph X-Ray film Size 4,57 x 76 mm.	den-312
2.	IOPA X-Ray films E-Speed (31X 41 mm) Standard size-2 Pack of 150 films	den-312 a
3.	DK-14 Developing Kit X-Ray Developing kit for automatic Developer	den-313
4.	X-Ray Developer (Ready to make 22.5 Liters).	den-316
5.	X-Ray Fixer. (Ready to make 22.5 Liters).	den-317
6.	Dental stone Type III 1 Kg Packet	den-322
7.	Dental stone Type III 2 Kg Packet	den-322 a
8.	Dental stone Type III 3 Kg Packet	den-322 b
9.	Die Stone Type IV 1 Kg Packet	den-323
10.	Die Stone Type IV 2 Kg Packet	den-323 a
11.	Die Stone Type IV 3 Kg Packet	den-323 b
12.	Heat cure Denture Material. Liquid and Powder 3 Kg powder with 4 ltr corresponding liquid. Pink/Transparent and White	Den-324
13.	Cold cure Denture Material Liquid and Powder(Self cure acrylic resin with monomer) 3 Kg powder with 4l tr corresponding liquid. Pink/Transparent and White	den-328
14.	Teeth full Set U/L (All shades/sizes)	den-329
15.	Teeth Anterior U/L Set of 12 (All shades/sizes)	den-330
16.	Teeth Posterior U/L Set of 16 (All shades/sizes)	den-331
17.	Opaque fluid.	den-336
18.	Sandblast(intraoral) Aluminum oxides and ,50-120 microns.	den-337
19.	Temporary Relining material Kit containing powder, liquid Minimum 80 gms powder And 60 ml liquid.	den-340
20.	Permanent relining material Kit containing powder ,Liquid	den-341
21.	Phosphate bonded investment material With liquid for casting.With corresponding liquid	den-342
22.	Arch Bar Adult	den-344
23.	G.I.C Type I Self adhesive, self cure and Fluoride releasing glass Ionomer luting cement for cementation of PFM and Zirconia crown and bridge, cast metal post and metal orthodontic appliances.	DEN-359
24.	G.I.C. Type II Advanced Fluoride releasing, self cure& self adhesive Restorative Glass Ionomer Cement (Advanced Type-2 GIC) for restoration of pediatric and geriatric restorations. Pack size: 15 gm powder, 10 gm and 8ml liquid, Mixing pad, Spatula & amp; Scoop. Contains High Translucent Fluoroaluminosilicate Glass (HT Glass) & amp; High Functional Polycarboxylic Acid Copolymer technologies for better aesthetics & improved physical properties. SHADE: (universal shade) Mixing time; 45 sec (at 23°C), Working time: 2 min (at 23°C, from start of mixing), Setting time: 2 min 20 sec (at 37 C).	Den-360
25.	G.I.C Type IX (Zirconomer improved) Zirconia reinforced restorative Glass Ionomer	DEM-213
26.	Calcium Hydroxide Paste Fast setting (Pack of two tubes)Base and catalyst. 2-4 gm tubes	den-364
27.	Light cure calcium hydroxide paste. Light cure, Syringes, Radio opaque .2-4 Gm tubes	den-364 a
28.	Calcium Hydroxide iodoform paste. Non setting, syringes, radio opaque. 2 to 3 gms	den-364 b

29.	Wire, stainless steel 18 gauge (Hard)	den-315
30.	Matrix band (Ivory 2)	den-372A
31.	Cellophane strips Transparent, assorted size(boxes)	den-376
32.	Pit and fissure sealant Light cured sealant natural shade with Applicator tips. 2-3 gm syringes.	den-377
33.	Inlay wax Blue soft	den-378
34.	Lubricant spray oil. for maintenance of turbines and contra angle and straight dental hand pieces for lubrication and cleaning.(Bottle With nozzle 500ml)	den-384
35.	Cavity varnish with fluoride Bottle.	den-388
36.	Patient drapes Adult.	den-391
37.	Patient drapes Paedo	den-391 a
38.	Die spacer Casting of crown 0.18 mm,	den-394
39.	Die spacer Casting of crown 0.25 mm.	den-394 a
40.	Die Hardener bottle	den-395
41.	Die separator bottle	den-396
42.	Porcelain build-up kit Contains brushes, spatula and carving knives, Assorted/imported	den-397
43.	Porcelain material Containing opaque, Dentine, enamel and Glaze in powder form with all shades.	den-398
44.	De-bublizer Available as spray bottles.	den-399
45.	Metal Primer Bonding of metal available in tubes	den-400
46.	Agar Agar Impression material (Minimum 2kg Packaging in gel form)	den-402
47.	hydro fluoric acid Hydrofluoric acid etching gel-9% for etching porcelain crowns, veneers and bridges. Gel-Syringe with disposable tips, viscous, buffered, gel 1- 2 ml syringe.	den-403
48.	Silicone (Coupling agents) Bonding of ceramics .Available in tubes.	den-404
49.	Casting rings Silicone rings for casting set of three.	den-405
50.	Crucibles Induction casting.	den-406
51.	Wax caliper Crown thickness measuring device.	den-407
52.	Sand paper sheets for polishing 80 size	den-409
53.	Sand paper sheets for polishing 100 size	den-409 a
54.	Lignocain spray Lignocain spray aerosol for topical use. 15% w/v (Mint flavored)Metal container 100 gm/ 100 ml with nozzle for delivery.	den-422
55.	Petroleum Jelly Dental use (100 gm- 500 gm)	den-428
56.	Sand paper metal mandrill Micro motor-contra angle hand piece type/latch type man drill with screw.	den-430
57.	Mandrill for holding Carborundum discs, diamond discs. Metal man drill for straight and piece with screw.	Den-430 a
58.	Periodontal dressing Non Eugenol base &catalyst Light cure& Chemical cure Each tube 90-100 gms (180-200 gms pack of both tubes)	den-431
59.	Hydrogen per oxide 3% by vol colorless liquid. 50 ml to 450 MI bottles.	den-432

60.	Disk acrylic cutting For splitting orthodontic expansion appliance	den-434
61.	Preformed molar bands with pre welded buccal tubes (Upper double and lower single) Size 35-42 with upper double each and Lower single particular size includes 4 bands Viz: Ur, Ul, Lr, Ll Of each size.	den-438
62.	Stainless steel Bracket kits–Roth prescription (018, 022 slot) Used on individuals teeth in fixed orthodontics treatment twin wing from 5-5 with hooks on 3,4,5. Should have a mesh base and rounded smooth brackets, wings tarnis hand corrosion resistant (complete kit)	den-444
63.	Curved Begg Bracket Mesh base pack of 100	den-446 a
64.	Flat Begg Bracket Mesh base pack of 100	den-446 ab
65.	Pumice polishing powder A white colored very fine powder. Used for polishing orthodontic appliances (1 Kg Packet)	den-463
66.	Polishing rubber cups, polishing brushes Soft wheel shaped cups. Used for Polishing tooth surfaces after de bonding.	den-464
67.	Butane gas Fuel for soldering torch.	den-470
68.	Elastomeric chain (Continuous, Short & Medium) Used as force delivering component during space closure in fixed orthodontic mechanics.	den-471
69.	Slide boxes 75 mm long x 25 mm widex 1.35mm thick (box of 50 slides)	den-472
70.	EDTA Solution 17%25 ml bottle	Dem-022
71.	Gutta – percha Points 6% taper 20, 25(Assorted) Compactable with Approved rotary system.	den-564
72.	MBT Self-legating brackets Slot size 018(Stainless steel) active/passive Type of clip active/passive size brackets(Medium) Complete Kit	den-525
73.	Metal insert ceramic MBT bracket slot size 018 Poly Crystalline Color coded Power arm on canine and pre-molar Complete Kit	den-528
74.	Light Cure Adhesive kit (Bonds metal and ceramic brackets to tooth surface) Used for Bracket Bonding in fixed orthodontic treatment Kit of 3 syringes + Bonding agent + Etchant.	den-532
75.	TMA Wires Rectangular Pre Formed Arch Form (Ovoid) upper and lower. 17 x 25, 19 x 25 Used as arch wires in fixed orthodontic treatment 1 pack of 10 wires	den-534
76.	E-chain Medium Short Continuous Used to fit over the bracke. 3ts and arch wires to connect the teeth together 1 reel	den-535
77.	Preformed Molar Bands with Pre Welded Buccal Tubes(UpperDouble & Lower Single)-MBT prescription- 018 slot, 022 slot Size 35-42 with upper triple and lower double tubes a set of a particular size includes 4 bands viz: UR,UL,LR,LLof each size]	den-438A
78.	Deciduous molar stainless steel crown kit.	

	Performed and pre contoured stainless steel kit of 100 crowns.	den-537 a
79.	Stainless steel Bracket kits–Roth prescription (018, 022 slot) Used on individuals teeth in fixed orthodontics treatment twin wing from 5-5 with hooks on 3,4,5. Should have a mesh base and rounded smooth brackets, wings tarnis hand corrosion resistant(complete kit)	den-444
80.	Curved Begg Bracket Mesh base pack of 100	den-446 a
81.	Flat Begg Bracket Mesh base pack of 100	den-446 ab
82.	Pumice polishing powder A white colored very fine powder. Used for polishing orthodontic appliances (1 Kg Packet)	den-463
83.	Polishing rubber cups, polishing brushes Soft wheel shaped cups. Used for Polishing tooth surfaces after de bonding.	den-464
84.	Butane gas Fuel for soldering torch.	den-470
85.	Elastomeric chain (Continuous, Short & Medium) Used as force delivering component during space closure in fixed orthodontic mechanics.	den-471
86.	Slide boxes 75 mm long x 25 mm widex 1.35mm thick (box of 50 slides)	den-472
87.	EDTA Solution 17%25 ml bottle	Dem-022
88.	Gutta – percha Points 6% taper 20, 25(Assorted) Compactable with Approved rotary system.	den-564
89.	MBT Self-legating brackets Slot size 018(Stainless steel) active/passive Type of clip active/passive size brackets(Medium) Complete Kit	den-525
90.	Metal insert ceramic MBT bracket slot size 018 Poly Crystalline Color coded Power arm on canine and pre-molar Complete Kit	den-528
91.	Light Cure Adhesive kit (Bonds metal and ceramic brackets to tooth surface) Used for Bracket Bonding in fixed orthodontic treatment Kit of 3 syringes + Bonding agent +Etchant.	den-532
92.	TMA Wires Rectangular Pre Formed Arch Form (Ovoid) upper and lower. 17 x 25, 19 x 25 Used as arch wires in fixed orthodontic treatment 1 pack of 10 wires	den-534
93.	E-chain Medium Short Continuous Used to fit over the bracke. 3ts and arch wires to connect the teeth together 1 reel	den-535
94.	Preformed Molar Bands with Pre Welded Buccal Tubes(Upper Double & Lower Single)-MBT prescription- 018 slot, 022 slot Size 35-42 with upper triple and lower double tubes a set of a particular size includes 4 bands viz: UR,UL, LR, LL of each size]	den-438A
95.	Deciduous molar stainless steel crown kit. Performed and pre contoured stainless steel kit of 100 crowns.	den-537 a
96.	Stainless steel Bracket kits–Roth prescription (018, 022 slot) Used on individuals teeth in fixed orthodontics treatment twin wing from 5-5 with hooks on 3,4,5. Should have a mesh base and rounded smooth brackets, wings tarnis hand corrosion resistant(complete kit)	den-444
97.	Curved Begg Bracket	den-446 a

	Mesh base pack of 100	
98.	Flat Begg Bracket Mesh base pack of 100	den-446 ab
99.	Pumice polishing powder A white colored very fine powder. Used for polishing orthodontic appliances (1 Kg Packet)	den-463
100.	Polishing rubber cups, polishing brushes Soft wheel shaped cups. Used for Polishing tooth surfaces after de bonding.	den-464
101.	Butane gas Fuel for soldering torch.	den-470
102.	Elastomeric chain (Continuous, Short & Medium) Used as force delivering component during space closure in fixed orthodontic mechanics.	den-471
103.	Slide boxes 75 mm long x 25 mm wide x 1.35mm thick (box of 50 slides)	den-472
104.	EDTA Solution 17% 25 ml bottle	Dem-022
105.	Gutta – percha Points 6% taper 20, 25 (Assorted) Compactable with Approved rotary system.	den-564
106.	MBT Self-legating brackets Slot size 018 (Stainless steel) active/passive Type of clip active/passive size brackets (Medium) Complete Kit	den-525
107.	Metal insert ceramic MBT bracket slot size 018 Poly Crystalline Color coded Power arm on canine and pre-molar Complete Kit	den-528
108.	Light Cure Adhesive kit (Bonds metal and ceramic brackets to tooth surface) Used for Bracket Bonding in fixed orthodontic treatment Kit of 3 syringes + Bonding agent + Etchant.	den-532
109.	Plates (Titanium coated) 2 mm 4-hole with L Shape left and right side of the angle.	den-575 k
110.	Plates (Titanium coated) 2.5 mm 4-hole with gap	den-575 l
111.	Plates (Titanium coated) 2.5 mm 6 hole with gap.	den-575 m
112.	Plates (Titanium coated) 1.5 mm 2-hole with gap	den-575 n
113.	Plates (Stainless steel) 1.5 mm 3- hole with gap	den-575 o
114.	Plates (Stainless steel) 1.5 mm 4-hole with gap	den-575 p
115.	Plates (Stainless steel) 1.5 mm 4-hole with L shape left and right side	den-575 q
116.	Plates (Stainless steel) 1.5 mm 4-hole x shape	den-575 r
117.	Plates (Stainless steel) 2 mm 2-hole with gap	den-575 s
118.	Plates (Stainless steel) 2 mm 3-hole with gap	den-575 t
119.	Plates (Stainless steel) 2 mm 4- hole with gap	den-575 u
120.	Plates (Stainless steel) 2 mm 6-hole with gap	den-575 v

121.	Plates (Stainless steel) 2 mm 8-hole with plain	den-575 w
122.	Plates(Stainless steel) 2 mm 4-hole with L Shape left and right side of the angle.	den-575 x
123.	Plates (Stainless steel) 2.5 mm 4-hole with gap	den-575 y
124.	Plates (Stainless steel) 2.5 mm 6 hole with gap.	den-575 z
125.	Plates (Pure titanium) 1.5 mm 2-hole with gap	den-575(T1)
126.	Plates (Pure titanium) 1.5 mm 3-hole with gap	den-575(T2)
127.	Plates(Pure titanium) 1.5 mm 4-hole with gap	den-575(T3)
128.	Plates (Pure titanium) 1.5 mm 4-hole with L shape left and right side	den-575(T4)
129.	Plates(Pure titanium) 1.5 mm 4-hole x shape	den-575(T5)
130.	Plates (Pure titanium) 2 mm 2-hole with gap	den-575(T6)
131.	Plates (Pure titanium) 2 mm 3-hole with gap	den-575(T7)
132.	Plates (Pure titanium) 2 mm 4-hole with gap	den-575(T8)
133.	Plates (Pure titanium) 2 mm 6-hole with gap	den-575(T9)
134.	Plates(Pure titanium) 2 mm 8-hole with plain	den-575(T10)
135.	Plates(Pure titanium) 2 mm 4-hole with L Shape left and right side of the angle.	den-575(T11)
136.	Plates (Pure titanium) 2.5 mm 4-hole with gap	den-575(T12)
137.	Plates (Pure Titanium) 2.5 mm 6 hole with gap.	den-575(T13)
138.	Screwdriver 2.7 mm size	den-570
139.	Silver amalgam alloy High copper Admixed and spherical high strength for dental use. 30 gm packing	Den-025
140.	Etchant agent 37% Phosphoric acid used to etch/condition the tooth surface for composite/bracket bonding. Gel type 3 Gm syringe with disposable tips.	den-571
141.	Articulating paper Red & blue (50 microns or less)	den-332
142.	Wax strips Boxing wax	Dem-012
143.	Pumice powder One kg pack	den-339
144.	Plaster of Paris Dental plaster type II 3KG bag type	den-321
145.	Bleaching kit 20-30% Hydrogen per oxide	den-393
146.	Ready to use Temporary restoration Fluoride releasing moisture activated. Bottle of 30-50 gms (Premix)	Den-356
147.	Root canal sealant	Den-577

	Resin based, powder 10 gm-15 gm /liquid 10 ml-15 ml (Indian/Imported)	
148.	Fluoride foam trays Pediatric size for topical fluoride application.	Den-578
149.	Chloro hexidine gluconate irrigation solution 2% Dental use 50-100 ml bottle	Den-580
150.	Preformed anterior Zirconia crowns. Kit for deciduous teeth.	Den-586
151.	Endodontic irrigation needles Side vented various sizes	Den-591
152.	Trimmers for metal trimming All shapes .Diamond centered coated	Den-592
153.	Die pins with rubber sleeves Brass	Den-595
154.	Wax for cast partial All shapes. Sheets, bars and clasps	Den-596
155.	Inlay wax Green and blue	Den-597
156.	Metal for casting Nicrown / Crcobalt	Den-599
157.	Rubber base impression material Mono phase ,heavy body, light body and putty.	Den-600
158.	Trimmers for Acrylic trimming Assorted .For acrylic work.(Stones/steel)	Den-601
159.	Trimmers for Dentures All shapes (assorted)Carbide	Den-601A
160.	DPX Mountant Synthetic non-aqueous mounting medium.	Den-602
161.	Bone graft calcium phosphate 0.25 cc-0.5cc	Den-603
162.	Bone graft Hydroxy appetite 0.5cc granules	Den-604
163.	Demineralised bone Xenograft 25 gm sterile bioresobable.(Type I collagen) Granules	Den-605
164.	GTR Collagen membrane 10 x 15 mm/5 x 20 mm	Den-606
165.	GTR Resorbable membrane Poly glactin (vicryl) 910	Den-606A
166.	GTR Non resorbable membrane PTFE	Den-606B
167.	GTR Membrane titanium reinforced d-PTFE	Den-606C
168.	Membrane tags For collagen membrane fixings	Den-607
169.	Periodontal surgical blades No. 12D	Den-608
170.	Periodontal surgical blades No. 15C	Den-608A
171.	Root conditioning agent Citric acid and HCL1%	Den-609
172.	Plaque disclosing agents Solution 15 ml/Tablets (pack of 50)	Den-611
173.	Self drilling screw driver 2 mm	Den-612
174.	Self drilling screws 2 x 8 mm-2 x10 mm	Den-612A

175.	Harris Haemoloxilin solution Solution 125 ml for lab use	Den-613
176.	PAS Stain Kit	Den-614
177.	Eosin Y-Solution 2% w/v 125 ml	Den-615
178.	Absolute alcohol Ethyl alcohol(Ethanol) 99.9% lab use (500 ml bottle)	Den-616
179.	Formaldehyde Solution 37-41% w/v 5L for lab use.	Den-617
180.	COMPOSITEPOLISHINGKIT-CA Assorted set of high quality Polishing tools for fine finishing & polishing of direct composite restorations. Packaging: 2 x Dura Green Stone CA, 2x Dura White Stone CA, 6 x Composite (Silicon) Polishers CA(12 assorted tools). All tools are pre-mounted on excellent Quality C A Mandrels.	Den-620
181.	COMPOSITE FINISHING KIT-FG Assorted set of special quality& durable Stones for Finishing of direct composite or Glass inonomer restorations. Special stones prevent damage of gingival tissues & help in doing finishing in a much more controlled manner. AUTOCAVABLE. Packaging: 6x Pre mounted Dura Green Stones with FG mandrels and 6X Pre mounted Dura White Stones on FG mandrels.	Den-621
182.	Screw for Plates Stainless steel screw (Slot head)1.5x6mm	DEN-623
183.	Screw for Plates Stainless steel screw(Slot head)1.5x8mm	DEN-623a
184.	Screw for Plates Stainless steel screw(Slot head)1.5x10mm	DEN-623b
185.	Screw for Plates Stainless steel screw(Slot head) 2.0x6mm	DEN-623c
186.	Screw for Plates Stainless steel screw(Slot head) 2.0x8mm	DEN-623d
187.	Screw for Plates Stainless steel screw(Slot head) 2.0x10mm	DEN-623e
188.	Screw for Plates Stainless steel screw(Slot head)2.0x12mm	DEN-623f
189.	Screw for Plates Stainless steel screw(Slot head) 2.5x8mm	DEN-623g
190.	Screw for Plates Stainless steel screw(Slot head)2.5x10mm	DEN-623h
191.	Screw for Plates Stainless steel screw(Slot head) 2.5x12mm	DEN-623i
192.	Screw for Plates Stainless steel screw(Star head)1.5x6mm	DEN-623j
193.	Screw for Plates Stainless steels crew (Star head) 1.5 x 8 mm	DEN-623k
194.	Screw for Plates Stainless steel screw (Star head) 1.5x10mm	DEN-623l
195.	Screw for Plates Stainless steels crew(Star head) 2.0x6mm	DEN-623m
196.	Screw for Plates Stainless steel screw(Star head) 2.0x8mm)	DEN-623n
197.	Screw for Plates Stainless steel screw(Star head) 2.0x10mm	DEN-623o

198.	Screw for Plates Stainless steel screw (Star head) 2.0x12mm	DEN-623p
199.	Screw for Plates Stainless steel screw (Star head) 2.5x8mm	DEN-623q
200.	Screw for Plates Stainless steel screw (Star head) 2.5x10mm	DEN-623r
201.	Screw for Plates Stainless steel screw (Star head) 2.5x12mm	DEN-623s
202.	Screw for Plates Titanium coated screw (Slot head)1.5x6mm	DEN-623t
203.	Screw for Plates Titanium coated screw (Slot head) 1.5x8mm	DEN-623u
204.	Screw for Plates Titanium coated screw (Slot head) 1.5x10mm	DEN-623v
205.	Screw for Plates Titanium coated screw (Slot head) 2.0x6mm	DEN-623w
206.	Screw for Plates Titanium coated screw (Slot head) 2.0x8mm	DEN-623x
207.	Screw for Plates Titanium coated screw (Slot head) 2.0x10mm	DEN-623y
208.	Screw for Plates Titanium coated screw (Slot head) 2.0x12mm	DEN-623z
209.	Screw for Plates Titanium coated screw(Slot head)2.5x8mm	DEN-623zz
210.	Screw for Plates Titanium coated screw(Slot head)2.5x10mm	DEN-623a1
211.	Screw for Plates Titanium coated screw(Slot head)2.5x12mm	DEN-623a2
212.	Screw for Plates Titanium coated screw(Star head)1.5x6mm	DEN-623a3
213.	Screw for Plates Titanium coated screw(Star head)1.5x8mm	DEN-623a4
214.	Screw for Plates Titanium coated screw(Star head)1.5x10mm	DEN-623a5
215.	Screw for Plates Titanium coated screw(Star head)2.0x6mm	DEN-623a6
216.	Screw for Plates Titanium coated screw(Star head)2.0x8mm	DEN-623a7
217.	Screw for Plates Titanium coated screw (Star head)2.0x10mm	DEN-623a8
218.	Screw for Plates Titanium coated screw (Star head) 2.0x12mm	DEN-623a9
219.	Screw for Plates Titanium coated screw (Star head) 2.5x8mm	DEN-623a10
220.	Screw for Plates Titanium coated screw (Star head) 2.5 x 10mm	DEN-623a11
221.	Screw for Plates Titanium coated screw (Star head)2.5x12mm	DEN-623a12
222.	Screw for Plates Titanium screw(Slot head)1.5x6mm	DEN-623a13
223.	Screw for Plates Titanium screw (Slot head)1.5x8mm	DEN-623a14
224.	Screw for Plates Titanium screw (Slot head)1.5x10mm	DEN-623a15

225.	Screw for Plates Titanium screw(Slot head)2.0x6mm	DEN-623a16
226.	Screw for Plates Titanium screw(Slot head)2.0x8mm	DEN-623a17
227.	Screw for Plates Titanium screw (Slot head) 2.0 x 10mm	DEN-623a18
228.	Screw for Plates Titanium screw (Slot head)2.0 x12mm	DEN-623a19
229.	Screw for Plates Titanium screw (Slot head)2.5x8mm	DEN-623a20
230.	Screw for Plates Titanium screw (Slot head)2.5x10mm	DEN-623a21
231.	Screw for Plates Titanium screw (Slot head)2.5x12mm	DEN-623a22
232.	Screw for Plates Titanium screw (Star head)1.5x6mm	DEN-623a23
233.	Screw for Plates Titanium screw (Star head)1.5x8mm	DEN-623a24
234.	Screw for Plates Titanium screw (Star head)1.5x10mm	DEN-623a25
235.	Screw for Plates Titanium screw (Star head)2.0x6mm	DEN-623a26
236.	Screw for Plates Titanium screw (Star head) 2.0x8mm	DEN-623a27
237.	Screw for Plates Titanium screw (Star head) 2.0x10mm	DEN-623a28
238.	Screw for Plates Titanium screw (Star head) 2.0x12mm	DEN-623a29
239.	Screw for Plates Titanium screw (Star head)2.5x8mm	DEN-623a30
240.	Screw for Plates Titanium screw (Star head) 2.5x10mm	DEN-623a31
241.	Screw for Plates Titanium screw (Star head)2.5x12mm	DEN-623a32
242.	Self holding screw driver(Color coded) for slot head screws 1.5mm	DEN-624
243.	Self holding screw driver (Color coded) for slot head screws 2.0mm	DEN-624a
244.	Self holding screw driver(Color coded)for slot head screws 2.5mm	DEN-624b
245.	Self holding screw driver (Color coded) for slot head screws 1.5mm	DEN-625
246.	Self holding screw driver (Color coded) for slot head screws 2.0mm	DEN-625A
247.	Self holding screw driver(Color coded)for slot head screws 2.5mm	DEN-625B
248.	Finger Pluggers Niti 25Nos, 25MmLength	DEN-379A
249.	Inter Proximal Strips Strips For Composite Polishing And Finishing In Pack Of 10	DEN-390
250.	Jacks on Expansion Screw 8 mm	DEN-427
251.	K-Flex Files Stainless Steel 25 Mm, 6	DEN-502
252.	Matrix Band Ivory 8	DEN-517
253.	Matrix Band Ivory 1	DEN-372
254.	Metal Trimmer Bur(Assorted) Carbide Bur For Micro Motor Pack Of 5 Of Each Type	DEN-338
255.	Metal Trimmer Bur(Flame) Carbide Bur For Micro Motor Pack Of 5 Of Each Type	DEN-338A

256.	Metal Trimmer Bur(Straight) Carbide Bur For Micro Motor Pack Of 5 Of Each Type	DEN-338B
257.	Metal Trimmer Bur(Rose) Carbide Bur For Micro Motor Pack Of 5 Of Each Type	DEN-338C
258.	Mouth Mirror Tops Anti Fog Front Surface Reflecting Mirror (5 Size)	DEN-513
259.	Surgical Bur Fissure	DEN-343A
260.	Surgical Bur Round	DEN-343B
261.	Surgical Bur Tapered	DEN-343C
262.	Zinc oxide powder for Dental use 100 gm bottle	DM-079
263.	Eugenol liquid for Dental Use 100 ml liquid Bottle	DM-079A
264.	Suture Material Silk 3.0	DEN-346
265.	Suture Material Silk 4.0	DEN-346A
266.	Suture Material Polysorb 3.0	DEN-345
267.	Suturing Material Polysorb 4.0	DEN-520
268.	Bite Registration Wax For Bite Registration	DEN-626
269.	Base Plate For Temporary denture base fabrication	DEN-627
270.	Cold Mold Seal Separating Medium 3.5 Ltr	DEN-334
271.	Polishing Cake Solid Polishing Cake for denture polishing	DEN-628
272.	Gingival Cord Packer Set of 2 stainless steel instrument one Smooth and other serrated for retraction.	DEN-629
273.	Articulating paper holder For holding articulating paper	DEN-630
274.	Casting Rings Silicon rings for casting	DEN-631
275.	Crucibles For Casting Machine	DEN-632
276.	Wax Caliper For measuring wax thickness, Iwansoons Guage blunt.	DEN-633
277.	Metal Caliper For measuring metal thickness, Iwansoons guage Sharp.	DEN-634
278.	Elasomeric Imression Material (Addtion) Light body and Putty for impression of Crowns and bridges.	DEN-635
279.	Tray adhesive for Elasomeric Imression Material Gel Adhesive	DEN-636
280.	Mixing Gun For Auto Mixing of light body silicone	DEN-637
281.	Automixing Tips For light body Manipulation	DEN-638
282.	Base Former Upper and Lower	DEN-639
283.	Porcelain 3D Shade Guide with different hue, chrome, value For shade selection.	DEN-640
284.	First Permanent Molar Stainless Steel Crown Kit, Performed And Pre Contoured Stainless Steel Kit Of 100 Crowns.	DEN537
285.	Head Gear Strap. (Safety Release Mechanism), Medium For Face Bow Extra Oral Anchorage With Elastic Module.	DEN436

286.	Head Gear Strap. (Safety Release Mechanism, Long For Face Bow Extra Oral Anchorage With Elastic Module.	DEN436A
287.	Palatal Sheaths , Pack Of 100	DEN467
288.	Airrotor Burs, Multi-Layered All Shapes Inverted Cone Straight And Tapered)	DEN583
289.	Alginate Impression Material, Colour Changing 400 TO 450 Grm. Pkts.	DEN318
290.	Cavity Preparation Kit. For Composite Restoration, Containing Assorted Air Rotor Burs (10-12) No.	DEN375
291.	Coaxial Wire Spool, An Initial Leveling And Aligning Wire. For Bondable Fixed Retainers	DEN459
292.	Composite Polishing Discs And Abrasive Points/Stones (Latch Type) And Burs For Finishing, Assorted Kit	DEN584
293.	Dual Cure Composite Cement, 8-15 Grm Syringe	DEN581
294.	Face Bow, For Extra Oral Traction In Orthodontics. Sizes Small, Medium And Long.	DEN435
295.	Fibre Aesthetic Post Kit With Corresponding Drills, Translucent And Radiopaque Fibre Posts Parallel On One Side And Tapered On Another Side With 2 Is To 1 Ratio. High Filler Content (Min. 75 Percent) Micro And Macro Retentive Surface Treatment. Flexural Space Module Approx. 26mpa And Strength Above 1500mpa. Length About 18mm. Minimum 3 Size Of Posts 1.0mm And 1.5mm Diameter. All Posts Should Be Supplied With Corresponding Sizes Of Drills.	DEN622
296.	Fibre Reinforced Splint, 2mm Thick,3mm Thick (Various Lengths)	DEN610
297.	Formoacresol 10-15grm/5-10ml Dental Use	DEN352
298.	H-Files(Stain Less Steel), 15-40 Size And 45-80 Size 21mm	DEN585
299.	Heat Activated Rectangular N1t1 Wires 016x016 Lower, Ovoid Arch Form-Pack Of 10 Lower Wires .(Transition Temp 32 To 35)	DEN450A
300.	Heat Activated Rectangular N1t1 Wires 016x016 Upper, Ovoid Arch Form-Pack Of 10 Upper Wires .(Transition Temp 32 To 35)	DEN450
301.	Heat Activated Rectangular N1t1 Wires 016x022 Lower, Ovoid Arch Form-Pack Of 10 Lower Wires .(Transition Temp 32 To 35)	DEN450C
302.	Heat Activated Rectangular N1t1 Wires 016x022 Upper, Ovoid Arch Form-Pack Of 10 Upper Wires .(Transition Temp 32 To 35)	DEN450B
303.	Heat Activated Rectangular N1t1 Wires 019x025 Lower, Ovoid Arch Form-Pack Of 10 Lower Wires .(Transition Temp 32 To 35)	DEN450G
304.	Heat Activated Rectangular N1t1 Wires017x025 Lower, Ovoid Arch Form-Pack Of 10 Lower Wires .(Transition Temp 32 To 35)	DEN450E
305.	Heat Activated Rectangular N1t1 Wires017x025 Upper, Ovoid Arch Form-Pack Of 10 Upper Wires .(Transition Temp 32 To 35)	DEN450D
306.	Heat Activated Rectangular N1t1 Wires019x025 Upper, Ovoid Arch Form-Pack Of 10 Upper .(Transition Temp 32 To 35)	DEN450F
307.	Heat Activated Round Nickel Titanium 012 Lower, Ovoid Arch Form-Pack Of 10 Lower Wires.(Transition Temp 32 To 35)	DEN449A
308.	Heat Activated Round Nickel Titanium 012 Upper, Ovoid Arch Form-Pack Of 10 Upper Wires.(Transition Temp 32 To 35)	DEN449
309.	Heat Activated Round Nickel Titanium 014 Lower, Ovoid Arch Form-Pack Of 10 Lower Wires .(Transition Temp 32 To 35)	DEN449C
310.	Heat Activated Round Nickel Titanium 014 Upper, Ovoid Arch Form-Pack Of 10 Upper Wires .(Transition Temp 32 To 35)	DEN449B

311.	Heat Activated Round Nickel Titanium 016 Lower, Ovoid Arch Form-Pack Of 10 Lower Wires .(Transition Temp 32 To 35)	DEN449E
312.	Heat Activated Round Nickel Titanium 016 Upper, Ovoid Arch Form-Pack Of 10 Upper Wires .(Transition Temp 32 To 35)	DEN449D
313.	Impression Compound Type 1, Impression Material For Primary Impression	DEN319
314.	K- Files Stainless Steel, 21 Mm, 10	DEN489
315.	K- Files Stainless Steel, 21 Mm, 15	DEN489A
316.	K- Files Stainless Steel, 25 Mm, 8	DEN493
317.	K- Files Stainless Steel, 25 Mm, 6	DEN492
318.	K- Files Stainless Steel ,21 Mm, 6	DEN487
319.	K- Files Stainless Steel ,25 Mm, 10	DEN494
320.	Ligature Wire 009 Inch, Spool Weighing 500 Gm	DEN460
321.	Ligature Wire 010 Inch, Spool Weighing 500 Gm	DEN460A
322.	Mbt Brackets Size 018, Mesh Base Medium Size Brackets Color Coded Power Arm On Canine And Pre-Molars Complete Kit	DEN523
323.	Mbt Brackets Size 022, Mesh Base Medium Size Brackets Color Coded Power Arm On Canine And Pre-Molars Complete Kit	DEN524
324.	Mercury Bottle, Triple Distilled. 225 Grm Bottle (Chemically Pure)	DEN367
325.	Mineral Trioxide Aggregate (Mta) White Powder/ Liquid 5-10ml.	DEN387
326.	Modelling Wax, Sheets Box (Red / Pink)	DEN598
327.	Niti Open Coil Spring, Pack Of 10	DEN458B
328.	Performed Rectangular Stainless Wires 016x022 Lower, Avoid Arch Form-Pack Of 10 Lower	DEN454A
329.	Performed Rectangular Stainless Wires 016x022 Upper, Avoid Arch Form-Pack Of 10 Upper Wires.	DEN454
330.	Performed Rectangular Stainless Wires 017x025 Lower, Avoid Arch Form-Pack Of 10 Lower Wires	DEN454C
331.	Performed Rectangular Stainless Wires 017x025 Upper, Avoid Arch Form-Pack Of 10 Upper Wires	DEN454B
332.	Performed Rectangular Stainless Wires 019x025 Lower, Avoid Arch Form-Pack Of 10 Lower	DEN454E
333.	Performed Rectangular Stainless Wires 019x025 Upper, Avoid Arch Form-Pack Of 10 Upper Wires.	DEN454D
334.	Pulp Devitalizing Agent, Devitalizing Paste Arsenic Free	DEN572
335.	Retraction Cord, Size 1,2,3(Nos) Braided	DEN593
336.	Rubber Dam Sheets. Specification: Adult (Each)	DEN401
337.	Silver Alloy (Fine Grain) ,30 Gms Bottle	DEM025A
338.	Sodium Hypochlorite, 3 Percent 500ml Each 5 Percent 500ml Each	DEN582
339.	Super Elastic Round N1t1 Wires 016x016 Lower, Avoid Arch Form-Pack Of 10 Lower.(Transition Temp 32 To 35)	DEN452A
340.	Super Elastic Round N1t1 Wires 016x016 Upper, Avoid Arch Form-Pack Of 10 Upper.(Transition Temp 32 To 35)	DEN452
341.	Super Elastic Round N1t1 Wires 016x022 Lower, Avoid Arch Form-Pack Of 10 Lower.(Transition Temp 32 To 35)	DEN452C
342.	Super Elastic Round N1t1 Wires 016x022 Upper, Avoid Arch Form-Pack Of 10 Upper .(Transition Temp 32 To 35)	DEN452B

343.	Super Elastic Round N1t1 Wires 017x025 Lower, Ovoid Arch Form-Pack Of 10 Lower.(Transition Temp 32 To 35)	DEN452E
344.	Super Elastic Round N1t1 Wires 017x025 Upper, Avoid Arch Form-Pack Of 10 Upper.(Transition Temp 32 To 35)	DEN452D
345.	Super Elastic Round N1t1 Wires 019x025 Lower, Avoid Arch Form-Pack Of 10 Lower Wires.(Transition Temp 32 To 35)	DEN452G
346.	Super Elastic Round N1t1 Wires 019x025 Upper, Avoid Arch Form-Pack Of 10 Upper Wires .(Transition Temp 32 To 35)	DEN452F
347.	Super Elastic Round Nickel Titanium Arch Wire 012 Lower, Avoid Arch Form-Pack Of 10 Lower.(Transition Temp 32 To 35)	DEN451A
348.	Super Elastic Round Nickel Titanium Arch Wire 012 Upper, Avoid Arch Form-Pack Of 10 Upper.(Transition Temp 32 To 35)	DEN451
349.	Super Elastic Round Nickel Titanium Arch Wire 014 Lower, Avoid Arch Form-Pack Of 10 Lower.(Transition Temp 32 To 35)	DEN451C
350.	Super Elastic Round Nickel Titanium Arch Wire 014 Upper, Avoid Arch Form-Pack Of 10 Upper.(Transition Temp 32 To 35)	DEN451B
351.	Super Elastic Round Nickel Titanium Arch Wire 016 Lower, Avoid Arch Form-Pack Of 10 Lower.(Transition Temp 32 To 35)	DEN451E
352.	Super Elastic Round Nickel Titanium Arch Wire 016 Upper, Avoid Arch Form-Pack Of 10 Upper.(Transition Temp 32 To 35)	DEN451D
353.	Total Etch Composite Bonding Agent, Bond Strength More Than 20mpa Ethanol/Acetone/Water Based Homogeneous Bond Layer Each Bottle Should Be 5 To 6 Ml	DEN554A
354.	Universal Bonding Agent, Should Work As Self Etch Total Etch And Selective Etch. Should Have More Than 25mpa Shear Bond Strength Ethanol/Acetone Solvent Should Be Anti-Bacterial Bottle , Should Be 5 To 6 Ml.	DEN554B
355.	Zinc Phosphate Cement, Powder/Liquid For Luting Metal Restorations. Low Film Thickness Lessthan 40um, High Compressive Strength Greatertahn 100mpa. Fast Setting Less Than 5 Minutes.Powder(30-35gm) Liquid 15ml)	DEN392
356.	Aj Wilock Wires 014 Wire Spool, Grade Special Plus Spool Length 25 Feet	DEN453A
357.	Aj Wilock Wires 016 Wire Spool, Grade Special Plus Spool Length 25 Feet	DEN453B
358.	Aj Wilock Wires 018 Wire Spool, Grade Special Plus Spool Length 25 Feet	DEN453C
359.	Aj Wilock Wires 020 Wire Spool, Grade Special Plus Spool Length 25 Feet	DEN453D
360.	Aj Wilock Wires, Grade Special Plus Spool Length 25 Feet	DEN453
361.	Arch Bar, Pediatric.	DEN344A
362.	Barbed Broaches, 0,1,2,3,4,5,6(Assorted) Length 25mm	DEN565
363.	Begg Bondable Round Tubes, Pack Of 50	DEN447
364.	Bondable Buccal Tubes(1st Molar) Upper Double, Lower Double Roth 018,022 Mbt 018,022, Pack Of Four Tubes	DEN618
365.	Bondable Buccal Tubes(2nd Molar) Upper Single, Lower Single Roth 018,022 Mbt 018,022, Pack Of Four Tubes	DEN619
366.	Finger Pluggers (Stainless Steel), 21mm Size 15-40	DEN588
367.	Finger Spreaders Odontic (Stainless Steel), 21mm Size 15-40	DEN587
368.	Finger Spreaders Odontic (Stainless Steel), 25mm Size 45-80	DEN587A
369.	Intraoral Elastics 1/4 Inch, Force Level 3.5 Oz	DEN455
370.	Intraoral Elastics 3/16 Inch, Force Level 6.0 Oz	DEN455B
371.	Intraoral Elastics 5/16 Inch, Force Level 4.5 Oz	DEN455A

372.	Jackson Expansion Screw, 10mm	DEN427A
373.	K- Files Stainless Steel, 21 Mm, No 15-40	DEN490
374.	K- Flex Files Stainless Steel, 21 Mm, No 15	DEN499
375.	K- Flex Files Stainless Steel, 21 Mm, No 15-40	DEN500
376.	K- Flex Files Stainless Steel, 21 Mm, No 45-80	DEN501
377.	K- Flex Files Stainless Steel, 21 Mm, No 6	DEN496A
378.	K- Flex Files Stainless Steel, 21 Mm, No 8	DEN497A
379.	K- Flex Files Stainless Steel, 21 Mm, No 10	DEN498
380.	K- Flex Files Stainless Steel, 25 Mm, No 10	DEN504
381.	K- Flex Files Stainless Steel, 25 Mm, No 15	DEN505
382.	K- Flex Files Stainless Steel, 25 Mm, No 45-80	DEN507
383.	K- Flex Files Stainless Steel, 25 Mm, No 8	DEN503
384.	K- Flex Files Stainless Steel, 25 Mm, No 15-40	DEN506
385.	Niti Closed Coil Spring 6 Mm, Pack Of 10 Springs	DEN458
386.	Niti Closed Coil Spring 9 Mm, Pack Of 10	DEN458A
387.	Rotary Endo Files (Different Length Starter/Refill Pack) Niti Files 2 (Nickel Titanium) 0.6 Or 0.4 Taper. Heat Treated Metallurgy For M-Wire Technology/Martensite Wire. Pack Of Six Files (15-4 Percent, 20-45, 20-6 Percent, 25-6 Percent, 30-4 Percent) Length- Both 25mm L And 21mm L Packs	DEN362
388.	Rubber Dam Sheets, Paedo	DEN401A
389.	Silver Solder With Flux, For Soldering Auxiliaries	DEN468
390.	Tma Wire -036 Inch (Straight Length), Used In Fixed Orthodontic Treatment For Loop Mechanics. Has Mat Finished Surface. (A Tube Containing 10 Lengths)	DEN461
391.	Tma Wires- 16 X 22, 17 X 25 (Straight Length), Used In Fixed Orthodontic Treatment For Loop Mechanics. Has Mat Finished Surface. (A Tube Containing 10 Lengths)	DEN462
392.	Wire (Hard), Stainless Steel 19 Gauge.	DEN514
393.	Wire (Hard), Stainless Steel 23 Gauge.	DEN515
394.	Wire, Stainless Steel 20 Gauge (Hard)	DEN315B
395.	Wire, Stainless Steel 22 Gauge (Hard)	DEN315D
396.	Wire, Stainless Steel 26 Gauge (Hard)	DEN315F
397.	Wire, Stainless Steel, 21 Gauge (Hard)	DEN315C
398.	Absorbent Cotton Rolls, Pack Of Dental Use (Isolation Purpose), Each	DEN429
399.	Edta Gel, Root Canal Preparation Gel Syringes 3-5gm, Each	DEN579
400.	Gp Solvent For Softening Gp And Dissolving Root Canal Sealer. D-Limonene Based. Non Irritating, Each	DEN382
401.	Gutta Percha Points 4 Percent Taper, 20,25,30 (Assorted) Compactable With Approved Rotary System, Each	DEN563
402.	Flowable Composite(Shades A1,A2,A3 And Transparent), Syringes 2-3gm(Nano Hybrid), Each	DEN576
403.	Gutta Percha Points 2 Percent Taper, 20 (Assorted) Compactable With Approved Rotary System, Each	DEN521
404.	Gutta Percha Points 2 Percent Taper, 25, Each	DEN366F
405.	Gutta Percha Points 2 Percent Taper, 30, Each	DEN366G
406.	Gutta Percha Points 2 Percent Taper, 35, Each	DEN366H

407.	Gutta Percha Points 2 Percent Taper, 40, Each	DEN366I
408.	Gutta Percha Points 2 Percent Taper, 45-80 (Assorted), Each	DEN366E
409.	Light Cure Composite Material For Restorations. Nano Hybrid Composite Syringes In Various Shades. (Kit) Dentine Shades, A1,A2,A3.5,A4,B1,B2,B3,D3 Enamel Shades; A1,A2,A3.B1,B2, Nano Filled Composite With Filler Content 75 To 80 Percent Filler By Volume. Radio Opaque. Non Tacky Or Non Sticky In Consistency. Packable High Strength. Duo Shade Will Be Preferred. Each Syringe 3 To 4 Gms, Each	DEN554
410.	Paper Points Assorted Size (15-40)(45-80) 60 -120 Points, Each	DEM026

ANNEXURE-D

(On firm's letter head)

ANNUAL TURN OVER STATEMENT

The Average Gross Annual Turnover of M/s. _____ address _____ for the past three financial years are given below and certified that the statement is true and correct

S.No.	Financial Years	Turnover in Lakhs (Rs)
-------	-----------------	------------------------

1.	2021-22	-
2.	2022-23	-
3.	2023-24	-

Total - Rs. _____ Lakhs

Average gross annual turnover - Rs. _____ Lakhs

Date

Signature of the bidder
Auditor/Seal
Accountant

Signature of
Chartered

(Name & Address.)
Tel. No.
Mob. No.

UDIN:

ANNEXURE-E

**PROFORMA FOR PERFORMANCE STATEMENT
(for a period of last 3 years)**

Name of the Laboratory:.....

Address:.....

S NO	Types of Samples Analyzed	No. of Samples Analyzed during		
		2021-2022	2022-2023	2023-2024
1	Medical Devices Like, Surgical Sutures, Dressing Material, Disposables etc.			
2	Implants			
3	Devices			

Date: ... /.../ 2024.

Signature:

(Name in Capital) Name of the Lab:

Office Seal :

ANNEXURE-F

Affidavit

(on Non Judicial Stamp of Rs.100/-)

DECLARATION FORM

1. I (Name of the Bidder) S/O___, Age_, resident of____, am proprietor /Partner/ Director having our office at_and the approved drug testing laboratory (Name)..... Situated at (Address)_do hereby declare that I have carefully read all the conditions of BID of Jammu and Kashmir Medical Supplies Corporation .J&K, for the BIDs floated for empanelment of approved Medical Devices testing laboratories for analysis of Medical Devices and other items for the year 2024-26 and shall abide by all the conditions set forth therein.
2. I further declare that I possess valid approval for testing of all the Medical devices like surgical & sutures for which Price Bid have been submitted by me/us in Cover B and permission on MD 40 have been obtained for testing of these items from CDSCO/State Licensing Authority where ever applicable.
3. That the approval to test Medical Devices surgical & sutures have been obtained on MD-40 bearing No. _____ which is valid/renewed up to _____.
4. That the Bidder firm is a sole proprietorship/Partnership/Pvt. Ltd./ltd. firm(Lab) and following are the details of proprietor/partners/directors:-
S.No. Name of proprietor/ Partner/Director Age Present & Permanent Address Contact No.
5. That our laboratory/Firm/Company does not stand blacklisted /debarred or banned on any ground either by Bid Inviting Authority or Govt. of Jammu and Kashmir on the date of bid submission.
6. Our laboratory/Firm/Company also does not stand blacklisted, debarred or banned on the ground of wrong reporting of test results or on the ground of submission of fake or forged documents or false information / facts, by any State or Central Government or by its central drug procurement agencies, on the date of bid submission for supply of drugs/medicines in India.
7. That I/we have carefully read all the conditions of bid in ref. **No. JKMSCL/ANALYTICAL TESTING LABS /2024/654.** for the empanelment of analytical testing laboratories for the test and analysis of Surgical & Sutures for the year 2024-26 for Jammu and Kashmir Medical Supplies Corporation and accept all conditions of bid, including amendments if any.
8. I/ we hereby declare that:
 - a. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
 - b. I/we have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document;
 - c. I/we are not insolvent, in receivership, bankrupt or being wound up. not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any

of the foregoing reasons;

- d. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
 - e. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;
- 6. Our complete address for communication with phone no.-----
 - 7. Email address :- _____
 - 8. Bank detail for e banking :
Name of account holder
Full name of Bank with Branch
A/c no. with full digits
IFSC code

(Deponent) Signature

Name of the Lab:

Date:

Office Seal:

Verification

I.....S/o.....(Designation)..... Prop/
Partner/ Director of Lab M/s AddressAffirm on
oath that the contents/information from para 1 to 9 as mentioned above, are true &
correct to the best of my knowledge and nothing is hidden. I also declare on oath, that
if any information furnished by me as above is found wrong, false, forged or fabricated;
the Corporation will be at liberty to cancel the Bid and forfeiting the earnest money
deposit and or performance security, for which I shall be solely responsible and the
laboratory / firm may be Debarred/Banned/ prosecuted for the same

(Name of Deponent & Signature)

ATTESTED BY NOTARY PUBLIC

DETAILS OF LABORATORY

1. Name of the Laboratory & Full address:
Phone No (landline) :
Fax :
E-mail :
2. Other Branches & their Address (if any):
3. Whether the firm has its own manufacturing unit? : If yes give details of address , license number etc
4. Date of Start of testing of Medical Devices like Surgical, Sutures etc:
5. Approval No. & Date from competent Authority i.e. State Drug Controller
6. Valid up to :
7. Schedule L-1 certificate its no. and date of issue:
8. (i) NABL Accreditation no. & date
(ii) Scope of Accreditation
(iii) Its validity.
10. Name of the authorized signatory of Lab:
11. Specimen Signature of the authorized Signatory of Lab:
12. Names & Specimen Signatures of the approved Technical Staff who are authorized to sign the test reports:
(1) (Name) (Specimen Signature)
(2) (Name)

(Specimen Signature)

ANNEXURE - H(1)

PERSONNEL IN QC DEPARTMENT

Name of the Technical Staff approved by CDSCO	Designation	Qualification	Experience (Experience relevant to analysis of Medical Devices like surgical/sutures etc)

Signature of Issuing Authority:

Date:

Name:

Designation:

Name of the Lab:

Office Seal:

ANNEXURE – H (2)

LIST OF IMPORTANT EQUIPMENT/INSTRUMENTS/APPARATUS AVAILABLE IN THE LAB

S.No	Name of the Equipment Instruments / Apparatus	Make & Description	Date of Installation	Date of last Validation	Approval for testing of Medical Devices from CDSCO since.....

Signature with Name of Issuing Authority:

Date:

Designation:

Name of the Lab:

Office Seal:

ANNEXURE – H (3)

FACILITIES IN THE MICROBIOLOGICAL SECTION

I. LIST OF STOCK CULTURES AVAILABLE

II. LIST OF EQUIPMENT / APPARATUS AVAILABLE WITH DATE OF INSTALLATION, make and approval from CDSCO/State Licensing Authority to permit microbiological testing in the Lab.

Signature:

Name of the Lab:

Date:

Official Seal:

ANNEXURE – H (4)

LIST OF REFERENCES SAMPLES ALONG WITH THEIR DATE OF PROCUREMENT

AND QUANTITIES, If required for any item.

Signature with Name:

Name of the Lab: Date:

Official Seal:

ANNEXURE-I

[on Rs. 100/- Non-Judicial Stamp Paper- "Affidavit"]

AGREEMENT

This deed of agreement is made on this day of 20.... between Jammu & Kashmir Medical Supplies Corporation Limited represented by its General Manager(P&S) having its Corporate Head Office at **Plot No 58, Friends Colony, Satyam Road, Trikuta Nagar Extension, Jammu** & Corporate Office Kashmir **Opposite State Motor Garages near Haj House Bemina, Srinagar** (herein after referred to as "First Party"(Purchaser) which term shall include its successor, representatives, executors assigns and administrator unless excluded by the contract) and M/s represented by its Proprietor/ Managing Director/ Managing Partner/ Authorized Signatory of the lab/ firm having its registered office at and its laboratory at (herein after referred to as "Second Party" (Laboratory) which term shall include its successor's representatives, heirs, executors and administrators unless excluded by the contract). Whereas the (Second Party) have agreed to conduct tests for First Party (Purchaser), for **Medical Devices, Surgical Disposables, Blood Bank Items, Dental Material & Sutures for the year 2024-2026** with specifications mentioned in the scheduled attached here to at the prices noted herein and in the manner and under the terms and conditions herein after mentioned and whereas the second party has agreed to deposit performances security to first party, equivalent to 5% of the value of total Testing Charges in the form of demand draft / bank guarantee only drawn on any of the scheduled banks in favour of Jammu and Kashmir Medical Supplies Corporation Ltd payable at Jammu at the time of submission of invoices as per terms & conditions of the tender document in the form of bank guarantee for the due and faithful performance of this agreement, to be forfeited in the event of Second Party failing duly and faithfully to perform it. Now these present witness that for carrying out the said agreement in this behalf into execution the Second Party and the First Party (Purchaser) do hereby mutually covenant, declare, contract and agree each of them in the manner following, that is to say,

1. The term "Agreement", wherever used shall mean and includes the terms and conditions contained in the invitation to bid floated for the e-bid for the empanelment of analytical testing laboratories for the test and analysis of **Medical Devices, Surgical Disposables, Blood Bank Items, Dental Material & Sutures for the year 2024-2026** for Jammu & Kashmir Medical Supplies Corporation Limited (Rate Contract for Twenty Four(24) months period, extendable for another three (03) months with mutual consent) **JKMSCL/ANALYTICAL TESTING LABS /2024/654, dated 14-02-2025** and technical bid to be opened on 15-03-2025 the instructions to bidders, the condition

of bid, acceptance of bid, particulars herein after defined and those eligibility criteria, general conditions and other conditions that may be added from time to time.

2.1. The agreement is for the test and analysis of **Medical Devices, Surgical Disposables, Blood Bank Items, Dental Material & Sutures for the year 2024-2026**, by the Second Party (Laboratory) to the First Party (Purchaser), on terms and conditions set forth in the agreement.

2.2. This agreement shall be deemed to have come into force with effect from the date of receipt of letter of information/ acceptance and it shall remain in force up to a period of Twenty Four (24) months which can further be extended for another three (03) months with mutual consent of First Party and Second Party.

2.3. The bid quantity noted against each item in the schedule attached hereto indicates only the probable/ tentative total requirement of the First Party in respect of each item for the agreement period indicated in clause "2.2" above. This quantity may increase or decrease at the discretion of the First Party. The Second Party (Laboratory) shall conduct the tests of **Medical Devices, Surgical Disposables, Blood Bank Items, Dental Material & Sutures for the year 2024-2026** on the basis of requirement from time to time by the ordering authority of First Party (Purchaser-JKMSCL) specifying the quantity required to be tested.

2.4. The Second Party shall have no right/ query regarding testing against the tentative requirement mentioned in the schedule enclosed which may increase or decrease or First Party may not issue any order for quality testing.

2.5. The release of payment and deduction and penalties shall be as per terms and conditions of the tender document.

3. QUALITY TESTING ON THE RATE CONTRACT OF JKMSCL:

The Second Party shall in no case, use the rate contract of JKMSCL for quality testing and / or comparing of rates to/ with any of other department(s)/ agency(ies)/ NGO etc. In case Second Party do quality testing of any of the item(s) at the rate contract or provides the document for comparison of rates or otherwise, to any other department(s)/ agency(ies)/ NGO(s) etc, the defaulted Second Party shall have to pay 7.5% of the total invoice value of the products tested for other department(s)/ agency(ies) etc at the rate contract of JKMSCL as penalty to the first party (JKMSCL-purchaser) and further the Second Party shall be liable to be considered for Debarring/ Blacklisting for a period not less than five years.

4. TERMINATION OF CONTRACT ON BREACH OF CONDITION.

4.1. In case the empanelled laboratory fails or neglects or refuse to faithfully perform any of the covenants on his part herein contained, it shall be lawful for the First

Party to forfeit the amount deposited by the laboratory (second party) as performance security and or other dues of 2nd Party available with 1st Party beside terminating the contract.

- 4.2. In case the Second Party (Laboratory) neglects or refuse to observe, perform, fulfill and keep, anyone or more or any part of any one of covenants, stipulation and provisions herein contained, it shall be lawful for the First Party, on any such failure, neglect or refusal, to put an end to this agreement. There upon on every article, cause and thing herein contained on the part of First Party shall cease and be void and in case of any damage, loss, expenses, differences in cost or any other from out of deposit/ due for the time being payable to the 1st Party under this and/or any other contract shall be recovered from 2nd Party. In case such last mentioned deposit/ dues are insufficient to cover all such damages, loses, expenses, difference in cost and other deposit as aforesaid, it shall be lawful for the First Party to **forfeit** the performance security made by the **2nd Party** as herein before mentioned to reimburse all such damages, losses, expenses etc..
- 4.3. If any time during the course of contract it is found that the information furnished by the Second Party (Laboratory) to the First Party (JKMSCL) either in his bid or otherwise, is false, the JKMSCL may put on end to the contract/ agreement wholly or in part and thereupon the provision of clause "4.1" above shall apply or any other action are deemed fit by the First Party may also apply.
- 4.4. The First party (Purchaser-JKMSCL) reserves the right to terminate, without assigning any reasons the contract/ agreement either wholly or in part, without any notice to the Second Party. The Second Party shall not be entitled for any compensation what so ever in respect of such termination of the contract/ agreement by the First Party.
5. All certificates or notices or orders for time or for extra varied or altered suppliers which are to be the subject of extra or varied charges, whether so described in the Agreement or not, shall be in writing and unless in writing, shall not be valid, binding or be of any effect what so ever.
6. The Second Party (Laboratory) shall not be in any way interested in or concerned directly or indirectly with any of the officer, subordinate or servants of the First Party, in any trade, business or transaction nor shall the Second Party give or pay or promise to give or pay any such officer, subordinate, servant directly or indirectly any money or fee or other consideration under designation of "Custom" or otherwise; nor shall the Second Party permit any person or persons whomsoever to interfere in the management or performance hereof under the Power of Attorney or otherwise without the consent in writing of the First Party obtained in first hand.

7. In case the Second Party (Laboratory) at any time during the continuance of the contract becomes bankrupt or in solvent or commits any act of bankrupt or insolvency under the provisions of any law in that behalf for the time being enforce or should compound with his creditors, it shall be lawful for the First Party to put an end to the agreement and there upon on every article, clauses and conditions herein contained to be operative on the part of the purchaser, shall cease and be void and the First Party shall have all the rights and remedies given to him under the preceding clauses.

8. SERVING OF NOTICE TO LABORATORY

8.1. All notice or communication relating to or arising out of this agreement or any of the terms thereof shall be considered duly served on or given to the Second Party (Laboratory) if delivered to him or left at his/ her premises, place of business or abode.

9. And it is hereby agreed and declared between the parties hereto that in case any question of dispute arises the decision of the Managing Director, JKMSCL in the matter shall be final and binding.

10. All disputes arising out of this agreement and all questions relating to the interpretation of this agreement shall be decided by first and the final appellant authority and decision of said authority shall be final.

11. All terms and conditions of the NIT shall be the part of this agreement.

Authorized signatory of the laboratory (Supplier)	Jammu & Kashmir Medical Supplies Corporation Ltd (First Party) Represented by
---	--

(Second Party) (Signature, Name & full Address with stamp)	General Manager (Drugs)/ JKMSCL (Signature, Name & full Address with Stamp)
---	--

Witness (Signature, Name & Address)	Witness (Signature, Name & Address)
1.	1.
2.	2.

ANNEXURE-J
(On Firm's letter head)
Memorandum of Appeal

Appeal no..... of..... Before the.....
(appellate authority)

1. Particulars of appellant:
 - (i) Name of the appellant:
 - (ii) Official address, if any:
 - (iii) Residential address:

2. Name and address of the respondent(s):
 - (i)
 - (ii)
 - (iii)

3. Number and date of the order appealed against and name and designation of the officer/ authority that passed the order (enclose copy), or a statement of a decision, action or omission of the procuring entity in contravention to the provisions of the Act by which the appellant is aggrieved:

4. If the appellant proposes to be represented by a representative, the name and postal address of the representative:

5. Number of affidavits and documents enclosed with the appeal:

6. Ground of appeal:
.....
.....
(supported by an affidavit)

7. Prayer:.....
.....
.....

Place

Dated

Appellant's signature