



# JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.

(Public Sector Undertaking of the Government of Jammu and Kashmir)

Corporate Head Office: Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu

Corporate Office: Corporate Office Kashmir: Near Haj House, Bemina (190018), Srinagar

email: mdjkmssl2@gmail.com; website: www.jkmsclbusiness.com

M/s Leighton System Pvt. Ltd.

Srinagar (Bidder)

No: JKMSCL/GM/2025-26/ 5012-28

Dated: 28.09.2026.

Subject: Finalization and Issuance of Rate Contract for the for the procurement of item "Advanced Surgical Operating Microscope for Ophthalmology (Teaching)" under "Machinery and Equipment".

**Reference:**

1. NIT No. NIT/JKMSCL/M&E/2025/658 dated 18.03.2025
2. Purchase Committee meeting held on 05.05.2026.
3. Minutes issued vide No. JKMSCL/Pur Committee/2025-26/23-42 dated 25.05.2026.
4. LOI No. JKMSCL/GM/2025-26/1843-53 dated 01-08-2026.
5. Agreement executed on 10-08-2026.

Sir,

In line with the decision taken by the Purchase Committee of JKMSCL in its meeting held on 05.05.2026 and notified vide its minutes referred to above, the following item/items as detailed below has/have been approved in your favour on the quoted rates in the offered documents submitted by you in response to the above referred to NIT:

**1. Approved item and Rates**

| S. No. | Name of item                                                                                                                                                                                                                                     | Currency | Basic Rate without Tax with Conversion (1) | Taxes (2)  | Total Amount (in Rs) with taxes (1+2)                                                       |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------------------|------------|---------------------------------------------------------------------------------------------|
| 1      | <b>Advanced Surgical Operating Microscope for Ophthalmology (Teaching)</b><br><br>Importer : M/s DHR Holding India Pvt. Ltd.,<br>Mumbai<br><br>Manufacturer : M/s Leica Microsysteme<br>Vertirieb GMBH (Germany/Singapore)<br><br>Model- M822F20 | INR      | 1,04,89,000.00                             | 1888020.00 | 12377020.00<br><br>(Rupees one Crore twenty three lakhs seventy seven thousand twenty only) |

**2. Comprehensive Maintenance Contract (CMC)**


CMC Charges for Five (05) years, applicable after expiry of warranty, are approved as under:

| Year      | Rate (INR) |
|-----------|------------|
| 6th year  | 560000     |
| 7th year  | 560000     |
| 8th year  | 645000     |
| 9th year  | 736000     |
| 10th year | 736000     |

*[Handwritten signatures]*

## **Terms and Conditions:**

1. **Delivery Site:** Rates are FOR Drug warehouse of JKMSCL/any Govt. Institution(s) in the UT of J&K, wherever installation is required.
2. **Validity:** The rate contract shall remain valid for a period of two years from the date of issuance of the Contract which can be extended for a period of 90 days or till such time the new rate contract is finalized, whichever is earlier, with mutual consent of JKMSCL and successful bidder.
3. **Taxes:** As mentioned above and/or as applicable in line with the statutory provisions/Government notifications issued from time to time.
4. **Warranty:** Five Years from the date of installation.
5. **Performance Security:** Performance security equivalent to 5% of the total invoice value in the shape of Bank Guarantee in favour of FA/CAO, JKMSCL is required to be deposited within seven days from the date of issuance of Purchase Order(s) from time to time.
6. **Supplies** Within 90 days from the date of issuance of supply order(s).
7. **Penalty** In case of extension in the delivery period with liquidated damages, recovery of liquidated damages shall be made at the rate of 0.25% per day for every day of delay subject to maximum of 10%.
8. **Installation:** Installation / commissioning and necessary training for upkeep of the equipment shall be provided free of cost by the supplier/firm/agency.
9. **Availability of Spares:** Firm shall certify that the parts of the equipment will remain available at least for a period of five years after the year of expiry of warranty period of five years.
10. The firm shall submit an undertaking on stamp paper duly notarised/certificate to the effect that the above quoted rates are the lowest rates applicable/quoted to all Govt. / Private institutions/PSU's etc. Variation found if any, during the rate contract period by the Corporation/Intending department or any other agency shall be the sole responsibility of the Contractor/Supplier/manufacturer/importer.
11. The supplier/manufacturer/importer shall ensure to supply the Brand new and unused item(s) strictly as per specifications/sample(s) approved. Variations found, if any at the time of delivery of the equipment or at later stages by the Corporation/Intending department/any other agency which may lead to substandard or Not of standard/approved quality, shall be the sole responsibility of the supplier/ manufacturer/ importer/contractor.
12. JKMSCL is at liberty to get the feedback from the end-user department/intending department regarding the functioning of the machinery and equipment supplied by your agency. Adverse report, if any, may lead to strict action against you under rules/terms and conditions of the NIT/guidelines issued by the Govt. from time to time.
13. **Fall Clause:** The prices under contract shall be subject to price fall clause. The prices charged for the goods supplied under the contract by successful bidder shall in no event exceed the lowest price at which the successful bidder sells the goods or offers to sell the goods of identical description to any other person(s)/Organization(s) including procurement agencies or any other department of Central Govt. or State Govt. as the case may be during the period till the performance of the contract. If at any time, during the period of the contract, the bidder reduces the sales price chargeable under the contract, he shall forthwith notify such reduction to the JKMSCL, J&K as well and the price payable under the contract for the stores supplied after the date of coming into force of such reduction or sale shall stand reduced correspondingly. It implies that if the contract holder quotes/ reduces its price to render similar goods at a price lower than the contract price to any other organisation/institute in the Central/State Govt. at any time during the currency of contract including extension period, the contract price shall be automatically reduced with effect from the date of reducing or quoting lower price and the contract shall be amended accordingly.
14. **Risk Purchase:** If the bidder is unable to complete the supply within the specified or extended period, the corporation shall be entitled to purchase the goods or any part thereof from elsewhere without notice to the bidder on his (i.e., bidders) account and at his cost and risk, with the prior approval of Managing Director JKMSCL, J&K. The bidder shall be liable to pay any loss or damage which the purchasing officer may sustain by reasons of such failure on the part of the bidder.  
The bidder shall not be entitled to any gain on such purchases made against default. The recovery of such loss or damage shall be made from any sums accruing to the bidder under this or any other contract with the corporation/government. If recovery is not possible from the bill and the bidder fails to pay the loss or damage within one month of the demand, the recovery of such amount or sum due shall be made from the bidder. In case supplier fails to deliver ordered goods, the risk purchases may be made at market rate from any other firm. It is mandatory for the approved supplier to acknowledge receipt of orders within seven days from the



- date of dispatch of order, failing which the procuring agency will be at liberty to initiate action to purchase the items on risk purchase provision at the expiry of the prescribed supply period.
15. Orders shall only be placed on the basis of actual requirement and subject to the availability of funds under the relevant Head of Accounts.
  16. The aforesaid rates shall only be applicable for supply orders placed by JKMSCL. In case, the said rates after signing of agreement is used by your firm/dealer for making supplies to any other organization/department/agency on the said rate/rate contract, you shall have to pay 7.5 % of the total invoice value of product(s) supplied by your firm/dealer as penalty, besides, your firm shall be considered for debarring/blacklisting for a period not less than 5 years.
  17. Acceptance of supplies is subject to production of relevant certificate(s)/report required in the matter.
  18. Supplier/manufacturer/direct importer shall have to intimate immediately to the JKMSCL, in case, the firm or any of its product was or is getting debarred/blacklisted by any of the government department or PSU or any agency or otherwise. In case, Supplier/manufacturer/direct importer conceals the fact and it comes to the notice of corporation or any other agency or department(s), in later stages, the respective firm shall be held personally responsible for the same and action as warranted under rules of land/NIT shall be initiated against the defaulter firm.
  19. Payment shall be released after successful installation and commissioning of the equipment duly verified by the intending department.
  20. Approved technical specifications shall remain same as per NIT (Annexure I)
  21. All the terms and conditions of the NIT, Standard Procurement Procedure (SPP) of JKMSCL and LOI shall constitute an Integral part of this Rate Contract.

Yours sincerely,

(WAKEEL AHMED BATT), JKAS  
General Manager (Adm.)  
J&K Medical Supplies Corporation Ltd.

**Copy for information to the:**

1. Commissioner Secretary to the Government, Health & Medical Education Department, J&K.
2. Mission Director, National Health Mission, J&K.
3. Principal, Govt. Medical College, Srinagar /Jammu/ Anantnag/ Rajouri/ Kathua/ Doda/ Handwara/ Udhampur/Baramulla.
4. Principal, Government Dental College, Srinagar/Jammu.
5. Director Finance, Health & Medical Education Department, J&K
6. Director, Health Services, Jammu.
7. Director, Health Services, Kashmir.
8. Controller, Drug & Food Control Organization, J&K.
9. Director, Family Welfare, MCH & Immunization, J&K.
10. Financial Advisor/CAO, J&K Medical Supplies Corporation Limited.
11. General Manager (K), J&K Medical Supplies Corporation Limited.
12. Dy. General Manager (P&S), J&K Medical Supplies Corporation Limited.
13. Dy. General Manager (Tendering), J&K Medical Supplies Corporation Limited.
14. Medical Officers (All drug ware houses), J&K Medical Supplies Corporation Limited.
15. Medical Officer (I.T), JKMSCL with the directions to upload the Rate Contract on DVDMS Portal.
16. Assistant Programmer (M) with the directions to upload the Rate Contract on official website of JKMSCL.
17. File

**S. No. Specification of Advanced Surgical Operating Microscope for Ophthalmology (Teaching)**

**Optics Carrier**

1. **Optic carrier should have a stereo base of 22 mm or more to have depth of field and brightness.**
2. Objective focal length 200mm.
3. Apochromatic Optics.
4. Motorized zoom with 1:6 zoom ratio.
5. Maximum magnification of at least 18.0X with wide field 10x eyepieces & Objective f=200mm; should be continuously adjustable via foot switch and/or manually via dedicated button on Touch screen Control Panel.
6. Eyepices should be with +5D to -5D compensator.
7. Binocular tube: Tilttable tube with adjustable inter pupillary distance via dedicated sterile knobs.
8. Field of view from 10mm to 55mm or more with 10x eyepiece & Objective Lens F=200mm or better.
9. Optics carrier should have motorized tilt function from +15 deg to -50 deg or better.
10. Motorized foot-controlled X-Y coupling with automatic re-centering ability and Focusing range 50mm or more.

**Illumination**

11. Must have Dual illumination system with Halogen/LED direct illumination without any fibre optic cable to prevent light loss.
12. Stereo or Coaxial illumination for excellent red reflex and depth of focus, preferably with separate intensity adjustment for central and peripheral illumination from the touch screen Panel or from foot switch.
13. Light intensity to be adjustable via foot switch, including on/off function and must have quick or automatic lamp changer in case of bulb failure for Halogen.

**X Y Coupling**

14. X-Y Range should be at least 50mm x 50mm adjustable range
15. Stereo co observation attachment with 360 Rotation 2 joints

**Foot Switch & Stand**

16. 14 function wired or wireless motorized foot control for Zoom , focus light , XY with recentering of focusing position through foot control with backup cable.
17. Foot switch should be water resistant
18. High quality floor stands with mechanical brakes and long spring balance suspension arm with length of 1200mm or more, having load bearing capacity of atleast 14 kg or more for accessories.
19. Stand should have at least 10-12 inches touch screen LCD display showing brightness, focus, magnification and foot switch setting. It should be with programming facility for setting the speed of XY, Zoom and focus, Foot Padel for different user settings.
20. Microscope must have a fast and automatic single touch reset of all functions (XY, focus, magnification) including light ON/OFF.

|                                  |                                                                                                                                                                                                                                                  |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 21.                              | Microscope should have facility to save settings for individual steps of surgery (e.g. Rhexis, nucleus management etc.) for minimum of 20 users. The same should be programmable on both hand grip and foot pedal.                               |
| 22.                              | <b>Microscope should be both USFDA or European CE approved</b>                                                                                                                                                                                   |
| <b>Camera Attachment</b>         |                                                                                                                                                                                                                                                  |
| 23.                              | 1-CMOS Camera integrated or through beam splitter and video adaptor with camera control unit for video display and recording Camera and recording system should be full HD 1080p and should be of same original parent company as the microscope |
| <b>Co Observer.</b>              |                                                                                                                                                                                                                                                  |
| 24.                              | Microscope should have tiltable binocular assistant observer tube via beam splitter: with independent IPD adjustment through dedicated sterile knobs.                                                                                            |
| <b>Wide angle viewing system</b> |                                                                                                                                                                                                                                                  |
| 25.                              | <b>BIOM, EIBOS1/2, Resight 500/700, RUV800 with external image/integrated imaging inverting system/image inverter in the wide-angle viewing system body, preferably by the same OEM or best compatible system certified by the OEM.</b>          |