



JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.

(Public Sector Undertaking of the Government of Jammu and Kashmir)

Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu

Corporate Office: Opp J&K Motor Garage Deptt near Hajj House Bemina Srinagar

Telefax: 0191-2478842; 0194-2490662 email: gmjjkmscl@gmail.com;

website: www.jkmsclbusiness.com

CORRIGENDUM

SUB:- E Bid for the finalization of Annual Rate Contract towards Procurement of "Hospital Furniture" uploaded vide No.: JKMSCL/HOSP-FUR/2025/676 dated 27-09-25

In continuation to the e-bid published for finalization of the Annual Rate Contract for procurement of **"Hospital Furniture"** vide No. **JKMSCL/HOSP-FUR/2025/676 dated 27-09-2025**, and the pre-bid meeting held on 15-10-2025, the following amendments are hereby issued. These revisions have been made on the basis of suggestions received from various vendors/firms/bidders and duly approved by the technical experts.

S. No.	Code	Name of Item	Tendered Specifications	Revised Specification
1	HFS-012	EMERGENCY & RECOVERY TROLLEY	Overall size: 1905 mm L x 710 mm W x 660 mm Min. H. and 910 mm Max. H. Backrest is raised by ratchet mechanism having five different position as 250, 350, 450, 550 & 650	Overall size: 1905 mm L x 710 mm W x 660 mm Min. H. and 910 mm Max. H. Backrest is raised by ratchet mechanism having five different position as 25°, 35°, 45°, 55° & 65° Provision to hold IV poles on all the four corners should be provided.
2	HFS-019	BED SIDE STOOL/ ALL PURPOSE STOOL	Framework of MS press bent 26 mm x 26 mm x 2.0 mm (14 G) angles and 'C' channels riveted to angels made from 2.0 mm (14 G) MS CRCA Sheet.	Framework of MS press bent 25 mm x 25 mm x 2.0 mm (14 G) angles and 'C' channels riveted to angels made from 2.0 mm (14 G) MS CRCA Sheet.
3	HFS-036	SCOOP STRETCHER	Dimensions: Max. Size (LxWxH) 225x45x6cm & Min. Size (LxWxH): 168x43x7cm. Net weight: 9Kgs. Stretcher bearing: 159kg. Warranty : Two Year	Dimensions: Max. Size (LxWxH) 210x42x6cm & Min. Size (LxWxH): 120x42x9cm. Stretcher bearing: 160 kg. Warranty : Two Year
4	HFS-037	SPINE BOARD WITH STRAPS AND HEAD BLOCKS	LxWxH: 184x45x5 approx.	LxWxH (min): 184x45x5 cm.
5	HFS-044	Phlebotomy Chairs	Adjusting back rest via gas jack, flexible from 95° to 175°.	Adjusting back rest via gas jack, flexible from 90° and above. Adjusting non slippery leg rest via gas jack, flexible from 0° to 45°(min)

			Adjusting non slippery leg rest via gas jack, flexible from 0° to 90°. Padded seat, back and armrests. Load capacity: Dynamic 130kg	Padded seat, back and adjustable armrests (sliding as well as up and down) Load capacity: Dynamic 150kg
6	HFS-032	PERFORATED STEEL BENCH	Chrome plated handles,	Chrome plated two Arm handles, Three seater bench should have stabled and balanced legs.
7	HFS-033	THREE SEATER BENCH SUPERIOR QUALITY	supplied in knocked down conditions, easy to assemble. All tools for assembly to be provided. Arm rest processed with 1.6mm MS Steel & Furnished with powder coating Seat and back processed with 1.2 thick MS Sheet furnished with powder coating	supplied in knocked down conditions, easy to assemble. Two arm rest processed with 1.6mm MS Steel & Furnished with powder coating Seat and back processed with 1.2mm thick MS Sheet furnished with powder coating of 50 microns and padded with 25mm thick High resilience PU foam of 40 density 40. Necessary certificates to be provided with supplies) Leveler shoe provided with metal insert at the bottom to avoid scratches on the floor.
8	HFS-029	COMPUTER CHAIR REVOLVING	Around with manual base having high density foam seat, cushion of seat 75mm and back of 45mm with PU arms. Warranty : Two Years	Revised as under: Providing and supplying high back chair with ergonomic design. The seat shall be made of 15mm thick hot pressed commercial plywood upholstered with high resilience moulded polyurethane foam 50mm thick having density 40kg/m ³ with fabric tapestry and the back shall be made of two piece injection moulded polypropylene net cover upholstered with breathable mesh tapestry. The base of the seat shall be supplied with PP cover and the backrest shall be made by keeping the natural curvature of the spine and cushion base adjustable lumbar support which helps to provide full back support as well as head support. The chair shall be supplied with black integral 3D adjustable polyurethane arm having sliding, up-down, to & fro motion. For seating durability the chair shall have synchro tilt 360 degree revolving mechanism with upright position locking and tilt tension adjustment. The pneumatic seat height adjustment for healthy seating, user can adjust seat height up to 100mm with BIFMA standard class-3 gas-lift to suit them using the lever under the seat. The gas-

				lift mechanism should be tested as per ANSI/BIFMA X5.1-2011 standards. The pedestal should have five legged injection moulded in 30% glass filled nylon having pitch circle dia. 660 mm fitted with 5 nos. twin wheel castors. The castors of the chair should be injection moulded in black 30% glass filled nylon, confirming to ANSI/BIFMA standards X5.1-2011 tested 98,000 cycles with 250lbs load. The seat size shall be 500±10 mm(D) X 500±10 mm(W) and back size shall be 450±10 mm(W) X 760±10 mm(H) from seat. Overall height shall be = 1190±10 mm, base width/ depth = 760±10 mm. Certifications: ANSI/BIFMA IDM (India Design Mark) certificate should be enclosed. The bidder/OEM should have an ISO-9001:2015, ISO-14001:2015, ISO-45001:2018 and ISO 50001:2018 from NABCB accredited agencies and the copies of the same should be enclosed
9	HFS-034	SURGEON'S STOOL WITH BACK REST	Five leg powder coated black aluminum base. 55 standard upholstery, colour weight capacity 113Kg	Five leg chrome plated steel of proper gauge base with castors (min 50mm) antistatic of high quality. Weight bearing capacity minimum 150 Kg

1. ISO 13485:2016 is replaced with ISO 13485:2003, wherever appearing in the tender.
2. OHSAS 18001/ ISO4001 certification for occupational health safety management is amended as OHSAS 18001/ ISO4001 or ISO 45001:2018
3. Inplace of Guarantee please read Guarantee /Warranty
4. Delivery Location: Delivery of items shall be as per PO Placed by, Jammu & Kashmir Medical Supplies Corporation Ltd. at different place in the UT of Jammu and Kashmir (Directorate of Health Services Jammu/ Kashmir and Govt. Medical Colleges of the UT) rate must be quoted accordingly; the Corporation will not pay any extra carriage or transportation charges.
5. Quantity mentioned against each item was tentative. No minimum or maximum quantity is assured to be procured by JKMSCL. Procurement shall be made only on the basis of requisitions received from the end user Departments.
6. Please note all items are sample based. Sample of each quoted item shall have to be submitted with 10 days at Sample Ware House Gangyal, Jammu, as and when asked after qualification of Technical Bids, failing which the technical bids shall not be considered for further evaluation. Sample should be complete in all respects, complying with the tendered specifications. If samples are found not meeting the technical specifications, same shall be rejected and no representation for further review shall be entertained. However, if the supplier firm wishes to remain present during sample evaluation, they can depute their representative/s (not more than two) for which a separate firm-wise notification shall be issued.
7. Single Sample shall be provided by the participating eligible bidders for evaluation and the bidder whosoever shall be found L1 has to provide two additional samples of same make and specifications for verification of supplies.



In view of above, scheduled dates for receipt and opening of Technical Bids are also extended as under:

1.	Last date of Submission of Bids	10-12-2025 upto 4:00 p.m
2.	Date of opening of Technical Bids	12-12-2025 at 11:00 a.m.

All the bidders are requested to keep themselves updated and submit their e- bids through e-portal www.jktenders.gov.in as per specifications & BOQs. The amendments/ modifications shall be available on www.jktenders.gov.in, and www.jkmsclbusiness.com.

Rest all the terms & conditions shall remain unchanged.


General Manager (Adm)
JKMSCL
28/11

No. JKMSCL/GM/Adm/Corg/676/2025/7976-77 Dated: 28-11-2025
Copy for information to the:-

1. Managing Director, JKMSCL
2. Assistant programmer to uploaded the corrigendum on www.jktenders.gov.in and on www.jkmsclbusiness.com
3. Office Record.