



JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.

(Public Sector Undertaking of the Government of Jammu and Kashmir)

Corporate Head Office: Corporate Head Office: Plot No. 58, Friends Colony Satyam Road Trikuta Nagar Jammu

Corporate Office: Corporate Office Kashmir: Near Haj House, Bemina (190018), Srinagar

email: jkmcljepm@gmail.com; website: www.jkmscl.nic.in

**M/s Medilux System,
Lucknow**

No: JKMSCL/2024/5797-11

Dated: 09-10-2024.

Sub: E.bid for the finalization of Rate Contract for the procurement of "Machinery & Equipments" - issuance of Rate Contract thereof.

Ref. No.

1. NIT No. JKMSCL/Mach/2023/577 dated 17.03.2023

2. Minutes of Purchase Committee vide No. JKMSCL/MD/2024-25/228-40 Dated 01.07.2024 held on 26.06.2024.

3. LOI issued vide No. JKMSCL/2024/2541-44 dated: 10.07.2024.

Sir,

As per the decision of the Purchase Committee, the Jammu and Kashmir Medical Supplies Corporation J&K has approved the following item/item(s) under group "Machinery & Equipments" in your favour on the quoted rates by you in the NIT:

S. No.	Name of item	currency	Basic Rate without Tax with Conversion (1)	Taxes (2)	Total Amount (in Rs) with taxes (1+2)
1.	Neonatal Transport Incubator M/s AVI Healthcare Pvt Ltd Mumbai (Manufacturer) Model: TransNano	INR	224444.00	26933.28	251377.28 (Rupees two lakhs fifty one thousand three hundred seventy seven and twenty eight only)
2.	Indirect ophthalmoscope M/s Appasamy Associates Pvt Ltd. Chennai (Manufacturer) Model: AA10 Wireless	INR	109500.00	13140.00	122640.00 (Rupees one lakh twenty two thousand six hundred forty only)

The approved rates for Comprehensive Maintenance Contract after the expiry of warranty period of 05 (Five) years are as follows:

S. No.	Name of Item	CMC for five years
1	Neonatal Transport Incubator M/s AVI Healthcare Pvt Ltd Mumbai (Manufacturer) Model: TransNano	1 st yr 7080.00 2 nd yr 7080.00 3 rd yr 7080.00 4 th yr 7080.00 5 th yr 7080.00 Total: 35400.00
2.	Indirect ophthalmoscope M/s Appasamy Associates Pvt Ltd. Chennai (Manufacturer) Model: AA10 Wireless	1 st yr 1652.00 2 nd yr 1652.00 3 rd yr 1652.00 4 th yr 1652.00 5 th yr 1652.00 Total: 8260.00


Terms and Conditions:

- Delivery Site :** Rate are FOR Drug warehouse of JKMSCL/any Govt. Institution of J&K State, wherever installation is required.
- Validity :** The rate contract shall remain valid for a period of two years from the date of issuance of the Contract which may be extended for a period of 90 days or till such time the new rate contract is finalized, whichever is earlier, with mutual consent of JKMSCL and successful bidder.
- Taxes:** As mentioned above and as applicable.

4. **Warranty:** Five Years from the date of installation.
5. **Performance Security** You are further required to deposit the performance security equivalent to 5% of the total invoice value in the shape of Bank Guarantee in favour of FA/CAO, JKMSCL within seven days from the date of issuance of Purchase Order(s) from time to time.
6. **Supplies** Within 60 days from the date of issuance of supply order.
7. **Penalty** In case In case of extension in the delivery period with liquidated damages, recovery of liquidated damages shall be made at the rate of 0.25% per day for every day of delay subject to maximum of 10%.
8. **Installation:** Installation / commissioning and necessary training for upkeep of the equipment shall be provided free of cost.
9. **Availability of Spares:** Firm shall certify that the parts of the equipment shall remain available at least for a period of **five years** after the year of expiry of warranty period of five years.
10. You have to certify that the rates mentioned above as quoted by your firm are the lowest rates applicable to all Govt./private Institution/PSU etc. Variation found if any, during the rate contract period by the Corporation/Intending department or any other agency shall be the sole responsibility of the Contractor/Supplier/manufacturer/importer.
11. The supplier/manufacturer/importer shall ensure to supply the Brand new and unused item(s) strictly as per specifications/sample(s) approved. Variations found, if any, in instant case/or in later stages by the Corporation/Intending department/any other agency which may lead to sub standard or Not of standard/approved quality, shall be the sole responsibility of the supplier/ manufacturer/ importer/contractor.
12. JKMSCL is at liberty to get the feedback from the end-user department/intending department regarding the functioning of the machinery & equipment supplied by your agency. Adverse report, if any, may lead to strict action against you under rules/terms & conditions of the NIT/guidelines issued by the Govt. from time to time.
13. **Fall Clause:** The prices under contract shall be subject to price fall clause. The prices charged for the goods supplies under the contract by successful bidder shall in no event exceed the lowest price at which the successful bidder sells the goods or offers to sell the goods of identical description to any other person(s)/Organization(s) including procurement agencies or any other department of Central Govt. or State Govt. as the case may be during the period till the performance of the contract. If at any time, during the period of the contract, the bidder reduces the sales price chargeable under the contract, he shall forth with notify such reduction to the JKMSCL, J&K and the price payable under the contract for the stores supplied after the date of coming into force of such reduction or sale shall stand reduced correspondingly. It imply that if the contract holder quotes/ reduces its price to render similar goods at a price lower than the contract price to anyone in the Central/State Govt. at any time during the currency of contract including extension period, the contract price shall be automatically be reduced with effect from the date of reducing or quoting lower price for all delivery of subject matter of procurement under contract and the contract shall be amended accordingly.
14. **Risk Purchase :** If the bidder is unable to complete the supply within the specified or extended period, the corporation shall be entitled to purchase the goods or any part thereof from elsewhere without notice to the bidder on his (i.e., bidders) account at his cost and risk, with the prior approval of Managing Director JKMSCL, J&K. The bidder shall be liable to pay any loss or damage which the purchasing officer may sustain by reasons of such failure on the part of the bidder.
The bidder shall not be entitled to any gain on such purchases made against default. The recovery of such loss or damage shall be made from any sums accruing to the bidder under this or any other contract with the corporation/government. If recovery is not possible from the bill and the bidder fails to pay the loss or damage within one month of the demand, the recovery of such amount or sum due from the bidder shall be made from the bidder. In case supplier fails to deliver ordered goods, the risk purchases may be made at market rate from any other firm. It is mandatory for the approved supplier to acknowledge receipt of orders within seven days from the date of dispatch of order, failing which the procuring entity will be at liberty to initiate action to purchase the items on risk purchase provision at the expiry of the prescribed supply period.
15. **Orders shall only be placed on the basis of actual requirement and funds as available under the relevant Head of Accounts.**
16. **Payment shall be released after the execution of the agreement.**
17. **Approved technical specifications shall remain same as per NIT (Annexure I)**
All the terms and conditions of the NIT, Standard Procurement of Procedure (SPP) of JKMSCL & LOI shall be part of this Rate Contract.

Issued with the Decision and Authorization of Purchase Committee of JKMSCL vide its minutes No. JKMSCL/MD/2024-25/228-40 Dated 01.07.2024

Yours sincerely,


(Mohd. Ashraf Choudhary) JKAS
General Manager (Adm.), JKMSCL

Copy for information to the:

1. Principal, Govt. Medical College, Srinagar (Kashmir) (Director, Board of Directors- JKMSCL).
2. Principal, Government Medical College, Jammu (Director, Board of Directors JKMSCL).
3. Principal, Government Dental College, Srinagar (Director, Board of Directors- JKMSCL).
4. Principal, Government Dental College, Jammu (Director, Board of Directors- JKMSCL).
5. Director General, Indian System of Medicines, J&K (Director, Board of Directors- JKMSCL).
6. Director, Family Welfare, MCH & Immunization, J&K (Director, Board of Directors- JKMSCL).
7. Director, Health Services, Jammu (Director, Board of Directors- JKMSCL).
8. Director, Health Services, Kashmir (Director, Board of Directors- JKMSCL).
9. Mission Director, NHM, J&K (Director, Board of Directors- JKMSCL).
10. Controller, Drug & Food Control Organization, J&K (Director, Board of Directors JKMSCL).
11. F.A/Chief Accounts Officer, J&K Medical Supplies Corporation Limited.
12. General Manager -K(P&S, IT), J&K Medical Supplies Corporation Limited.
13. Asstt Programmer to upload on official website.
14. I.T cell JKMSCL.
15. File

Technical Specifications

Annexure I to Rate Contract No. _____

Ophthalmoscope: Indirect**GENERAL**

1.USE1.1	Clinical purpose	Head worn ophthalmoscopes designed for examining the eye (mostly the back of the eye, the fundus) by providing an inverted image of the fundus. These instruments usually consist of a light source attached to a headband to project the light into the eye through the pupil and converging lens placed in front of the patient's eye. They produce an inverted, or reversed, image of 2 to 5 times magnification of the entire retina, a field to view much larger than that of direct ophthalmoscopes indirect ophthalmoscopes are used mainly to detect eye conditions or eye diseases.
1.2	Used by clinical department/ward	Ophthalmology Department

TECHNICAL**2. TECHNICAL CHARACTERISTICS**

2.1	Technical characteristics (specific to this type of device)	1.Available with LED/Halogen light source. (Desirably LED). 2.Magnification up to x5. 3.Red-free, blue and polarization filters. 4. Should have stereo optical system with small pupil feature. 5. Should have synchronized adjustment of convergence parallax
2.2	User interface	Manual
2.3	Software and/or standard of communication/where ever required	NA

3. PHYSICAL CHARACTERISTICS

3.1	Dimensions(metric)	NA
3.2	Weight(lbs,kg)	NA
3.3	Noise (in dBA)	NA
3.4	Head dissipation	NA
3.5	Mobility, portability	Supplied in protective case for clean storage and transport.

4.ENERGY SOURCE (electricity, UPS, solar, gas water, CO2...)

4.1	Power requirements	220 to 240V, 50 Hz
4.2	Battery operated	Internal batteries , rechargeable preferred with both 2.5V and 3.5 V batteries or handls provided; Led display indicating the charging status.
4.3	Protection q	Yes

4	Power consumption	To be specified by Vendor
---	-------------------	---------------------------

5. ACCESSORIES, SPARE PARTS, CONSUMABLES

5.1	Accessories (mandatory, standard optional): Spare parts(main ones): Consumable/reagents (Open, closed system)	a.Threepanell b.Fundus
-----	---	--------------------------------

6. ENVIRONMENTAL AND DEPARTMENTAL CONSIDERATIONS

6.1	Atmosphere/Ambience (air conditioning. Humidity,dust..)	1.Operating condition Capable of operating continuously in ambient temperature of 5 to 40 deg C and relative humidity of 15 to 90% in ideal circumstances.
6.2	User's care Cleaning, Disinfection & Sterility issues.	1.Disinfection Part of the Device that are designed to come into contract with the patient or the operator should either by capable of easy disinfection or be protected by a single use / sterile disposable cover.

7. STANDARDS AND SAFETY

7.1	Certificate (pre-market, sanitary...); Performance and safety standards (specific to the device type): Local and /or international	<ol style="list-style-type: none"> 1. Should be US FDA/CE/BIS/CDSCO/ approved /USFDA/CF requirements will be applicable only when the Indian standards like BIS/CDSCO are not available.) 2. Manufacturer should have ISO 13485 certification for quality standards. 3. ISO 19942:2006 Ophthalmic instruments - Direct ophthalmoscopes.
-----	--	--

8. TRAINING AND INSTALLATION

8.1	Pre-installation requirements: nature, values , quality tolerance	Availability of 5 Amp/15Amo. Electrical Socket.
8.2	Requirements for sing-off	Supplier to perform installation, safety and operation check before handover. Local clinical staff to affirm completion of installation.
8.3	Training of staff (medical , paramedical , technicians)	Training to users i operation and basic maintenance shall be provided . Advanced maintenance tasks required shall be documented.

9. WARRANTY AND MAINTENANCE

9.1	Warranty	3 years, including for all spares and calibration work.
-----	----------	---

10. DOCUMENTATION

10.1	Operating manuals, set manuals, other manuals.	<p>Should provide 2 sets (hard copy)of :</p> <ol style="list-style-type: none"> 1. User ,technical and maintenance manuals should be supplied in English/Hindi/Regional language along with machine diagrams; 2. List of equipment and procedures required for local calibration and routine maintenance, 3. Service and operation manuals(original and copy) to be provided:
------	--	--

		4. Advanced maintenance tasks documentation; 5. Certificate of calibration and inspection, 6. Satisfactory certificate for only existing installation from government hospital.
10.2	Other accompanying documents	List of essential spare accessories, with their part number and cost.

11. Notes

11.1	Service Support Contact details (Hierarchy Wise; including a toll free/landline number)	Contact details of manufacturer, supplier and local service agent to be provided; Any Contract(AMC/CMC/add-hoc) to be declared by the manufacture
------	---	--

Neonatal Transport Incubator

1. Incubator with air skin heating, collapsible trolley provision of keep re-fill able Oxygen Cylinder and battery.
2. Incubator with Double wall Canopy. Front and Head End Access Doors with Access porthole and Tubing Access Ports. (2access door, 2 disposable infant restraint straps, 1. Iris port. 2. Quiet Loch partdoor s, 6 tubing ports)
3. Digital Displays of Air and Baby Skin Temperatures , set range 22.0 C -38(71 F-100F)
4. Indicator for Battery Power Capacity: Battery condition status 41 ED indication of battery charge and heater power condition 25-100% Maintenance free. re-chargeable. Should support all functions together continuously for at least 2 hours.
5. Examination light
6. Power mode Illuminates AC, DC, or external DC, AC and 12VDC Connectors.
7. Front mounted gas content display
8. Comprehensive Alarm System : Alarm indicators for High temp. Power fail. Sensor fault. Heater temp. Air flow, Low DC
9. 2D or 2E size tank mounts the tank mount permits mounting gas cylinders with a diameter of up 405 in (11.6cm) and up to 34m (85 cm) in length.
10. Should have O2 concentration range 21% to 58% minimum
11. Should have Noise level <60dBA
12. Humidity pad Holds 400 ml. (14oz) sterile distilled water with no significant spillage for up to 45 till in either direction with relative humidity 50 to 70% for 10-12 hours using humidity pad
13. Air filter Removes>99% of airborne particles greater than 0.5 micron diameter
14. Controller Displays: On/standby Illuminates when "On"
15. Storage temperature-40 deg Celsius to 70 deg, C ambient .
16. Trolley : Study trolley, study & shock absorbing Wheels. Space for accessories
17. Power: On mains 230V AC +- 10%, 50Hz+- 3%
18. Should have Optional Features like Accessory shelf. IV High Hood, Pressure Regulator and Flowmeter.
19. The system should have European CE and/or US FDA approved.
Manuals : Operator& Service manual should be provided.
20. Maintenance : Warranty (3years) and CMC for 5 year after warranty
21. Training of hospital engineers & staff.
23 Demonstration is compulsory.
22. Rates of consumables & accessories should be freezed for 8 years.